

SIDING PRODUCT DIRECTORY

VINYL AND METAL

September 2020

(digital version only)



Cladding • Soffit & Fascia • Trim Accessories



GENTEK®


GENTEK PRODUCT DIRECTORY

	INSULATED VINYL SIDING
4	SEQUOIA SELECT ENFUSION
	VINYL SIDING
5	SEQUOIA SELECT
6	NORTHERN FOREST ELITE
7	BOARD & BATTEN
8	FAIR OAKS
10	ADVANTAGE III
11	BERKSHIRE BEADED
12	CONCORD
14	DRIFTWOOD II
15	SELECTION
	VINYL SOFFIT & ACCESSORIES
16	SEQUOIA SELECT Ultra-Premium Soffit
17	OXFORD Premium Soffit
18	EZ LOCK Soffit
19	BEADED PREMIUM Soffit
20	FAIRWEATHER Soffit
21	Deep-Pocket Insulated Vinyl Accessories
22	Vinyl Accessories
	ALUMINUM SIDING
31	DELUXE
33	WOODGRAIN 2000
35	CEDARWOOD
	ALUMINUM SOFFIT, FASCIA & ACCESSORIES
36	Aluminum Soffit
39	Aluminum Fascia
42	Aluminum Accessories
	STEEL SIDING
48	SIERRA STEEL
49	STEELSIDE
50	UNIVERSAL
	STEEL FASCIA & ACCESSORIES
51	Steel Accessories
	FLAT STOCK
53	Steel Flat Stock
54	Aluminum Flat Stock
	GUTTER COIL
56	Aluminum Gutter Coil
	COLOUR MATRIX
58	EnFusion Siding, Deep-Pocket Insulated Vinyl Accessories
60	Vinyl Siding & Soffit
62	Vinyl Accessories
64	Aluminum Siding
65	Steel Siding, Accessories, Flat Stock
66	Aluminum Soffit & Fascia
68	Aluminum Accessories, Flat Stock, Gutter Coil
71	Cedarwood Accessories, James Hardie Colour Match Trim, CanExel
	ARCHITECTURAL SPECIFICATIONS
72	Vinyl Architectural Specifications
74	Aluminum Architectural Specifications
76	Steel Architectural Specifications
77	Colour Palettes

Not all products are available in all markets.

PRODUCT CODE & DESCRIPTION


64602 Double 5" Dutch Lap



3/4" Butt (19)
Panel Projection 1-1/4" with foam
2-5" Exposure per Panel (127/254)
16'4" Lengths (4979)
.046" Nominal Thickness
Cedargrain Texture

Packaging:
7 pcs. per ctn.
.95 sq. per ctn. (8.84 m²)
Ship. wt: 56.8 lb (25.8 kg)

64600 Double 6" Clapboard



3/4" Butt (19)
Panel Projection 1-1/4" with foam
2-6" Exposure per Panel
(152.4/304.8)
16'8" Lengths (5080)
.046" Nominal Thickness
Cedargrain Texture

Packaging:
6 pcs. per ctn.
1 sq. per ctn. (9.3 m²)
Ship. wt: 55.7 lb (25.3 kg)

For deep-pocket insulated vinyl
siding accessories, see page 21.

COLOURS

Snow White
Almond
Dover Gray
Canyon Clay
Chesapeake Gray
Pebble
Sage
Storm
Wicker

Dark Drift†
Hudson Slate†
Meadow Fern†
Midnight Surf†
Moonlit Moss†
Rockwell Blue†
Windswept Smoke†

†Designer Colour.

PRODUCT CODE & DESCRIPTION


64496 Double 4" Clapboard



3/4" Butt (19)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Lengths (3810)
.046" Nominal Thickness
Cedargrain Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 112 lb (50.8 kg)


64495 Double 4-1/2" Dutch Lap



3/4" Butt (19)
2-4 1/2" Exposure per Panel
(114.5/229)
12'1" Lengths (3683)
.046" Nominal Thickness
Cedargrain Texture

Packaging:
22 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 102.5 lb (46.5 kg)

64497 Double 5" Clapboard




3/4" Butt (19)
2-5" Exposure per Panel (127/254)
12' Lengths (3658)
.046" Nominal Thickness
Cedargrain Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 100 lb (45 kg)

†Double 5" Clapboard not available in Designer
Colours in British Columbia and Alberta.

64507 Double 5" Dutch Lap



3/4" Butt (19)
2-5" Exposure per Panel (127/254)
12' Lengths (3658)
.046" Nominal Thickness
Cedargrain Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 102.5 lb (46.5 kg)

†Double 5" Dutch Lap not available in Designer
Colours in British Columbia and Alberta.

COLOURS

Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker

Coastal Blue†
Dark Drift†
Espresso†
Hudson Slate†
Iron Ore†
Majestic Brick†
Marine Dusk†
Meadow Fern†
Midnight Surf†
Moonlit Moss†
Rockport Brown†
Rockwell Blue†
Smoked Timber†
Windswept Smoke†




NORTHERN FOREST® ELITE | VINYL SIDING

PRODUCT CODE & DESCRIPTION

COLOURS

64401 Double 4" Clapboard

3/4" Butt (19)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Lengths (3810)
.046" Nominal Thickness
Cedargrain Texture




Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 112 lb (50.8 kg)

Aspen
Earthen
Rainforest
Willow

64402 Double 5" Clapboard


3/4" Butt (19)
2-5" Exposure per Panel (127/254)
12' Lengths (3658)
.046" Nominal Thickness
Cedargrain Texture



Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 100 lb (45 kg)

64400 Double 5" Dutch Lap


3/4" Butt (19)
2-5" Exposure per Panel (127/254)
12' Lengths (3658)
.046" Nominal Thickness
Cedargrain Texture



Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 102.5 lb (46.5 kg)

64397 7" Board & Batten

1/2" Batten Height (12.7)
1-1/2" Batten Width (38.1)
7" Exposure per Panel (178.5)
10' Lengths (3048)
.048" Nominal Thickness
Light Roughsawn Texture



Packaging:
17 pcs. per ctn.
1 sq. per ctn. (9.2 m²)
Ship. wt: 50 lb (23 kg)


BOARD & BATTEN | VINYL SIDING

PRODUCT CODE & DESCRIPTION

COLOURS

64403 7" Board & Batten


1/2" Batten Height (12.7)
1-1/2" Batten Width (38.1)
7" Exposure per Panel (178.5)
10' Lengths (3048)
.048" Nominal Thickness
Light Roughsawn Texture



Packaging:
17 pcs. per ctn.
1 sq. per ctn. (9.2 m²)
Ship. wt: 50 lb (23 kg)

64397 7" Board & Batten Variegated

1/2" Batten Height (12.7)
1-1/2" Batten Width (38.1)
7" Exposure per Panel (178.5)
10' Lengths (3048)
.048" Nominal Thickness
Light Roughsawn Texture



Packaging:
17 pcs. per ctn.
1 sq. per ctn. (9.2 m²)
Ship. wt: 50 lb (23 kg)

Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone
Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker

Coastal Blue†
Dark Drift†
Espresso†
Hudson Slate†
Iron Ore†
Majestic Brick†
Marine Dusk†
Meadow Fern†
Midnight Surf†
Moonlit Moss†
Rockport Brown†
Rockwell Blue†
Smoked Timber†
Windswept Smoke†

Aspen
Earthen
Rainforest
Willow

†Designer Colour; not available in British Columbia and Alberta.



PRODUCT CODE & DESCRIPTION


64695
Double 4"
Clapboard



5/8" Butt (15.9)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Lengths (3810)
.044" Nominal Thickness
Hardwood Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 99 lb (45 kg)

64696
Double 4"
Dutch Lap



5/8" Butt (15.9)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Lengths (3810)
.044" Nominal Thickness
Hardwood Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 99 lb (45 kg)

64697
Double 5"
Clapboard



5/8" Butt (15.9)
2-5" Exposure per Panel (127/254)
12' Lengths (3658)
.044" Nominal Thickness
Hardwood Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 91 lb (41 kg)

64698
Double 5"
Dutch Lap



5/8" Butt (15.9)
2-5" Exposure per Panel (127/254)
12' Lengths (3658)
.044" Nominal Thickness
Hardwood Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 91 lb (41 kg)

COLOURS

Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone


Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker

Dark Drift†
Meadow Fern†
Rockwell Blue†

†Designer Colour;
available in Double 4"
Clapboard and Double 4"
Dutch Lap only.

PRODUCT CODE & DESCRIPTION

64740
Single 8"



5/8" Butt (15.9)
8" Exposure per Panel (203.2)
12'6" Lengths (3810)
.044" Nominal Thickness
Hardwood Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 97 lb (44 kg)


COLOURS

Snow White
Maize

ADVANTAGE® III VINYL SIDING

PRODUCT CODE & DESCRIPTION

64420
**Triple 3"
Clapboard**



1/2" Butt (12.7)
3-3" Exposure per Panel
(76.2/229)
12'1" Lengths (3683)
.042" Nominal Thickness
Brushed Texture

Packaging:
22 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 96 lb (44 kg)

COLOURS

Snow White


Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker

BERKSHIRE™ BEADED VINYL SIDING

PRODUCT CODE & DESCRIPTION

63319
6-1/2" Beaded



3/4" Butt (19)
6-1/2" Exposure per Panel (165.1)
12'3-3/4" Lengths (3753)
.042" Nominal Thickness
Brushed Texture

Packaging:
30 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 102 lb (46 kg)

COLOURS

Snow White


Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker



PRODUCT CODE & DESCRIPTION


64686
Double 4"
Clapboard



1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Lengths (3810)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 94 lb (43 kg)


64621
Double 4"
Dutch Lap



1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Lengths (3810)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 94 lb (43 kg)

62317
Double 5"
Clapboard



1/2" Butt (12.7)
2-5" Exposure per Panel (127/254)
12' Lengths (3658)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 91 lb (41 kg)

62215
Double 5"
Dutch Lap



1/2" Butt (12.7)
2-5" Exposure per Panel (127/254)
12' Lengths (3658)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 90 lb (41 kg)


COLOURS

Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker

PRODUCT CODE & DESCRIPTION

64755
10" Vertical



10" Exposure per Panel (254)
10' Lengths (3048)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 83 lb (38 kg)

COLOURS

Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone


Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker



DRIFTWOOD® II VINYL SIDING

PRODUCT CODE & DESCRIPTION

62450
**Double 4"
Clapboard**




7/16" Butt (11.1)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Lengths (3810)
.040" Nominal Thickness
Natural Cedargrain Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 82 lb (37.65 kg)

COLOURS

Snow White
Almond
Amber
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

62452
**Double 4-1/2"
Dutch Lap**



7/16" Butt (11.1)
2-4-1/2" Exposure per Panel
(114.5/229)
12'1" Lengths (3683)
.040" Nominal Thickness
Natural Cedargrain Texture

Packaging:
22 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 79 lb (35.83 kg)


Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker



SELECTION VINYL SIDING

PRODUCT CODE & DESCRIPTION

64266
**Double 4"
Dutch Lap**




7/16" (11.1)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Lengths (3810)
.040" Nominal Thickness
Driftwood Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 91.21 lb (41.37 kg)

COLOURS

Snow White



64268
**Double 5"
Dutch Lap**



7/16" (11.1)
2-5" Exposure per Panel
(127/254)
12' Lengths (3658)
.040" Nominal Thickness
Driftwood Texture



Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)
Ship. wt: 91.21 lb (41.37 kg)

PRODUCT CODE & DESCRIPTION | COLOURS


64550 12" T-4 Solid Soffit/ Vertical Siding		12" Exposure per Panel (304.8) 12' Lengths (3658) .044" Nominal Thickness 3/4" Nominal Panel Projection Matte Texture	Snow White
		Packaging: 16 pcs. per ctn. 1.92 sqs. per ctn. (17.8 m²) Ship. wt: 109.2 lb (49.53 kg)	Almond Dover Gray Linen Maize Monterey Sand Pearl Sandstone
64552 12" T-4 Soffit/Hidden Vent		12" Exposure per Panel (304.8) 12' Lengths (3658) .044" Nominal Thickness 3/4" Nominal Panel Projection Matte Texture 10 sq. in. ventilation per lineal ft.	Canyon Clay Juniper Grove Pebble Sage Wicker
		Packaging: 16 pcs. per ctn. 1.92 sqs. per ctn. (17.8 m²) Ship. wt: 109.2 lb (49.53 kg)	Musket Brown*

*Designer Colour.


PRODUCT CODE & DESCRIPTION | COLOURS

64751 10" D-5 Solid Soffit/ Vertical Siding		10" Exposure per Panel (254) 10' Lengths (3048) .042" Nominal Thickness Light Roughsawn Texture	Snow White
		Packaging: 24 pcs. per ctn. 2 sqs. per ctn. (18.6 m²) Ship. wt: 83 lb (38 kg)	Almond Dover Gray Linen Maize Monterey Sand Pearl Sandstone
64755 10" D-5 Solid Soffit/ Vertical Siding		10" Exposure per Panel (254) 12' Lengths (3658) .042" Nominal Thickness Light Roughsawn Texture	Canyon Clay Chesapeake Gray Juniper Grove Pebble Sage Storm Wicker
		Packaging: 20 pcs. per ctn. 2 sqs. per ctn. (18.6 m²) Ship. wt: 83 lb (38 kg)	Black* Musket Brown*


*Designer Colour.

64754 10" D-5 Fully Vented Soffit		10" Exposure per Panel (254) 12' Lengths (3658) .042" Nominal Thickness Light Roughsawn Texture 5.3 sq. in. ventilation per lineal ft.	Snow White
		Packaging: 20 pcs. per ctn. 2 sqs. per ctn. (18.6 m²) Ship. wt: 83 lb (38 kg)	Almond Dover Gray Linen Maize Monterey Sand Pearl Sandstone


PRODUCT CODE & DESCRIPTION	COLOURS
64885 EZ Lock 8" Solid Soffit	Snow White
8" Exposure per Panel (203.2) 12'6" Lengths (3810) .041" Nominal Thickness Light Roughsawn Texture	Linen
Packaging: 24 pcs. per ctn. 2 sqs. per ctn. (18.6 m ²) Ship. wt: 94.23 lb (42.74 kg)	Wicker
	Black†
	†Designer Colour.




64880 EZ Lock 8" Vented Soffit	8" Exposure per Panel (203.2) 12'6" Lengths (3810) .041" Nominal Thickness Light Roughsawn Texture 5.3 sq. in. ventilation per lineal ft.
Packaging: 24 pcs. per ctn. 2 sqs. per ctn. (18.6 m ²) Ship. wt: 94.23 lb (42.74 kg)	



PRODUCT CODE & DESCRIPTION	COLOURS
64370 8" Solid Soffit*	Snow White
8" Exposure per Panel (203.2) 12'6" Lengths (3810) .042" Nominal Thickness Matte Texture	Linen
Packaging: 12 pcs. per ctn. 1 sq. per ctn. (9.29 m ²) Ship. wt: 59 lb (27 kg)	Monterey Sand
	Canyon Clay
	Juniper Grove
	Pebble
	Wicker
	*Soffit use only.



64375 8" Vented Soffit	8" Exposure per Panel (203.2) 12'6" Lengths (3810) .042" Nominal Thickness Matte Texture 2.4 sq. in. ventilation per lineal ft.
Packaging: 12 pcs. per ctn. 1 sq. per ctn. (9.29 m ²) Ship. wt: 59 lb (27 kg)	



PRODUCT CODE & DESCRIPTION

64456

12" T-4

Solid Soffit/
Vertical Siding

12" Exposure per Panel (304.8)

12" Lengths (3658)

.040" Nominal Thickness

1/2" Nominal Panel Projection


Brushed Texture

Packaging:

16 pcs. per ctn.

1.92 sqs. per ctn. (17.8 m²)


Ship. wt: 79 lb (36 kg)



64460

12" T-4


Center Vented Soffit



64458

12" T-4

Fully Vented Soffit



12" Exposure per Panel (304.8)

12" Lengths (3658)

.040" Nominal Thickness

1/2" Nominal Panel Projection

Brushed Texture

2.3 sq. in. ventilation per lineal ft.

Packaging:

16 pcs. per ctn.

1.92 sqs. per ctn. (17.8 m²)

Ship. wt: 79 lb (36 kg)

12" Exposure per Panel (304.8)

12" Lengths (3658)

.040" Nominal Thickness

1/2" Nominal Panel Projection

Brushed Texture

7.1 sq. in. ventilation per lineal ft.

Packaging:

16 pcs. per ctn.

1.92 sqs. per ctn. (17.8 m²)

Ship. wt: 79 lb (36 kg)

COLOURS

Snow White

Almond

Dover Gray

Linen

Maize

Monterey Sand

Pearl

Sandstone

Canyon Clay

Chesapeake Gray

Juniper Grove

Pebble

Sage

Storm

Wicker

Musket Brown†

†Designer Colour.

PRODUCT CODE & DESCRIPTION

65604

4"

Outside Corner Post
with Foam

4" Face (101.6)

10' Lengths (3048)


Brushed Texture

Packaging:

10 pcs. per ctn.

100 lineal ft. per ctn. (30.5 m)

Ship. wt: 48.5 lb (22 kg)



65606 (Special Order)

1-1/4" J-Channel

with 1" Face

12" Lengths (3658)


Brushed Texture

Packaging:

30 pcs. per ctn.

432 lineal ft. per ctn. (131.7 m)

Ship. wt: 54 lb (24.4 kg)



K661945

Easy Start Starter Strip


12"6" Lengths (3810)

Packaging:

24 pcs. per ctn.

300 lineal ft. per ctn. (91.5 m)

Ship. wt: 32 lb (14.5 kg)



Available in neutral colour only.

COLOURS

Snow White

Almond

Dover Gray

Canyon Clay

Chesapeake Gray

Pebble

Sage

Storm

Wicker

Dark Drift†

Hudson Slate†

Meadow Fern†

Midnight Surf†

Moonlit Moss†

Rockwell Blue†

Windswept Smoke†

†Designer Colour.

PRODUCT CODE & DESCRIPTION


COLOURS

65504/65524 (Dark Colours)
3-1/2"
Outside Corner Post

3-1/2" Face (88.9)
10' Lengths (3048)
Brushed Texture

See Matrix On
Pages 62-63.


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)
Ship. wt: 41 lb (19 kg)



65501
3"
Outside Corner Post

3" Face (76.2)
10' Lengths (3048)
Brushed Texture


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)
Ship. wt: 38 lb (17 kg)



65507
6" Designer
Outside Corner Post

6" Face (152.4)
20' Lengths (6096)
Brushed Texture


Packaging:
5 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)
Ship. wt: 56 lb (25 kg)



68030
Bay & Bow
Outside Corner Post

2" Face (50.8)
12'6" Lengths (3810)
Matte Texture

Packaging:
10 pcs. per ctn.
125 lineal ft. per ctn. (38 m)
Ship. wt: 23 lb (10.5 kg)



PRODUCT CODE & DESCRIPTION


COLOURS

68020
Beaded Corner Post
with Foam Insert

20' Lengths (6096)
Matte Texture

See Matrix On
Pages 62-63.


Packaging:
5 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)
Ship. wt: 84 lb (38 kg)



65520/65521 (Dark Colours)
3-1/2"
3/4" Inside Corner Post

10' Lengths (3048)
Brushed Texture


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)
Ship. wt: 27.4 lb (12.4 kg)



65560
1/2" J-Channel

12' Lengths (3658)
Brushed Texture


Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)
Ship. wt: 44 lb (20 kg)




65536
5/8" Premium
J-Channel


12' Lengths (3658)
Brushed Texture


Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)
Ship. wt: 46 lb (21 kg)




PRODUCT CODE & DESCRIPTION COLOURS


65533 3/4" Premium J-Channel	12' Lengths (3658) Brushed Texture	See Matrix On Pages 62-63.
		
Packaging: 40 pcs. per ctn. 480 lineal ft. per ctn. (146.3 m) Ship. wt: 49 lb (22 kg)		


65606 (Special Order) 1-1/4" J-Channel* with 1" Face	12' Lengths (3658) Brushed Texture	
		
Packaging: 30 pcs. per ctn. 432 lineal ft. per ctn. (131.7 m) Ship. wt: 54 lb (24.4 kg)		
*Can be used with Sequoia Select EnFusion insulated siding.		


65538 2-1/2" Wide Face J-Channel	12' Lengths (3658) Brushed Texture	
		
Packaging: 18 pcs. per ctn. 216 lineal ft. per ctn. (65.8 m) Ship. wt: 47 lb (21 kg)		


65570/65571 Undersill Trim*	12' Lengths (3658) Brushed Texture	
		
Packaging: 40 pcs. per ctn. 480 lineal ft. per ctn. (146.3 m) Ship. wt: 37 lb (16.8 kg)		
*Also used as a starter strip for 5" lineal.		

PRODUCT CODE & DESCRIPTION COLOURS

67750 Double Undersill Trim	12' Lengths (3658) Smooth Texture	See Matrix On Pages 62-63.
		
Packaging: 25 pcs. per ctn. 300 lineal ft. per ctn. (91.5 m) Ship. wt: 36 lb (16.33 kg)		

65581 Drip Cap	12' Lengths (3658) Brushed Texture	
		
Packaging: 45 pcs. per ctn. 540 lineal ft. per ctn. (164.6 m) Ship. wt: 71 lb (32.2 kg)		


65590 Beltline Trim	12' Lengths (3658) Brushed Texture	
		
Packaging: 30 pcs. per ctn. 360 lineal ft. per ctn. (109.7 m) Ship. wt: 39 lb (18 kg)		

65583 3-1/2" Window/Door Surround	3-1/2" Face (88.9) 20' Lengths (6096) Matte Texture	
		
Packaging: 5 pcs. per ctn. 100 lineal ft. per ctn. (30.5 m) Ship.wt: 30 lb (13.5 kg)		

PRODUCT CODE & DESCRIPTION COLOURS


65750 5" Window/Door Surround 5" Face (127) 20' Lengths (6096) Matte Texture See Matrix On Pages 62-63.

Packaging:
10 pcs. per ctn.
200 lineal ft. per ctn. (61 m)
Ship. wt: 65 lb (29.5 kg)



65700 Surround Starter 12' Lengths (3658)


Packaging:
25 pcs. per ctn.
300 lineal ft. per ctn. (91.4 m)
Ship. wt: 33 lb (15 kg)



65551 Starter Strip* 12' Lengths (3658)


Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)
Ship. wt: 58 lb (26 kg)

*For Sequoia Select and Northern Forest Elite vinyl siding, use Universal starter strip (0109025) located on page 45.



65599 F-Channel 12' Lengths (3658) Brushed Texture


Packaging:
24 pcs. per ctn.
288 lineal ft. per ctn. (87.8 m)
Ship. wt: 43 lb (19.6 kg)



PRODUCT CODE & DESCRIPTION COLOURS


68080 3/4" F-Channel 12'6" Lengths (3810) Brushed Texture See Matrix On Pages 62-63.

Packaging:
32 pcs. per ctn.
400 lineal ft. per ctn. (122 m)
Ship. wt: 55 lb (25 kg)




65568 3/8" Soffit Cove J-Channel 12'6" Lengths (3810) Matte Texture

Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)
Ship. wt: 39.7 lb (18 kg)




65548 Soffit Double Channel 12' Lengths (3658) Brushed Texture

Packaging:
20 pcs. per ctn.
240 lineal ft. per ctn. (73.2 m)
Ship. wt: 48 lb (22 kg)



68035 3-1/2" H-Trim 20' Lengths (6096) Matte Texture


Packaging:
10 pcs. per ctn.
200 lineal ft. per ctn. (61 m)
Ship. wt: 64 lb (29 kg)



PRODUCT CODE & DESCRIPTION COLOURS


65579 12' Lengths (3658) See Matrix On
Soffit Cove Moulding Brushed Texture Pages 62-63.

Packaging:
16 pcs. per ctn.
192 lineal ft. per ctn. (15.52 m)
Ship. wt: 30.4 lb (14 kg)



65578 12' Lengths (3658) Brushed Texture
Soffit Crown Moulding


Packaging:
18 pcs. per ctn.
216 lineal ft. per ctn. (65.9 m)
Ship. wt: 48 lb (18.2 kg)



PRODUCT CODE & DESCRIPTION COLOURS


65516 3-1/2" Face (88.9) See Matrix On
Variegated 10' Lengths (3048) Pages 62-63.
3-1/2" Outside
Corner Post Brushed Texture

Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)
Ship. wt: 44 lb (20 kg)




65566 12' Lengths (3658) Brushed Texture
Variegated 1/2" J-Channel

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)
Ship. wt: 45 lb (20.4 kg)




65532 12' Lengths (3658) Brushed Texture
Variegated 3/4" J-Channel

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)
Ship. wt: 49 lb (22 kg)



65575 12' Lengths (3658) Brushed Texture
Variegated Undersill Trim

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)
Ship. wt: 37 lb (16.8 kg)



PRODUCT CODE & DESCRIPTION

COLOURS

65559

Variegated Drip Cap

12' Lengths (3658)

Brushed Texture

See Matrix On


Pages 62-63.

Packaging:

45 pcs. per ctn.

540 lineal ft. per ctn. (164.6 m)

Ship. wt: 55 lb (25 kg)



65595

Variegated
Beltline Trim

12' Lengths (3658)


Brushed Texture

Packaging:

30 pcs. per ctn.

360 lineal ft. per ctn. (109.7 m)

Ship. wt: 39 lb (18 kg)



DELUXE™

ALUMINUM SIDING

PRODUCT CODE & DESCRIPTION

COLOURS

1002

8" Horizontal

1/2" Butt (12.7)

8" Exposure per Panel (203.2)

12'6" Lengths (3810)

Poly Finish

Smooth Texture

See Matrix on


Page 64.

Packaging:

24 pcs. per ctn.

2 sqs. per ctn. (18.58 m²)

Ship. wt: 84 lb (38.4 kg)



1191

Double 4"
Clapboard

1/2" Butt (12.7)

2-4" Exposure per Panel (101.6/203.2)

12'6" Lengths (3810)

Poly Finish


Smooth Texture

Packaging:

24 pcs. per ctn.

2 sqs. per ctn. (18.58 m²)

Ship. wt: 73 lb (33.3 kg)



1302

8" Vertical
Board & Batten

8" Exposure per Panel (203.2)

10' Lengths (3048)

Poly Finish


Smooth Texture

Packaging:

15 pcs. per ctn.

1 sq. per ctn. (9.29 m²)

Ship. wt: 35.60 lb (16.15 kg)



1438

Vertical "V"
Standard Gauge
(0.40 mm)

7-1/4" Exposure per Panel (184.2)

9'7-3/8" Lengths (2930)

Poly Finish


Smooth Texture

Packaging:

17 pcs. per ctn.

1 sq. per ctn. (9.29 m²)

Ship. wt: 30.95 lb (14.04 kg)






DELUXE™

ALUMINUM SIDING

ALUMINUM SIDING

PRODUCT CODE & DESCRIPTION

1429
Vertical "V"
Heavy Gauge
(0.44 mm)



7-1/4" Exposure per Panel (184.2)
9'7-3/8" Lengths (2930)
Poly Finish
Smooth Texture

Packaging:
17 pcs. per ctn.
1 sq. per ctn. (9.29 m²)
Ship. wt: 30.95 lb (14.04 kg)

COLOURS

See Matrix on
Page 64.




WOODGRAIN™ 2000

ALUMINUM SIDING

ALUMINUM SIDING

PRODUCT CODE & DESCRIPTION

1003
8" Horizontal




1/2" Butt (12.7)
8" Exposure per Panel (203.2)
12'6" Lengths (3810)
Woodgrain Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)
Ship. wt: 75.55 lb (34.27 kg)

See Matrix on
Page 64.


1192
Double 4"
Clapboard



1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Lengths (3810)
Woodgrain Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)
Ship. wt: 59.32 lb (26.91 kg)


1188
Double 4" Dutch Lap
Standard Gauge
(0.40 mm)



1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Lengths (3810)
Woodgrain Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)
Ship. wt: 59.32 lb (26.91 kg)

1185
Double 4" Dutch Lap
Heavy Gauge
(0.44 mm)



1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Lengths (3810)
Woodgrain Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)
Ship. wt: 59.32 lb (26.91 kg)


PRODUCT CODE & DESCRIPTION

COLOURS

1303

8" Vertical Board & Batten

1 1/2" Butt (12.7)
8" Exposure per Panel (203.2)
10' Lengths (3048)
Woodgrain Texture



Packaging:

15 pcs. per ctn.


1 sq. per ctn. (9.29 m²)

Ship. wt: 35.6 lb (16.15 kg)

1439

Vertical "V" Standard Gauge (0.40 mm)

7-1/4" Exposure per Panel (184.2)
9'7-3/8" Lengths (2930)
Woodgrain Texture



Packaging:

17 pcs. per ctn.


1 sq. per ctn. (9.29 m²)

Ship. wt: 30.91 lb (14.02 kg)

1425

Vertical "V" Heavy Gauge (0.44 mm)

7-1/4" Exposure per Panel (184.2)
9'7-3/8" Lengths (2930)
Woodgrain Texture



Packaging:

17 pcs. per ctn.

1 sq. per ctn. (9.29 m²)

Ship. wt: 30.91 lb (14.02 kg)


PRODUCT CODE & DESCRIPTION

COLOURS

1207

Double 5" Clapboard

1 1/2" Butt (12.7)
2-5" Exposure per Panel (127/254)
12' Lengths (3658)
PVDF Finish (Kynar)
Woodgrain Texture
Variegated Colours



Packaging:

20 pcs. per ctn.


2 sqs. per ctn. (18.58 m²)

Ship. wt: 89 lb (40.5 kg)

1307

Vertical "V" Heavy Gauge (0.44 mm)

7-1/4" Exposure per Panel (184.2)
9'7-3/8" Lengths (2930)
PVDF Finish (Kynar)
Woodgrain Texture
Variegated Colours



Packaging:

17 pcs. per ctn.

1 sq. per ctn. (9.29 m²)

Ship. wt: 30.91 lb (14.02 kg)


PRODUCT CODE & DESCRIPTION | COLOURS

1602
16" 2-Panel Soffit
Solid
Standard Gauge

16" Exposure per Panel (406.4)
12'1-15/16" Lengths (3708)
Smooth Texture

See Matrix on
Pages 66-67.


Packaging:
18 pcs. per ctn.
3 sqs. per ctn. (27.62 m²)
Ship. wt: 56.13 lb (25.46 kg)



1603
16" 2-Panel Soffit
Vented
Standard Gauge

16" Exposure per Panel (406.4)
12'1-15/16" Lengths (3708)
4.02 sq. in. ventilation per lineal ft.
Smooth Texture


Packaging:
18 pcs. per ctn.
3 sqs. per ctn. (27.62 m²)
Ship. wt: 56.13 lb (25.46 kg)



1620
16" 2-Panel Soffit
Solid
Heavy Gauge

16" Exposure per Panel (406.4)
12'1-15/16" Lengths (3708)
Smooth Texture


Packaging:
12 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)
Ship. wt: 51.5 lb (22.07 kg)



1622
16" 2-Panel Soffit
Vented
Heavy Gauge

16" Exposure per Panel (406.4)
12'1-15/16" Lengths (3708)
4.02 sq. in. ventilation per lineal ft.
Smooth Texture

Packaging:
12 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)
Ship. wt: 51.5 lb (22.07 kg)




PRODUCT CODE & DESCRIPTION | COLOURS

1601
16" 4-Panel Soffit
Solid

16" Exposure per Panel (406.4)
12'2-3/8" Lengths (3718)
Smooth Texture

See Matrix on
Pages 66-67.


Packaging:
18 pcs. per ctn.
4.22 sqs. per ctn. (26.6 m²)
Ship. wt: 56.53 lb (25.74 kg)



1606
16" 4-Panel Soffit
Vented

16" Exposure per Panel (406.4)
12'2-3/8" Lengths (3718)
4.12 sq. in. ventilation per lineal ft.
Smooth Texture


Packaging:
18 pcs. per ctn.
4.22 sqs. per ctn. (26.6 m²)
Ship. wt: 56.53 lb (25.74 kg)



1615
16" 4-Panel Soffit
Vented
Heavy Gauge

16" Exposure per Panel (406.4)
12'2-3/8" Lengths (3718)
4.12 sq. in. ventilation per lineal ft.
Smooth Texture

Packaging:
18 pcs. per ctn.
4.22 sqs. per ctn. (26.6 m²)
Ship. wt: 64 lbs (29.07 kg)




PRODUCT CODE & DESCRIPTION | COLOURS

2330

18" 3-Panel Soffit

Solid

Heavy Gauge



18" Exposure per Panel (457.2)

10' Lengths (3048)

Smooth Texture

Packaging:

12 pcs. per ctn.

1.92 sqs. per ctn. (17.8 m²)

Ship. wt: 39.5 lb (17.9 kg)

See Matrix on


Pages 66-67.

2345

18" 3-Panel Soffit

Vented

Heavy Gauge



18" Exposure per Panel (457.2)

10' Lengths (3048)

5.46 sq. in. ventilation per lineal ft.

Smooth Texture

Packaging:

12 pcs. per ctn.

1.92 sqs. per ctn. (17.8 m²)


Ship. wt: 39.5 lb (17.9 kg)

PRODUCT CODE & DESCRIPTION | COLOURS

1694

4" Fascia

Standard Gauge



9'10" Lengths (3000)

Ribbed

Packaging:

30 pcs. per ctn.

295 lineal ft. per ctn. (90 m)

Ship. wt: 32.65 lb (14.84 kg)


See Matrix On

Pages 66-67.

1693

4" Fascia

Economy Gauge



9'10" Lengths (3000)

Ribbed

Packaging:

30 pcs. per ctn.


295 lineal ft. per ctn. (90 m)

Ship. wt: 32.65 lb (14.84 kg)

1696/1697

6" Fascia

Standard Gauge



9'10" Lengths (3000)

Ribbed

Packaging:

20 pcs. per ctn.


197 lineal ft. per ctn. (60 m)

Ship. wt: 29.32 lb (13.30 kg)

1691

6" Fascia

Economy Gauge



9'10" Lengths (3000)

Ribbed


Packaging:


20 pcs. per ctn.


197 lineal ft. per ctn. (60 m)


Ship. wt: 29.32 lb (13.30 kg)

PRODUCT CODE & DESCRIPTION | COLOURS


2020 6" Fascia Heavy Gauge	9'10" Lengths (3000) Ribbed	See Matrix On Pages 66-67.
	Packaging: 20 pcs. per ctn. 197 lineal ft. per ctn. (60 m) Ship. wt: 36.40 lb (16.53 kg)	
	1697 available in AluCopper.	


2024 6" Fascia Heavy Gauge	9'10" Lengths (3000) Plain	
	Packaging: 25 pcs. per ctn. 245.8 lineal ft. per ctn. (75 m) Ship. wt: 44.80 lb (20.31 kg)	

1698 8" Fascia Standard Gauge	9'10" Lengths (3000) Ribbed	
	Packaging: 20 pcs. per ctn. 197 lineal ft. per ctn. (60 m) Ship. wt: 37.59 lb (17.05 kg)	

2030 8" Fascia Heavy Gauge	9'10" Lengths (3000) Ribbed	
	Packaging: 20 pcs. per ctn. 197 lineal ft. per ctn. (60 m) Ship. wt: 46.80 lb (21.22 kg)	

PRODUCT CODE & DESCRIPTION | COLOURS

2025 8" Fascia Heavy Gauge	9'10" Lengths (3000) Plain	See Matrix On Pages 66-67.
	Packaging: 25 pcs. per ctn. 245.8 lineal ft. per ctn. (75 m) Ship. wt: 57.4 lb (26.07 kg)	

1670 10" Fascia Standard Gauge	9'10" Lengths (3000) Ribbed	
	Packaging: 20 pcs. per ctn. 197 lineal ft. per ctn. (60 m) Ship. wt: 44 lb (19.96 kg)	

PRODUCT CODE & DESCRIPTION

COLOURS

2319

Outside Corner Post

2-1/2" Face (63.5)

10' Lengths (3048)

Smooth Texture

See Matrix On Pages 68-71.

Packaging:

10 pcs. per ctn.

Ship. wt: 20.83 lb (9.45 kg)

2312

Outside Corner Post

2-1/2" Face (63.5)

10' Lengths (3048)

Woodgrain Texture

Packaging:

10 pcs. per ctn.

Ship. wt: 20.83 lb (9.45 kg)

2300

Individual Corner Cap

8" Exposure (203.2)

Smooth Texture

Packaging:

100 pcs. per ctn.

Ship. wt: 13 lb (5.9 kg)

2502

3/4" J Trim

12' Lengths (3658)

Smooth Texture

Packaging:

40 pcs. per ctn.

Ship. wt: 22.9 lb (10.39 kg)

PRODUCT CODE & DESCRIPTION

COLOURS

2503

Universal J

10' Lengths (3048)

Smooth Texture

See Matrix On Pages 68-71.

Packaging:

20 pcs. per ctn.

Ship. wt: 11.73 lb (5.32 kg)

2520/2522

Soffit J (BSP)*

12' Lengths (3658)

Smooth Texture

Packaging:

25 pcs. per ctn.

Ship. wt: 16.11 lb (7.31 kg)

2522 – only available in AluCopper

2507

3/4" Wideface Soffit J

12' Lengths (3658)

Smooth Texture

Packaging:

24 pcs. per ctn.

Ship. wt: 18.85 lb (8.55 kg)

1692

Channel Runner

12' Lengths (3658)

Smooth Texture

Packaging:

25 pcs. per ctn.

Ship. wt: 14.33 lb (6.50 kg)


PRODUCT CODE & DESCRIPTION

COLOURS

2538
L-Trim Small

12' Lengths (3658)
Smooth Texture


See Matrix On
Pages 68-71.



2543
Drip Cap

12' Lengths (3658)
Smooth Texture


Packaging:
20 pcs. per ctn.
Ship. wt: 15.23 lb (6.91 kg)



2567
Roof Edge Drip Cap

10' Lengths (3048)
Smooth Texture


Packaging:
20 pcs. per ctn.
Ship. wt: 12.72 lb (5.77 kg)



2573
3" 0° Roof Edge

10' Lengths (3048)
Smooth Texture

Packaging:
20 pcs. per ctn.
Ship. wt: 16.07 lb (7.29 kg)




PRODUCT CODE & DESCRIPTION

COLOURS

2575
4" 0° Roof Edge

10' Lengths (3048)
Smooth Texture


See Matrix On
Pages 68-71.



2577
6" 0° Roof Edge

10' Lengths (3048)
Smooth Texture


Packaging:
20 pcs. per ctn.
Ship. wt: 30.02 lb (13.62 kg)



2550
Snap-Lock
Sill Trim

12' Lengths (3658)
Smooth Texture


Packaging:
40 pcs. per ctn.
Ship. wt: 22.2 lb (10.08 kg)



0109025
Universal Starter Strip

10' Lengths (3100)
Smooth Texture

Packaging:
50 pcs. per ctn.
Ship. wt: 47.40 lb (21.50 kg)



PRODUCT CODE & DESCRIPTION


COLOURS

2504
Woodgrain™ 2000
Undersill Trim

10' Lengths (3048)
Smooth Texture

See Matrix On
Pages 68-71.


Packaging:
25 pcs. per ctn.
Ship. wt: 12.87 lb (5.84 kg)



2043
Woodgrain™ 2000
Fascia Trim

10' Lengths (3048)
Woodgrain Texture


Packaging:
20 pcs. per ctn.
Ship. wt: 16.38 lb (7.43 kg)



2311
Woodgrain™ 2000
Individual Corner Cap


8" Exposure (203.2)
Woodgrain Texture

Packaging:
100 pcs. per ctn.
Ship. wt: 13.0 lb (5.90 kg)



2317
Cedarwood®
Outside Corner Post

2-1/2" Face (63.5)
10' Lengths (3048)
PVDF Finish (Kynar)
Woodgrain Texture
Variegated Colours



Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)
Ship. wt: 25.5 lb (11.6 kg)


PRODUCT CODE & DESCRIPTION

COLOURS

2318
Cedarwood®
3/4" J-Channel

12' Lengths (3658)
PVDF Finish (Kynar)
Smooth Texture
Variegated Colours


See Matrix On
Pages 68-71.




Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)
Ship. wt: 29 lb (13.2 kg)

2320
Cedarwood®
Snap-Lock Finish Trim


12' Lengths (3658)
PVDF Finish (Kynar)
Smooth Texture
Variegated Colours




Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)
Ship. wt: 28 lb (12.76 kg)


PRODUCT CODE & DESCRIPTION	COLOURS
1750 Double 4" Clapboard 	Bright White Chelsea Bluff Delray Sand Dover Gray Iron Ore Juniper Grove Monterey Sand Rockwell Blue Sable Storm

1755 Double 5" Clapboard 	1/2" Butt (12.7) 2-5" Exposure per Panel (127/254) 10' Lengths (3048) PVDF Finish (Kynar) Roughsawn Texture Packaging: 10 pcs. per ctn. 1 sq. per ctn. (9.29 m²) Ship. wt: 85 lb (39 kg)
--	--

1748 8" Horizontal 	1/2" Butt (12.7) 8" Exposure per Panel (203.2) 12'6" Lengths (3810) PVDF Finish (Kynar) Roughsawn Texture Packaging: 12 pcs. per ctn. 1 sq. per ctn. (9.29 m²) Ship. wt: 91 lb (41 kg)
--	--


1752 12" Vertical Board & Batten 	5/8" Batten Height (15.9) 2" Batten Width (50.8) 12" Exposure per Panel (304.8) 10' Lengths (3048) PVDF Finish (Kynar) Medium Woodgrain Texture Packaging: 10 pcs. per ctn. 1 sq. per ctn. (9.29 m²) Ship. wt: 85 lb (39 kg)
--	---

PRODUCT CODE & DESCRIPTION	COLOURS
1754 Double 5" Clapboard 	Bright White Almond Brownstone Canyon Clay Classic Brown Dover Gray Norwood Sage Thistle Wicker


1751 8" Horizontal 	1/2" Butt (12.7) 8" Exposure per Panel (203.2) 12'6" Lengths (3810) PVC Finish Woodgrain Texture Packaging: 12 pcs. per ctn. 1 sq. per ctn. (9.29 m²) Ship. wt: 91 lb (41 kg)
--	---

PRODUCT CODE & DESCRIPTION		COLOURS
1790 Universal™ Double 5" Dutch Lap	1/2" Butt (12.7) 2-5" Exposure per Panel (127/254) 12' Lengths (3658) PVC Finish Woodgrain Texture	Bright White
		Almond
		Brownstone
		Canyon Clay
		Classic Brown
		Dover Gray
		Norwood
		Sage
		Thistle
		Wicker


1719 Universal™ 12" Vertical Board & Batten	5/8" Batten Height (15.9) 2" Batten Width (50.8) 12" Exposure per Panel (304.8) 10' Lengths (3048) PVC Finish Texture
	Packaging: 10 pcs. per ctn. 1 sq. per ctn. (9.29 m²) Ship. wt: 91 lb (41 kg)




PRODUCT CODE & DESCRIPTION		COLOURS
1813 3/4" Outside Corner Post	2-1/2" Face (63.5) 10' Lengths (3048) PVC Striated Finish Woodgrain Texture	See Matrix On Page 65.
	Packaging: 10 pcs. per ctn. 100 lineal ft. per ctn. (30.5 m) Ship. wt: 63 lb (28.58 kg)	




1814 3/4" J-Channel	12'6" Lengths (3810) PVC Striated Finish Smooth Texture
	Packaging: 24 pcs. per ctn. 300 lineal ft. per ctn. (91.5 m) Ship. wt: 42 lb (19.02 kg)



1829 2-1/2" Starter Strip	10' Lengths (3048)
	Packaging: 26 pcs. per ctn. 260 lineal ft. per ctn. (79.3 m) Ship. wt: 48 lb (22 kg)



1835 Universal 3/4" Outside Corner Post Kynar	2-1/2" Face (63.5) 10' Lengths (3048) Kynar PVDF Finish Woodgrain Texture
	Packaging: 10 pcs. per ctn. 100 lineal ft. per ctn. (30.5 m) Ship. wt: 62 lb (28 kg)




PRODUCT CODE & DESCRIPTION | COLOURS

1842
3/4" J-Channel
Kynar

12'6" Lengths (3810)
Kynar PVDF Finish
Woodgrain Texture


See Matrix On
Page 65.



Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)
Ship. wt: 48 lb (22 kg)

1841
1-1/8" J-Channel
Kynar


12'6" Lengths (3810)
Kynar PVDF Finish
Woodgrain Texture



Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)
Ship. wt: 48 lb (22 kg)

1850
Snap-Lock
Finish Trim
Kynar

12'6" Lengths (3810)
Kynar PVDF Finish
Woodgrain Texture



Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)
Ship. wt: 35 lb (16 kg)

PRODUCT CODE & DESCRIPTION | COLOURS

1877/29-GA
Flat Stock
PVC Coated

20-7/8" Width (530.23)
50' Lengths (15.24 m)

See Matrix On
Page 65.



Packaging:
Ship wt. 58 lb (26.31 kg)

PRODUCT CODE & DESCRIPTION

COLOURS

3036 Flat Stock 24" x 50' (BSP)*	50' Lengths (15.24 m) Packaging: Ship wt. 28.12 lb (12.75 kg) NOTE: Colour over Bright White, Light Gauge. Reverse side is Bright White.	See Matrix On Pages 68-71.
--	--	-------------------------------

3037 Flat Stock 24" x 98' 1/2" (BSP)*	98' 1/2" Lengths (30.02 m) Packaging: Ship wt. 55.34 lb (25.10 kg) NOTE: Colour over Bright White, Light Gauge. Reverse side is Bright White.	
---	---	--

3307 Flat Stock 24" x 98' 1/2" (BSP)* CanExel Colours	98' 1/2" Lengths (30.02 m) Packaging: Ship wt. 55.34 lb (25.10 kg) NOTE: Colour over Bright White, Light Gauge. Reverse side is Bright White.	
--	---	--

3039 Flat Stock 24" x 98' 1/2" (OSP)*	98' 1/2" Lengths (30.02 m) Packaging: Ship wt. 55.34 lb (25.10 kg)	
---	--	--

54

*BSP – both sides painted.
*OSP – one side painted.

PRODUCT CODE & DESCRIPTION

COLOURS


3304 Flat Stock 24" x 50' (BSP)*	50' Lengths (15.24 m) Packaging: Ship wt. 23.55 lb (10.68 kg) NOTE: Colour over Bright White, Light Gauge. Reverse side is Bright White.	See Matrix On Pages 68-71.
--	--	-------------------------------

3531 Flat Stock 24" x 98' 1/2" (BSP)*	98' 1/2" Lengths (30.02 m) Packaging: Ship wt. 48 lb (21.78 kg) NOTE: Colour over Bright White, Light Gauge. Reverse side is Bright White.	
---	--	--


3311 PVC Striated Flat Stock 24" x 50' (OSP)*	50' Lengths (15.24 m) Packaging: Ship wt. 22.40 lb (10.16 kg) NOTE: One Side Painted, Light Gauge.	
--	---	--

PRODUCT CODE & DESCRIPTION | COLOURS


3025 10-1/2" Gutter Coil (OSP)*	Width per coil 10-1/2" (267) Packaging: 1 kg = 6'8"	See Matrix On Pages 68-71.
---------------------------------------	---	-------------------------------




3006 11-7/8" Gutter Coil (OSP)*	Width per coil 11-7/8" (301.5) Packaging: 1 kg = 6'8"	
---------------------------------------	---	--



3009 11-7/8" Gutter Coil (BSP)*	Width per coil 11-7/8" (301.5) Packaging: 1 kg = 6'8" White Exterior	
---------------------------------------	---	--




3045 11-7/8" Gutter Coil Heavy Gauge (OSP)*	Width per coil 11-7/8" (301.5) Packaging: 1 kg = 6'8" Thickness: 0.027 mm	
--	--	--




PRODUCT CODE & DESCRIPTION | COLOURS


3049 11-7/8" Gutter Coil Heavy Gauge (BSP)*	Width per coil 11-7/8" (301.5) Packaging: 1 kg = 6'8" White Exterior Thickness: 0.027 mm	See Matrix On Pages 68-71.
--	--	-------------------------------



3012 13-1/2" Gutter Coil (BSP)*	Width per coil 13-1/2" (343) Packaging: 1 kg = 6'8"	
---------------------------------------	---	--



3084 6" Gutter Coil (BSP)*	Width per coil 6" (152.4) Packaging: 1 kg = 6'8"	
----------------------------------	--	--



SEQUOIA SELECT ENFUSION SIDING AND ACCESSORIES

- Available in this colour.

	Classic Colours								
	001 Snow White	632 Almond	010 Canyon Clay	872 Chesapeake Gray	127 Dover Gray	628 Pebble	624 Sage	631 Storm	638 Wicker
EnFusion Siding									
Double 5" Dutch Lap	•	•	•	•	•	•	•	•	•
Double 6" Clapboard	•	•	•	•	•	•	•	•	•
Accessories									
65604 4" Outside Corner Post w/ Foam	•	•	•	•	•	•	•	•	•
65606 1-1/4" J-Channel	•	•	•	•	•	•	•	•	•
K661945 Easy Start Starter Strip									

COLOUR MATRIX

Designer Colours							
655 Dark Drift	873 Hudson Slate	874 Meadow Fern	652 Midnight Surf	653 Moonlit Moss	637 Rockwell Blue	651 Windswept Smoke	Neutral
•	•	•	•	•	•	•	
•	•	•	•	•	•	•	
•	•	•	•	•	•	•	
•	•	•	•	•	•	•	
							•

VINYL SIDING COLOUR MATRIX

• Available in this colour.

	Classic Colours															
	001 Snow White	632 Almond	616 Amber	010 Canyon Clay	872 Chesapeake Gray	127 Dover Gray	633 Juniper Grove	012 Linen	002 Maize	673 Monterey Sand	006 Pearl	628 Pebble	624 Sage	640 Sandstone		
Sequoia Select																
Double 4" Clapboard	•	•		•	•	•	•	•	•	•	•	•	•	•		
Double 4-1/2" Dutch Lap	•	•		•	•	•	•	•	•	•	•	•	•	•		
Double 5" Clapboard*	•	•		•	•	•	•	•	•	•	•	•	•	•		
Double 5" Dutch Lap*	•	•		•	•	•	•	•	•	•	•	•	•	•		
Northern Forest Elite																
Double 4" Clapboard																
Double 5" Clapboard																
Double 5" Dutch Lap																
Board & Batten																
7" Vertical Board & Batten*	•	•		•	•	•	•	•	•	•	•	•	•	•		
Fair Oaks																
Double 4" Clapboard	•	•		•	•	•	•	•	•	•	•	•	•	•		
Double 4" Dutch Lap	•	•		•	•	•	•	•	•	•	•	•	•	•		
Double 5" Clapboard	•	•		•	•	•	•	•	•	•	•	•	•	•		
Double 5" Dutch Lap	•	•		•	•	•	•	•	•	•	•	•	•	•		
Single 8" Clapboard	•								•							
Concord																
Double 4" Clapboard	•	•		•	•	•	•	•	•	•	•	•	•	•		
Double 4" Dutch Lap	•	•		•	•	•	•	•	•	•	•	•	•	•		
Double 5" Clapboard	•	•		•	•	•	•	•	•	•	•	•	•	•		
Double 5" Dutch Lap	•	•		•	•	•	•	•	•	•	•	•	•	•		
10" Vertical	•	•		•	•	•	•	•	•	•	•	•	•	•		
Driftwood II																
Double 4" Clapboard	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
Double 4-1/2" Dutch Lap	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
Advantage III																
Triple 3" Clapboard	•	•		•	•	•	•	•	•	•	•	•	•	•		
Berkshire Beaded																
6-1/2" Beaded	•	•		•	•	•	•	•	•	•	•	•	•	•		
Vinyl Soffit																
Sequoia Select Ultra-Premium 12"	•	•		•		•	•	•	•	•	•	•	•	•		
Oxford Premium 10"	•	•		•	•	•	•	•	•	•	•	•	•	•		
Beaded Premium 8"	•			•			•	•		•		•				
Fairweather 12"	•	•		•	•	•	•	•	•	•	•	•	•	•		
EZ Lock 10"	•						•									

*Designer Colours not available in British Columbia and Alberta.

Designer Colours																		Variegated Colours				
631 Storm	638 Wicker	879 Black	625 Coastal Blue	655 Dark Drift	636 Espresso	873 Hudson Slate	642 Iron Ore	876 Majestic Brick	877 Marine Dusk	874 Meadow Fern	652 Midnight Surf	653 Moonlit Moss	063 Musket Brown	875 Rockport Brown	637 Rockwell Blue	878 Smoked Timber	651 Windswept Smoke	646 Aspen	644 Earthen	645 Rainforest	647 Willow	
•	•		•	•	•	•	•	•	•	•	•	•		•	•	•	•					
•	•		•	•	•	•	•	•	•	•	•	•		•	•	•	•					
•	•		•	•	•	•	•	•	•	•	•	•		•	•	•	•					
•	•		•	•	•	•	•	•	•	•	•	•		•	•	•	•					
																		•	•	•	•	
																		•	•	•	•	
																		•	•	•	•	
•	•		•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	
•	•			•						•				•								
•	•			•						•				•								
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					
•	•																					

VINYL ACCESSORIES COLOUR MATRIX

- Available in this colour.

[illegible][illegible]

ALUMINUM SIDING COLOUR MATRIX

• Available in this colour.

		Deluxe Aluminum				Woodgrain 2000				Cedarwood			
		8" Horizontal	Double 4" Clapboard	8" Vertical Board & Batten	Vertical "V"	8" Horizontal	Double 4" Clapboard	Double 4" Dutch Lap	8" Vertical Board & Batten	7-1/4" Vertical "V"	Double 5" Clapboard	7-1/4" Vertical "V"	
Colour Palette	431 Bright White	•	•	•	•	•	•	•	•	•			
	429 Ice White				•					•			
	432 Almond		•	•	•		•	•	•	•			
	425 Black				•					•			
	467 Burgundy									•			
	410 Canyon Clay		•		•		•			•			
	414 Cashmere		•		•		•			•			
	454 Chestnut Brown		•	•	•		•	•	•	•			
	462 Commercial Brown		•	•	•		•	•	•	•			
	457 Dark Drift									•			
	436 Dover Gray		•		•		•			•			
	456 Forest Green				•					•			
	402 Maize		•		•		•			•			
	459 Pebble		•	•	•		•	•	•	•			
	447 Sable				•					•			
	408 Sandalwood		•		•		•			•			
	440 Sandstone				•					•			
	423 Slate		•		•		•			•			
	407 Tan		•		•		•			•			
	438 Wicker		•		•		•			•			
Variegated	990 Aspen Gray										•	•	
	992 Chestnut Brown										•	•	
	994 Maple Tan										•	•	
	996 Tawny Oak										•	•	

Gentek offers a wider range of colours in Aluminum but with higher minimum quantities. Please check with your local Gentek distributor for enhanced colour line up and minimum order quantities.

STEEL SIDING COLOUR MATRIX

	Colour Palette													
	431 Bright White	796 Chelsea Bluff	795 Delray Sand	836 Dover Gray	4P6 Iron Ore	633 Juniper Grove	673 Monterey Sand	637 Rockwell Blue	712 Sable	470 Storm	793 Taylor Red	826 Thistle	714 Watermill Blue	
Sierra Steel with Kynar PVDF														
Double 4" Clapboard	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Double 5" Clapboard	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Horizontal 8"	•	•	•	•	•	•	•	•	•	•	•	•	•	•
12" Vertical Board & Batten	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Steel Accessories														
1835 3/4" Outside Corner Post – Kynar	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1842 3/4" J-Channel – Kynar	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1841 1-1/8" J-Channel – Kynar	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1850 Snap-Lock Finish – Kynar	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1715 24" x 50" Alum. Trim Coil – Poly	•	•	•	•	•	•	•	•	•	•	•	•	•	•

	Colour Palette									
	831 Bright White	832 Almond	871 Brownstone	810 Canyon Clay	400 Classic Brown	836 Dover Gray	866 Norwood	817 Sage	826 Thistle	838 Wicker
SteelSide										
Double 5" Clapboard	•	•	•	•	•	•	•	•	•	•
Horizontal 8"	•	•	•	•	•	•	•	•	•	•
Universal										
Double 5" Dutch Lap	•	•	•	•	•	•	•	•	•	•
12" Vertical Board & Batten	•	•	•	•	•	•	•	•	•	•
Steel Accessories										
1813 3/4" Outside Corner Post	•	•	•	•	•	•	•	•	•	•
1814 3/4" J-Channel	•	•	•	•	•	•	•	•	•	•
1829 2-1/2" Starter Strip										•

		431 Bright White	826 Thistle
Steel Flat Stock			
1877/29-GA 20-7/8" x 50' (PVC)		•	•

ALUMINUM SOFFIT AND FASCIA COLOUR MATRIX

• Available in this colour.

		Aluminum Soffit					Aluminum Fascia									
		16" 2-Panel Standard Gauge	16" 2-Panel Heavy Gauge	16" 4-Panel Standard Gauge	16" 4-Panel Heavy Gauge	18" 3-Panel Heavy Gauge	4" Standard Gauge, Ribbed	4" Economy Gauge, Ribbed	6" Standard Gauge, Ribbed	6" Economy Gauge, Ribbed	6" Heavy Gauge, Ribbed	6" Heavy Gauge, Plain	8" Standard Gauge, Ribbed	8" Heavy Gauge, Ribbed	8" Heavy Gauge, Plain	10" Standard Gauge, Ribbed
Colour Palette	431 Bright White	•	•			•	•	•		•	•					•
	429 Ice White	•														
	430 Rainware White		•	•												
	432 Almond	•	•	•		•			•	•	•	•	•	•	•	•
	475 AluCopper		•													
	165 Antique Brown	•		•					•	•			•			•
	425 Black	•	•	•	•		•		•	•			•	•		•
	322 Bright Red			•												
	471 Brownstone	•	•						•	•			•			•
	467 Burgundy	•	•						•	•			•			•
	410 Canyon Clay	•	•	•					•	•	•	•	•	•	•	•
	414 Cashmere	•	•	•					•	•	•	•	•			•
	5C1 Chesapeake Gray	•		•					•	•			•			•
	454 Chestnut Brown	•	•	•		•			•	•	•	•	•	•	•	•
	462 Commercial Brown	•	•	•					•	•	•	•	•	•	•	•
	436 Dover Gray	•	•	•					•	•	•	•	•	•	•	•
	456 Forest Green	•	•	•					•	•			•		•	•
	5P5 Graphite	•		•					•	•			•			•
	422 Ivy Green	•		•					•	•			•			•
	402 Maize	•	•	•					•	•	•	•	•	•	•	•
	5P4 Metallic Gray	•		•					•	•			•			•
	5P8 Monterey Sand	•		•					•	•			•			•
	468 Nutmeg	•	•	•		•			•	•						•
	442 Old World Blue	•		•					•	•			•			•
	459 Pebble	•	•	•	•				•	•	•	•	•	•	•	•
	447 Sable	•	•	•					•	•			•			•
	417 Sage	•		•					•	•			•			•
	408 Sandalwood	•	•	•		•			•	•	•	•	•	•	•	•
	440 Sandstone	•		•					•	•	•	•	•	•	•	•
	423 Slate	•	•	•					•	•			•			•
	470 Storm	•		•					•	•			•			•
	407 Tan	•		•					•	•			•			•
	435 Wedgewood Blue	•	•	•					•	•			•			•
	438 Wicker	•	•	•					•	•	•	•	•	•	•	•

Continued on next page.

		Aluminum Soffit					Aluminum Fascia									
		16" 2-Panel Standard Gauge	16" 2-Panel Heavy Gauge	16" 4-Panel Standard Gauge	16" 4-Panel Heavy Gauge	18" 3-Panel Heavy Gauge	4" Standard Gauge, Ribbed	4" Economy Gauge, Ribbed	6" Standard Gauge, Ribbed	6" Economy Gauge, Ribbed	6" Heavy Gauge, Ribbed	6" Heavy Gauge, Plain	8" Standard Gauge, Ribbed	8" Heavy Gauge, Ribbed	8" Heavy Gauge, Plain	10" Standard Gauge, Ribbed
Designer Colours	5P9 Coastal Blue	•								•						•
	457 Dark Drift	•	•							•						•
	5P3 Espresso	•		•						•	•			•		•
	5C2 Hudson Slate	•		•						•	•			•		•
	4P6 Iron Ore	•		•						•	•			•		•
	5C5 Majestic Brick	•		•						•	•			•		•
	5C6 Marine Dusk	•		•						•	•			•		•
	5C3 Meadow Fern	•		•						•	•			•		•
	409 Midnight Surf	•		•						•	•			•		•
	413 Moonlit Moss	•		•						•	•			•		•
	5C4 Rockport Brown	•		•						•	•			•		•
	5P2 Rockwell Blue	•		•						•	•			•		•
	406 Windswept Smoke	•		•						•	•			•		•

ALUMINUM ACCESSORIES COLOUR MATRIX

• Available in this colour.

	Designer Colours											
	5P9 Coastal Blue	557 Dark Drift	5P3 Espresso	5C2 Hudson Slate	4P6 Iron Ore	5C5 Majestic Brick	5C6 Marine Dusk	5C3 Meadow Fern	509 Midnight Surf	513 Moonlit Moss	5C4 Rockport Brown	5P2 Rockwell Blue
2550 Snap-Lock Sill Trim												•
0109025 Universal Starter Strip												
2502 3/4" J-Trim	•	•	•	•	•	•	•	•	•	•	•	•
2312 3/4" Outside Corner Post (Woodgrain)	•	•	•	•	•	•	•	•	•	•	•	•
2319 3/4" Outside Corner Post (Smooth)	•	•	•	•	•	•	•	•	•	•	•	•
2503 Universal J	•	•	•	•	•	•	•	•	•	•	•	•
2538 L-Trim Small	•	•	•	•	•	•	•	•	•	•	•	•
2543 Drip Cap	•	•	•	•	•	•	•	•	•	•	•	•
2504 Undersill Trim	•	•	•	•	•	•	•	•	•	•	•	•
2567 Roof Edge Drip Cap	•	•	•	•	•	•	•	•	•	•	•	•
2573 Roof Edge 3" 0 Degree 9'10"												
2575 Roof Edge 4" 0 Degree 9'10"												
2577 Roof Edge 6" 0 Degree 9'10"												
2043 Woodgrain Fascia Trim (BSP)	•	•	•	•	•	•	•	•	•	•	•	•
2300 Individual Corner Cap												
2311 Individual Corner Cap Woodgrain												
2520 Soffit J (BSP)	•	•	•	•	•	•	•	•	•	•	•	•
2507 3/4" Wideface Soffit J												
2522 Soffit (OSP)												
1692 Channel Runner	•	•	•	•	•	•	•	•	•	•	•	•
1690 Channel Runner												
Aluminum Flat Stock												
3036 24" x 50" (BSP) Heavy Gauge	•	•	•	•	•	•	•	•	•	•	•	•
3037 24" x 98-1/2" (BSP)	•	•	•	•	•	•	•	•	•	•	•	•
3039 24" x 98-1/2" (OSP)												
3304 24" x 50" (BSP)		•										
3531 24" x 98-1/2" (BSP)		•										
3311 PVC Striated 24" x 50" (OSP)		•										
Aluminum Gutter Coil												
3025 Downpipe Coil 10-1/2" (OSP)		•				•	•	•	•	•	•	
3006 Gutter Coil 11-7/8" (OSP)												
3009 Gutter Coil 11-7/8" (BSP)	•	•	•	•	•	•	•	•	•	•	•	•
3045 Gutter Coil 11-7/8" (OSP) Heavy Gauge												
3049 Gutter Coil 11-7/8" (BSP) Heavy Gauge				•		•	•	•				
3012 Gutter Coil 13-1/2" (BSP)		•	•	•	•	•	•			•	•	
3084 Gutter Coil 6" (BSP)						•	•	•				

CEDARWOOD COLOURS

	Colour Palette			
	990 Aspen Gray	992 Chestnut Brown	994 Maple Tan	996 Tawny Oak
2317 Cedarwood Outside Corner Post	•	•	•	•
2318 Cedarwood 3/4" J-Channel	•	•	•	•
2320 Cedarwood Snap-Lock Finish Trim	•	•	•	•

JAMES HARDIE COLOUR MATCH

Gentek Colour [James Hardie Colour]	Colour Palette						
	431 Almond [Navajo Beige]	447 Ash Gray [Iron Gray]	441 Barn Brown [Timber Bark]	442 Bright White [Arctic White]	445 Desert Sand [Monterey Taupe]	446 Fieldstone [Cobble Stone]	444 Stone Gray [Pearl Gray]
	1601 Solid Quad 4 Soffit	●	●	●	●	●	●
	1606 Vented Quad 4 Soffit	●	●	●	●	●	●
	2520 Soffit J-Channel	●	●	●	●	●	●
	3037 Flat Stock (trim coil)	●	●	●	●	●	●
	3009 Gutter Coil (90 kg)	●	●	●	●	●	●

CANEXEL COLOURS

	Colour Palette				
	527 Cedar XL	551 Country Red XL	598 Green	541 Khaki	549 White XL
Aluminum Flat Stock					
3307 CanExcel 24" x 98-1/2" (BSP)	•	•	•	•	•

GENTEK VINYL SIDING AND SOFFIT

Produced to precise tolerances using formulated compounds specifically designed for the plastic building products industry according to ASTM D4216, meeting or exceeding the following:

Property	ASTM Test	Results
Tensile Strength (psi)	D-638	6,700
Modulus of Elasticity (psi)	D-638	410,000
Izod Impact (70°F)	D-256	3.6 (ft-lb/in of notch)
Izod Impact (32°F)	D-256	2.0 (ft-lb/in of notch)
Flexural Strength (psi)	D-790	14,000
Coefficient of Linear Expansion	D-696	5.3 x 10 ⁻⁵ (mm/mm °C) 2.9 x 10 ⁻⁵ (in/in °F)
Deflection Temperature Under Load 264 psi (°C)	D-648	73

PRODUCT PHYSICALS:

All siding products, soffit panels and accessories are made with solid colour throughout. The siding products and accessories meet or exceed the ASTM Specification for Rigid Poly Vinyl Chloride (PVC) Siding D3679. All soffit products and associated accessories meet or exceed the ASTM Specification for Rigid (Unplasticized) Poly Vinyl Chloride (PVC) Soffit D4477.

The siding and soffit compound meets Class 2 requirements and conforms to weathering performances as described in ASTM 3679.

Colour: Spectrophotometer controlled
Gloss: Gardner gloss meter controlled
Lock: Dimensionally controlled

All products meet or exceed ASTM 3679 thickness (nominal) requirements:

Sequoia Select EnFusion	0.046"
Sequoia Select	0.046"
Sequoia Select Variegated (except Board & Batten)	0.046"
Northern Forest Elite	0.046"
Board & Batten	0.048"
Fair Oaks	0.044"
Concord	0.042"
Driftwood II	0.040"
Sequoia Select Ultra-Premium Soffit	0.044"
Oxford Premium Soffit	0.042"
Beaded Premium Soffit	0.042"
Fairweather Soffit	0.040"

WARRANTY:

All Gentek vinyl siding brands carry a Lifetime Limited Warranty including fade and hail protection. Warranty is transferable if the home is sold. See printed warranty for complete details.

SOFFIT VENTILATION AREA:

Gentek soffit panels are designed to allow air circulation into the attic areas to aid in the reduction of excessive heat buildup and water vapor condensation. The net free open area (NFOA) per lineal foot of soffit is as follows:

12" Sequoia Select Hidden Vented	10 sq in
10" Oxford Fully Vented	5.3 sq in
8" Beaded Vented	2.4 sq in
12" Fairweather Center Vented	2.3 sq in
12" Fairweather Fully Vented	7.1 sq in

FIRE RESISTANCE RATINGS:

Gentek vinyl siding products meet or exceed all building code requirements throughout the United States and Canada. In addition to meeting these code requirements, Gentek vinyl sidings have been fire rated by Underwriters Laboratories (UL) to be used in one-hour rated designed walls U026 and U032 and a two-hour rated wall, U301. UL inspects the manufacture of the vinyl products quarterly to certify that Gentek vinyl products are manufactured consistently. The vinyl products have been tested as follows:

Property	ASTM Test	Results
Average Burn Distance	D-635	20mm
Average Burn Time	D-635	<5 seconds
Flash Ignition Temperature	D-1929	752°F
Self Ignition Temperature	D-1929	860°F
Flame Spread Index	E-84	15
Smoke Developed Index	E-84	<400
Fire Resistance	E-119	1-hour rated* 2-hour rated*

*See UL Fire Resistance Directory Control No. 1N60. E-119 is equivalent to UL-263 and E-84 is equivalent to UL-723.

Important fire safety information for the building trades, specifiers, professionals and do-it-yourself installers:

When rigid vinyl siding is exposed to significant heat or flame, the vinyl will soften, sag, melt, or burn and may thereby expose the material underneath. Care must be exercised when selecting underlay materials because many underlays are made from organics that are combustible. You should ascertain the fire properties of any underlay prior to installation. All building materials should be installed in accordance with local, state and federal building codes and fire regulations.

WINDLOAD PROPERTIES:

All Gentek siding products are designed to withstand a minimum of 100 mph windloads and are suitable for most areas. The products can be used in areas with higher windloads, but installation procedures, choice of product and building code jurisdiction are important factors to be considered. The windspeed rating (in mph) is calculated using VSI's windspeed calculation guidelines. Additional information is available if required.

BUILDING CODES:

Gentek vinyl products meet or exceed the following building code specifications:
ICC-ESR – 1133
CCMC – 06541-L
New York City MEA 132-94-M
FHA/HUD Minimum Property Standards

For architectural specifications of designer siding and other products, please see your local Gentek dealer.

GENTEK ALUMINUM SIDING AND SOFFIT

ALUMINUM METAL PROPERTIES:

Alloy or equivalent.....	AA3000
Specific Gravity.....	2.72
Modulus of Elasticity (ksi)	10,000
Melting Range (°F).....	1175-1210

COATING PROPERTIES: Gentek aluminum products are manufactured with AA3000 series alloy (or equivalent). Both sides of the aluminum are cleaned with a specially formulated cleaner. The cleaned aluminum is then treated with an acid solution containing chrome to enhance corrosion resistance and coating adhesion.

Plastisol (Poly) Topcoat: The topside of the pretreated aluminum is coated with a thermoset polyester polymer which is dried and cured at about 450 °F., forming a hard but flexible and weatherable coating. Total coating thickness is approximately 18 micrometers.

Plastisol (PVC) Topcoat: This highly weatherable, flexible, chemical-resistant thermoplastic polymer is melted and fused on the aluminum metal at temperatures of 390°F. The coating is applied either with a striated pattern or smooth finish having an average film thickness of 3.0 mils.

Fluoropolymer (PVDF): This thermoplastic polymer has excellent chemical and fade resistance. The coating is applied at 0.9 mil. The system is cured at a minimum temperature of 475°F. This polymer system conforms to the high industry standards of Kynar 500® and Hylar 5000®. The main criteria for these standards is that the paint formulation must contain a minimum of 70% PVDF2. Many fluoropolymer coatings on the market do not meet the high quality and performance standards required by Kynar 500 and Hylar 5000 specifications.

WEATHERING AND TESTING: Gentek products are tested for superior adhesion and forming properties. Gentek’s stringent colour specifications allow batch to batch mixing of product. Product testing includes colour, film thickness, gloss, hot water/ impact test, freezer/impact test, salt spray, humidity testing (1000 hours) and outdoor exposure (2 years).

COMPLIANCE: All Gentek soffits comply with CAN/CGSB-93.2-M91. In addition, the aluminum alloys used meet the ULC Standard CAN4-S114-M80, defining the noncombustibility of aluminum alloys.

WARRANTY: 40 Year Limited Warranty. Warranty is transferable.

CONTACT WITH DISSIMILAR MATERIALS AND CORROSIVE ENVIRONMENTS:

Direct contact of aluminum products with certain dissimilar materials, or contact with water runoff from dissimilar materials, is likely to result in corrosion. Accordingly, care should be taken during installation to avoid such contact of aluminum with dissimilar materials, including: dissimilar metals (copper, zinc, steel, etc.), concrete, stucco, asbestos siding, pressure treated/pretreated lumber, masonry, corrosive non-metallic materials, and roofing materials or roofing systems containing metallic granules or strips. Seacoast or other corrosive environments may result in corrosion of the product.

NOMINAL GAUGES (mm):

Product	Gauge
8" Horizontal.....	0.53
D4 Dutch Lap.....	0.40
D4.....	0.40 & 0.44
8" Vertical Board & Batten.....	0.50
Vertical "V".....	0.40
16" Soffit – 2 Panel	0.29 & 0.38
16" Soffit – 4 Panel	0.29 & 0.38
18" Soffit – 3 Panel	0.33
4" Fascia – rib	0.44
6" Fascia – rib & non-rib	0.44 & 0.50
8" Fascia – rib & non-rib	0.44 & 0.50
Gutter Coil	0.57, 0.66 & 0.79

SOFFIT VENTILATION AREA:

Gentek soffit is available in a variety of profiles. Vented panels are designed to allow air circulation into the attic areas to aid in the reduction of excessive heat build-up and water vapour condensation. Gentek soffit conforms to CCMC 12860-L.

PROFILE	PER LINEAR FOOT	PER PANEL
16" – 2 panel	4.02 sq in (26.0 cm²)	48.8 sq in (314 cm²)
16" – 4 panel	4.12 sq in (26.6 cm²)	66.6 sq in (429.7 cm²)
18" – 3 panel	5.46 sq in (32.2 cm²)	78.5 sq in (506.5 cm²)

VENTILATION: Fully vented

GENTEK STEEL SIDING

METAL PROPERTIES:

Steel or Equivalent	AZ-50
Specific Gravity	7.8
Minimum Ultimate Strength (KSI)	45-55
Minimum Yield (KSI)	40-50
Minimum Elongation (%)	25-35
Modulus of Elasticity (KSI)	29,500
Coefficient of Thermal Expansion (in/in °F)	0.000006
Melting Range (°F) Steel	>2700
Melting Range (°F) Zinc	786
Thermal Conductivity at 77°F (btu-in/ft²-hr-°F)	555

COATING PROPERTIES:

Gentek steel siding products are manufactured with AZ-50. Both sides of the steel sheet are cleaned with a specially formulated cleaner, water rinsed and then coated with an environmentally safe chemical pretreatment to enhance corrosion protection and coating adhesion.

The pretreated surface is coated with a thermoset corrosion-resistant polymer. This corrosion-resistant polymer is topcoated with the following polymeric systems:

Plastisol (PVC) Topcoat: This highly weatherable, flexible, chemical-resistant thermoplastic polymer is melted and fused at temperatures of >390°F. The coating is applied with a striated pattern or smooth finish having an average film thickness of 3.0 mils.

Fluoropolymer (PVDF): This thermoplastic polymer has excellent chemical and fade resistance. The coating thickness is 0.9 mil. The system is cured at a minimum temperature of 475°F. This polymer system conforms to the high industry standards of Kynar 500® and Hylar 5000®. The main criteria for these standards is that the paint formulation must contain a minimum of 70% PVDF. Many fluoropolymer coatings on the market do not meet the high quality and performance standards required by Kynar 500 and Hylar 5000 specifications.

WARRANTY:

All Gentek steel siding brands carry a Lifetime Limited Warranty. *Warranty is transferable if home is sold. See printed warranty for complete details.*

CONTACT WITH DISSIMILAR MATERIALS:

Direct contact of steel products with certain dissimilar materials, or contact with water runoff from dissimilar materials, is likely to result in corrosion. Accordingly, care should be taken during installation to avoid such contact of steel with dissimilar materials, including: dissimilar metals (copper, zinc, steel, etc.), concrete, stucco, asbestos siding, pressure treated/pretreated lumber, masonry, corrosive non-metallic materials, and roofing materials or roofing systems containing metallic granules or strips.

PRODUCT PHYSICALS:

Product	Coating Type	Thickness*
Sierra Steel	PVDF ₂	0.017
SteelSide	PVC	0.017
Universal	PVC	0.017

*29 Gauge

BUILDING CODES:

Gentek steel products meet or exceed the following building code specifications:

ICC-ES Legacy – Report #97-64
AAMA 1406-86
FHA/HUD Minimum Property Standards

Classic Colours

Snow White	Canyon Clay	Dover Gray
Sandstone	Pebble	Storm
Linen	Monterey Sand	Chesapeake Gray
Almond	Amber	Sage
Maize	Pearl	Juniper Grove
Wicker		

Designer Colours

Majestic Brick	Meadow Fern	Marine Dusk
Dark Drift	Moonlit Moss	Hudson Slate
Rockport Brown	Rockwell Blue	Windswept Smoke
Espresso	Coastal Blue	Iron Ore
Musket Brown (soffit only)	Midnight Surf	Black (soffit only)
Smoked Timber		

Variegated Colours

Aspen	Earthen	Rainforest
Willow		

ALUMINUM COLOUR PALETTE

Bright White	Rockport Brown	Midnight Surf
Rainware White	Smoked Timber	Coastal Blue
Ice White	Metallic Gray	Old World Blue
Sandstone	Dover Gray	Marine Dusk
Cashmere	Storm	AluCopper
Almond	Slate	Bright Red
Maize	Chesapeake Gray	Burgundy
Wicker	Hudson Slate	Majestic Brick
Canyon Clay	Windswept Smoke	Nutmeg
Pebble	Sage	Chestnut Brown
Sandalwood	Meadow Fern	Commercial Brown
Monterey Sand	Moonlit Moss	Antique Brown
Lambeth Beige	Ivy Green	Espresso
Tan	Forest Green	Graphite
Brownstone	Rockwell Blue	Iron Ore
Dark Drift	Wedgewood Blue	Black
Sable		

Cedarwood Aluminum Colours

Tawny Oak	Aspen Gray	Maple Tan
Chestnut Brown		

James Hardie Colour Match Gentek Colour [James Hardie Colour]

Bright White [Arctic White]	Ash Gray [Iron Gray]	Desert Sand [Monterey Taupe]
Stone Gray [Pearl Gray]	Almond [Navajo Beige]	Barn Brown [Timber Bark]
Pewter [Aged Pewter]	Fieldstone [Cobblestone]	

CanExcel Colours

White XL	Khaki	Cedar XL
Green	Country Red XL	

STEEL

COLOUR PALETTE

Sierra Steel Colours

Bright White	Sable	Iron Ore
Chelsea Bluff	Juniper Grove	Rockwell Blue
Monterey Sand	Dover Gray	Watermill Blue
Delray Sand	Storm	Taylor Red
Thistle		

SteelSide and Universal Steel Colours

Bright White	Canyon Clay	Brownstone
Dover Gray	Wicker	Thistle
Almond	Norwood	Classic Brown
Sage		

NOTES

gentek.ca



1001 Corporate Drive
Burlington, ON L7L 5V5
gentek.ca

Make us a part of your home.

Not all products and colours are available all locations. Please check with your local Gentek branch for product availability. Product improvement policy: Gentek Building Products is constantly improving product designs and manufacturing processes. We therefore must reserve the right to change specifications without notice. Colours may not be exactly as shown due to lithographic process. Please consult Gentek Building Products for current details. Trademarks mentioned in this document are the property of Gentek Building Products, its affiliates, or their respective owners. Accessible formats and communication supports available upon request.

Effective Date: September 2020

