

# SIDING PRODUCT DIRECTORY

## VINYL AND METAL

March 2021

(digital version only)



Cladding • Soffit & Fascia • Trim Accessories



GENTEK®

# GENTEK PRODUCT DIRECTORY

|    |                                                                |
|----|----------------------------------------------------------------|
|    | <b>INSULATED VINYL SIDING</b>                                  |
| 4  | SEQUOIA SELECT ENFUSION                                        |
|    | <b>VINYL SIDING</b>                                            |
| 5  | SEQUOIA SELECT                                                 |
| 6  | BOARD & BATTEN                                                 |
| 7  | FAIR OAKS                                                      |
| 8  | CONCORD                                                        |
| 10 | DRIFTWOOD II                                                   |
| 11 | SELECTION                                                      |
|    | <b>VINYL SOFFIT &amp; ACCESSORIES</b>                          |
| 12 | SEQUOIA SELECT Ultra-Premium Soffit                            |
| 13 | OXFORD Premium Soffit                                          |
| 14 | EZ LOCK Soffit                                                 |
| 15 | BEADED PREMIUM Soffit                                          |
| 16 | FAIRWEATHER Soffit                                             |
| 17 | Deep-Pocket Insulated Vinyl Accessories                        |
| 18 | Vinyl Accessories                                              |
|    | <b>ALUMINUM SIDING</b>                                         |
| 24 | DELUXE                                                         |
| 26 | WOODGRAIN 2000                                                 |
| 28 | CEDARWOOD                                                      |
|    | <b>ALUMINUM SOFFIT, FASCIA &amp; ACCESSORIES</b>               |
| 29 | Aluminum Soffit                                                |
| 32 | Aluminum Fascia                                                |
| 35 | Aluminum Accessories                                           |
|    | <b>STEEL SIDING</b>                                            |
| 41 | SIERRA STEEL                                                   |
| 42 | STEELSIDE                                                      |
| 43 | UNIVERSAL                                                      |
|    | <b>STEEL FASCIA &amp; ACCESSORIES</b>                          |
| 44 | Steel Accessories                                              |
|    | <b>FLAT STOCK</b>                                              |
| 46 | Steel Flat Stock                                               |
| 47 | Aluminum Flat Stock                                            |
|    | <b>GUTTER COIL</b>                                             |
| 49 | Aluminum Gutter Coil                                           |
|    | <b>COLOUR MATRIX</b>                                           |
| 52 | EnFusion Siding, Deep-Pocket Insulated Vinyl Accessories       |
| 54 | Vinyl Siding & Soffit                                          |
| 56 | Vinyl Accessories                                              |
| 58 | Aluminum Siding                                                |
| 59 | Steel Siding, Accessories, Flat Stock                          |
| 60 | Aluminum Soffit & Fascia                                       |
| 62 | Aluminum Accessories, Flat Stock, Gutter Coil                  |
| 65 | Cedarwood Accessories, James Hardie Colour Match Trim, CanExel |
|    | <b>ARCHITECTURAL SPECIFICATIONS</b>                            |
| 66 | Vinyl Architectural Specifications                             |
| 68 | Aluminum Architectural Specifications                          |
| 70 | Steel Architectural Specifications                             |
| 71 | Colour Palettes                                                |


**Not all products are available in all markets.**

## PRODUCT CODE & DESCRIPTION

**64602**  
**Double 5"**  
**Dutch Lap**

3/4" Butt (19)  
Panel Projection 1-1/4" with foam  
2-5" Exposure per Panel (127/254)  
16'4" Lengths (4979)  
.046" Nominal Thickness  
Cedargrain Texture


Packaging:  
7 pcs. per ctn.  
.95 sq. per ctn. (8.84 m<sup>2</sup>)  
Ship. wt: 56.8 lb (25.8 kg)



**64600**  
**Double 6"**  
**Clapboard**

3/4" Butt (19)  
Panel Projection 1-1/4" with foam  
2-6" Exposure per Panel  
(152.4/304.8)  
16'8" Lengths (5080)  
.046" Nominal Thickness  
Cedargrain Texture

Packaging:  
6 pcs. per ctn.  
1 sq. per ctn. (9.3 m<sup>2</sup>)  
Ship. wt: 55.7 lb (25.3 kg)



For deep-pocket insulated vinyl siding accessories, see page 17.

## COLOURS

Snow White  
Almond  
Dover Gray  
Canyon Clay  
Chesapeake Gray  
Pebble  
Sage  
Storm  
Wicker

Dark Drift†  
Hudson Slate†  
Meadow Fern†  
Midnight Surf†  
Moonlit Moss†  
Rockwell Blue†  
Windswept Smoke†

†Designer Colour.

## PRODUCT CODE & DESCRIPTION

**64496**  
**Double 4"**  
**Clapboard**


3/4" Butt (19)  
2-4" Exposure per Panel  
(101.6/203.2)  
12'6" Lengths (3810)  
.046" Nominal Thickness  
Cedargrain Texture

Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 112 lb (50.8 kg)



**64495**  
**Double 4-1/2"**  
**Dutch Lap**


3/4" Butt (19)  
2-4 1/2" Exposure per Panel  
(114.5/229)  
12'1" Lengths (3683)  
.046" Nominal Thickness  
Cedargrain Texture



Packaging:  
22 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 102.5 lb (46.5 kg)

**64497**  
**Double 5"**  
**Clapboard**

3/4" Butt (19)  
2-5" Exposure per Panel (127/254)  
12' Lengths (3658)  
.046" Nominal Thickness  
Cedargrain Texture




Packaging:  
20 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 100 lb (45 kg)

†Double 5" Clapboard not available in Designer Colours in British Columbia and Alberta.

**64507**  
**Double 5"**  
**Dutch Lap**

3/4" Butt (19)  
2-5" Exposure per Panel (127/254)  
12' Lengths (3658)  
.046" Nominal Thickness  
Cedargrain Texture



Packaging:  
20 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 102.5 lb (46.5 kg)

†Double 5" Dutch Lap not available in Designer Colours in British Columbia and Alberta.

## COLOURS


Snow White  
Almond  
Dover Gray  
Linen  
Maize  
Monterey Sand  
Pearl  
Sandstone  
Canyon Clay  
Chesapeake Gray  
Juniper Grove  
Pebble  
Sage  
Storm  
Wicker

Coastal Blue†  
Dark Drift†  
Espresso†  
Hudson Slate†  
Iron Ore†  
Majestic Brick†  
Marine Dusk†  
Meadow Fern†  
Midnight Surf†  
Moonlit Moss†  
Rockport Brown†  
Rockwell Blue†  
Smoked Timber†  
Windswept Smoke†

PRODUCT CODE & DESCRIPTION

64403

7" Board & Batten



1/2" Batten Height (12.7)

1-1/2" Batten Width (38.1)

7" Exposure per Panel (178.5)

10' Lengths (3048)

.048" Nominal Thickness

Light Roughsawn Texture

Packaging:

17 pcs. per ctn.

1 sq. per ctn. (9.2 m<sup>2</sup>)

Ship. wt: 50 lb (23 kg)

COLOURS


- Snow White
- Almond
- Dover Gray
- Linen
- Maize
- Monterey Sand
- Pearl
- Sandstone
- Canyon Clay
- Chesapeake Gray
- Juniper Grove
- Pebble
- Sage
- Storm
- Wicker
- Coastal Blue†
- Dark Drift†
- Espresso†
- Hudson Slate†
- Iron Ore†
- Majestic Brick†
- Marine Dusk†
- Meadow Fern†
- Midnight Surf†
- Moonlit Moss†
- Rockport Brown†
- Rockwell Blue†
- Smoked Timber†
- Windswept Smoke†

†Designer Colour; not available in British Columbia and Alberta.

PRODUCT CODE & DESCRIPTION

64695

Double 4" Clapboard



5/8" Butt (15.9)

2-4" Exposure per Panel (101.6/203.2)

12'6" Lengths (3810)

.044" Nominal Thickness

Hardwood Texture

Packaging:

24 pcs. per ctn.


2 sqs. per ctn. (18.6 m<sup>2</sup>)

Ship. wt: 99 lb (45 kg)

- Snow White
- Almond
- Dover Gray
- Linen
- Maize
- Monterey Sand
- Pearl
- Sandstone

64696

Double 4" Dutch Lap



5/8" Butt (15.9)

2-4" Exposure per Panel (101.6/203.2)

12'6" Lengths (3810)

.044" Nominal Thickness

Hardwood Texture

Packaging:

24 pcs. per ctn.

2 sqs. per ctn. (18.6 m<sup>2</sup>)

Ship. wt: 99 lb (45 kg)

- Canyon Clay
- Chesapeake Gray
- Juniper Grove
- Pebble
- Sage
- Storm
- Wicker

- Dark Drift†
- Meadow Fern†
- Rockwell Blue†

†Designer Colour; available in Double 4" Clapboard and Double 4" Dutch Lap only.

64697

Double 5" Clapboard



5/8" Butt (15.9)

2-5" Exposure per Panel (127/254)

12' Lengths (3658)

.044" Nominal Thickness

Hardwood Texture

Packaging:


20 pcs. per ctn.

2 sqs. per ctn. (18.6 m<sup>2</sup>)

Ship. wt: 91 lb (41 kg)

64698

Double 5" Dutch Lap



5/8" Butt (15.9)

2-5" Exposure per Panel (127/254)

12' Lengths (3658)

.044" Nominal Thickness

Hardwood Texture

Packaging:

20 pcs. per ctn.


2 sqs. per ctn. (18.6 m<sup>2</sup>)

Ship. wt: 91 lb (41 kg)



PRODUCT CODE & DESCRIPTION

64686  
**Double 4"  
Clapboard**




1/2" Butt (12.7)  
2-4" Exposure per Panel  
(101.6/203.2)  
12'6" Lengths (3810)  
.042" Nominal Thickness  
Light Roughsawn Texture  
  
Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 94 lb (43 kg)

COLOURS

Snow White  
Almond  
Dover Gray  
Linen  
Maize  
Monterey Sand  
Pearl  
Sandstone

64621  
**Double 4"  
Dutch Lap**



1/2" Butt (12.7)  
2-4" Exposure per Panel  
(101.6/203.2)  
12'6" Lengths (3810)  
.042" Nominal Thickness  
Light Roughsawn Texture  
  
Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 94 lb (43 kg)


Canyon Clay  
Chesapeake Gray  
Juniper Grove  
Pebble  
Sage  
Storm  
Wicker

62317  
**Double 5"  
Clapboard**



1/2" Butt (12.7)  
2-5" Exposure per Panel (127/254)  
12' Lengths (3658)  
.042" Nominal Thickness  
Light Roughsawn Texture  
  
Packaging:  
20 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 91 lb (41 kg)


62215  
**Double 5"  
Dutch Lap**



1/2" Butt (12.7)  
2-5" Exposure per Panel (127/254)  
12' Lengths (3658)  
.042" Nominal Thickness  
Light Roughsawn Texture  
  
Packaging:  
20 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 90 lb (41 kg)

PRODUCT CODE & DESCRIPTION

64755  
**10" Vertical**



10" Exposure per Panel (254)  
10' Lengths (3048)  
.042" Nominal Thickness  
Light Roughsawn Texture

Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 83 lb (38 kg)

COLOURS

Snow White  
Almond  
Dover Gray  
Linen  
Maize  
Monterey Sand  
Pearl  
Sandstone


Canyon Clay  
Chesapeake Gray  
Juniper Grove  
Pebble  
Sage  
Storm  
Wicker



## DRIFTWOOD® II VINYL SIDING

### PRODUCT CODE & DESCRIPTION

62450  
**Double 4"  
Clapboard**




7/16" Butt (11.1)  
2-4" Exposure per Panel  
(101.6/203.2)  
12'6" Lengths (3810)  
.040" Nominal Thickness  
Natural Cedargrain Texture

Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 82 lb (37.65 kg)

### COLOURS

Snow White  
Almond  
Amber  
Dover Gray  
Linen  
Maize  
Monterey Sand  
Pearl  
Sandstone

62452  
**Double 4-1/2"  
Dutch Lap**



7/16" Butt (11.1)  
2-4-1/2" Exposure per Panel  
(114.5/229)  
12'1" Lengths (3683)  
.040" Nominal Thickness  
Natural Cedargrain Texture

Packaging:  
22 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 79 lb (35.83 kg)


Canyon Clay  
Chesapeake Gray  
Juniper Grove  
Pebble  
Sage  
Storm  
Wicker



## SELECTION VINYL SIDING

### PRODUCT CODE & DESCRIPTION

64266  
**Double 4"  
Dutch Lap**




7/16" (11.1)  
2-4" Exposure per Panel  
(101.6/203.2)  
12'6" Lengths (3810)  
.040" Nominal Thickness  
Driftwood Texture

Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 91.21 lb (41.37 kg)

### COLOURS

Snow White



64268  
**Double 5"  
Dutch Lap**



7/16" (11.1)  
2-5" Exposure per Panel  
(127/254)  
12' Lengths (3658)  
.040" Nominal Thickness  
Driftwood Texture



Packaging:  
20 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 91.21 lb (41.37 kg)

PRODUCT CODE & DESCRIPTION | COLOURS


|                                                      |                                                                                  |                                                                                                                                                                            |                                                                               |
|------------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| 64550<br>12" T-4<br>Solid Soffit/<br>Vertical Siding |  | 12" Exposure per Panel (304.8)<br>12' Lengths (3658)<br>.044" Nominal Thickness<br>3/4" Nominal Panel Projection<br>Matte Texture                                          | Snow White                                                                    |
|                                                      |                                                                                  | Packaging:<br>16 pcs. per ctn.<br>1.92 sqs. per ctn. (17.8 m²)<br>Ship. wt: 109.2 lb (49.53 kg)                                                                            | Almond<br>Dover Gray<br>Linen<br>Maize<br>Monterey Sand<br>Pearl<br>Sandstone |
| 64552<br>12" T-4<br>Soffit/Hidden Vent               |  | 12" Exposure per Panel (304.8)<br>12' Lengths (3658)<br>.044" Nominal Thickness<br>3/4" Nominal Panel Projection<br>Matte Texture<br>10 sq. in. ventilation per lineal ft. | Canyon Clay<br>Juniper Grove<br>Pebble<br>Sage<br>Wicker                      |
|                                                      |                                                                                  | Packaging:<br>16 pcs. per ctn.<br>1.92 sqs. per ctn. (17.8 m²)<br>Ship. wt: 109.2 lb (49.53 kg)                                                                            | Musket Brown*                                                                 |

\*Designer colour;  
soffit use only.

PRODUCT CODE & DESCRIPTION | COLOURS


|                                                      |                                                                                    |                                                                                                          |                                                                                      |
|------------------------------------------------------|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| 64751<br>10" D-5<br>Solid Soffit/<br>Vertical Siding |  | 10" Exposure per Panel (254)<br>10' Lengths (3048)<br>.042" Nominal Thickness<br>Light Roughsawn Texture | Snow White                                                                           |
|                                                      |                                                                                    | Packaging:<br>24 pcs. per ctn.<br>2 sqs. per ctn. (18.6 m²)<br>Ship. wt: 83 lb (38 kg)                   | Almond<br>Dover Gray<br>Linen<br>Maize<br>Monterey Sand<br>Pearl<br>Sandstone        |
| 64755<br>10" D-5<br>Solid Soffit/<br>Vertical Siding |  | 10" Exposure per Panel (254)<br>12' Lengths (3658)<br>.042" Nominal Thickness<br>Light Roughsawn Texture | Canyon Clay<br>Chesapeake Gray<br>Juniper Grove<br>Pebble<br>Sage<br>Storm<br>Wicker |
|                                                      |                                                                                    | Packaging:<br>20 pcs. per ctn.<br>2 sqs. per ctn. (18.6 m²)<br>Ship. wt: 83 lb (38 kg)                   | Black*<br>Musket Brown*                                                              |

\*Designer colour;  
soffit use only.

|                                         |                                                                                      |                                                                                                                                                    |  |
|-----------------------------------------|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 64754<br>10" D-5<br>Fully Vented Soffit |  | 10" Exposure per Panel (254)<br>12' Lengths (3658)<br>.042" Nominal Thickness<br>Light Roughsawn Texture<br>5.3 sq. in. ventilation per lineal ft. |  |
|                                         |                                                                                      | Packaging:<br>20 pcs. per ctn.<br>2 sqs. per ctn. (18.6 m²)<br>Ship. wt: 83 lb (38 kg)                                                             |  |

PRODUCT CODE & DESCRIPTION

64885  
EZ Lock  
8" Solid Soffit



8" Exposure per Panel (203.2)  
12'6" Lengths (3810)  
.041" Nominal Thickness  
Light Roughsawn Texture


Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 94.23 lb (42.74 kg)

COLOURS

- Snow White
- Linen
- Wicker
- Black†

†Designer colour; soffit use only.

64880  
EZ Lock  
8" Vented Soffit




8" Exposure per Panel (203.2)  
12'6" Lengths (3810)  
.041" Nominal Thickness  
Light Roughsawn Texture  
5.3 sq. in. ventilation per lineal ft.

Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 94.23 lb (42.74 kg)

PRODUCT CODE & DESCRIPTION

64370  
8" Solid Soffit\*



8" Exposure per Panel (203.2)  
12'6" Lengths (3810)  
.042" Nominal Thickness  
Matte Texture


Packaging:  
12 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 59 lb (27 kg)

\*Soffit use only.

COLOURS

- Snow White
- Linen
- Monterey Sand
- Canyon Clay
- Juniper Grove
- Pebble
- Wicker

64375  
8" Vented Soffit



8" Exposure per Panel (203.2)  
12'6" Lengths (3810)  
.042" Nominal Thickness  
Matte Texture  
2.4 sq. in. ventilation per lineal ft.

Packaging:  
12 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 59 lb (27 kg)



| PRODUCT CODE & DESCRIPTION                                                       |                                                                                                                                                                                                                                                                                             | COLOURS                                                                                                                           |
|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <b>64456</b><br><b>12" T-4</b><br><b>Solid Soffit/</b><br><b>Vertical Siding</b> | 12" Exposure per Panel (304.8)<br>12' Lengths (3658)<br>.040" Nominal Thickness<br>1/2" Nominal Panel Projection<br>Brushed Texture<br><br>Packaging:<br>16 pcs. per ctn.<br>1.92 sqs. per ctn. (17.8 m <sup>2</sup> )<br>Ship. wt: 79 lb (36 kg)                                           | Snow White<br>Almond<br>Dover Gray<br>Linen<br>Maize<br>Monterey Sand<br>Pearl<br>Sandstone<br><br>Canyon Clay<br>Chesapeake Gray |
| <b>64460</b><br><b>12" T-4</b><br><b>Centre Vented Soffit*</b>                   | 12" Exposure per Panel (304.8)<br>12' Lengths (3658)<br>.040" Nominal Thickness<br>1/2" Nominal Panel Projection<br>Brushed Texture<br>2.3 sq. in. ventilation per lineal ft.<br><br>Packaging:<br>16 pcs. per ctn.<br>1.92 sqs. per ctn. (17.8 m <sup>2</sup> )<br>Ship. wt: 79 lb (36 kg) | Juniper Grove<br>Pebble<br>Sage<br>Storm<br>Wicker<br><br>Musket Brown†                                                           |
| *Available in Snow White only.                                                   |                                                                                                                                                                                                                                                                                             |                                                                                                                                   |

|                                                              |                                                                                                                                                                                                                                                                                             |  |
|--------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>64458</b><br><b>12" T-4</b><br><b>Fully Vented Soffit</b> | 12" Exposure per Panel (304.8)<br>12' Lengths (3658)<br>.040" Nominal Thickness<br>1/2" Nominal Panel Projection<br>Brushed Texture<br>7.1 sq. in. ventilation per lineal ft.<br><br>Packaging:<br>16 pcs. per ctn.<br>1.92 sqs. per ctn. (17.8 m <sup>2</sup> )<br>Ship. wt: 79 lb (36 kg) |  |
|--------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

| PRODUCT CODE & DESCRIPTION                                                     |                                                                                                                                                                 | COLOURS                                                                                                               |
|--------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>65604</b><br><b>4"</b><br><b>Outside Corner Post</b><br><b>with Foam</b>    | 4" Face (101.6)<br>10' Lengths (3048)<br>Brushed Texture<br><br>Packaging:<br>10 pcs. per ctn.<br>100 lineal ft. per ctn. (30.5 m)<br>Ship. wt: 48.5 lb (22 kg) | Snow White<br>Almond<br>Dover Gray<br>Canyon Clay<br>Chesapeake Gray<br>Pebble<br>Sage<br>Storm<br>Wicker             |
| <b>65606 (Special Order)</b><br><b>1-1/4" J-Channel</b><br><b>with 1" Face</b> | 12' Lengths (3658)<br>Brushed Texture<br><br>Packaging:<br>30 pcs. per ctn.<br>432 lineal ft. per ctn. (131.7 m)<br>Ship. wt: 54 lb (24.4 kg)                   | Dark Drift†<br>Hudson Slate†<br>Meadow Fern†<br>Midnight Surf†<br>Moonlit Moss†<br>Rockwell Blue†<br>Windswept Smoke† |
|                                                                                |                                                                                                                                                                 | †Designer Colour.                                                                                                     |

|                                                   |                                                                                                                                                                      |  |
|---------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>K661945</b><br><b>Easy Start Starter Strip</b> | 12"6" Lengths (3810)<br><br>Packaging:<br>24 pcs. per ctn.<br>300 lineal ft. per ctn. (91.5 m)<br>Ship. wt: 32 lb (14.5 kg)<br><br>Available in neutral colour only. |  |
|---------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

PRODUCT CODE & DESCRIPTION


COLOURS

65504/65524 (Dark Colours)  
**3-1/2"**  
**Outside Corner Post**

3-1/2" Face (88.9)  
10' Lengths (3048)  
Brushed Texture

See Matrix On  
Pages 56-57.


Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 41 lb (19 kg)



65501  
**3"**  
**Outside Corner Post**

3" Face (76.2)  
10' Lengths (3048)  
Brushed Texture


Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 38 lb (17 kg)



65507  
**6" Designer**  
**Outside Corner Post**

6" Face (152.4)  
20' Lengths (6096)  
Brushed Texture


Packaging:  
5 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 56 lb (25 kg)



68030  
**Bay & Bow**  
**Outside Corner Post**

2" Face (50.8)  
12'6" Lengths (3810)  
Matte Texture

Packaging:  
10 pcs. per ctn.  
125 lineal ft. per ctn. (38 m)  
Ship. wt: 23 lb (10.5 kg)



PRODUCT CODE & DESCRIPTION


COLOURS

68020  
**Beaded Corner Post**  
**with Foam Insert**

20' Lengths (6096)  
Matte Texture

See Matrix On  
Pages 56-57.


Packaging:  
5 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 84 lb (38 kg)



65520/65521 (Dark Colours)  
**3-1/2"**  
**3/4" Inside Corner Post**

10' Lengths (3048)  
Brushed Texture


Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 27.4 lb (12.4 kg)



65560  
**1/2" J-Channel**

12' Lengths (3658)  
Brushed Texture


Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 44 lb (20 kg)




65536  
**5/8" Premium**  
**J-Channel**


12' Lengths (3658)  
Brushed Texture


Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 46 lb (21 kg)




PRODUCT CODE & DESCRIPTION COLOURS


|                                                                                                |                                       |                               |
|------------------------------------------------------------------------------------------------|---------------------------------------|-------------------------------|
| 65533<br>3/4" Premium<br>J-Channel                                                             | 12' Lengths (3658)<br>Brushed Texture | See Matrix On<br>Pages 56-57. |
|                |                                       |                               |
| Packaging:<br>40 pcs. per ctn.<br>480 lineal ft. per ctn. (146.3 m)<br>Ship. wt: 49 lb (22 kg) |                                       |                               |


|                                                                                                  |                                       |  |
|--------------------------------------------------------------------------------------------------|---------------------------------------|--|
| 65606 (Special Order)<br>1-1/4" J-Channel*<br>with 1" Face                                       | 12' Lengths (3658)<br>Brushed Texture |  |
|                  |                                       |  |
| Packaging:<br>30 pcs. per ctn.<br>432 lineal ft. per ctn. (131.7 m)<br>Ship. wt: 54 lb (24.4 kg) |                                       |  |
| *Can be used with Sequoia Select EnFusion insulated siding.                                      |                                       |  |


|                                                                                               |                                       |  |
|-----------------------------------------------------------------------------------------------|---------------------------------------|--|
| 65538<br>2-1/2" Wide Face<br>J-Channel                                                        | 12' Lengths (3658)<br>Brushed Texture |  |
|             |                                       |  |
| Packaging:<br>18 pcs. per ctn.<br>216 lineal ft. per ctn. (65.8 m)<br>Ship. wt: 47 lb (21 kg) |                                       |  |


|                                                                                                  |                                       |  |
|--------------------------------------------------------------------------------------------------|---------------------------------------|--|
| 65570/65571<br>Undersill Trim*                                                                   | 12' Lengths (3658)<br>Brushed Texture |  |
|                |                                       |  |
| Packaging:<br>40 pcs. per ctn.<br>480 lineal ft. per ctn. (146.3 m)<br>Ship. wt: 37 lb (16.8 kg) |                                       |  |
| *Also used as a starter strip for 5" lineal.                                                     |                                       |  |

PRODUCT CODE & DESCRIPTION COLOURS

|                                                                                                  |                                      |                               |
|--------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|
| 67750<br>Double Undersill Trim                                                                   | 12' Lengths (3658)<br>Smooth Texture | See Matrix On<br>Pages 56-57. |
|                |                                      |                               |
| Packaging:<br>25 pcs. per ctn.<br>300 lineal ft. per ctn. (91.5 m)<br>Ship. wt: 36 lb (16.33 kg) |                                      |                               |

|                                                                                                  |                                       |  |
|--------------------------------------------------------------------------------------------------|---------------------------------------|--|
| 65581<br>Drip Cap                                                                                | 12' Lengths (3658)<br>Brushed Texture |  |
|                |                                       |  |
| Packaging:<br>45 pcs. per ctn.<br>540 lineal ft. per ctn. (164.6 m)<br>Ship. wt: 71 lb (32.2 kg) |                                       |  |


|                                                                                                |                                                           |  |
|------------------------------------------------------------------------------------------------|-----------------------------------------------------------|--|
| 65583<br>3-1/2" Window/Door<br>Surround                                                        | 3-1/2" Face (88.9)<br>20' Lengths (6096)<br>Matte Texture |  |
|            |                                                           |  |
| Packaging:<br>5 pcs. per ctn.<br>100 lineal ft. per ctn. (30.5 m)<br>Ship. wt: 30 lb (13.5 kg) |                                                           |  |

|                                                                                               |                                                      |  |
|-----------------------------------------------------------------------------------------------|------------------------------------------------------|--|
| 65750<br>5" Window/Door<br>Surround                                                           | 5" Face (127)<br>20' Lengths (6096)<br>Matte Texture |  |
|           |                                                      |  |
| Packaging:<br>10 pcs. per ctn.<br>200 lineal ft. per ctn. (61 m)<br>Ship. wt: 65 lb (29.5 kg) |                                                      |  |

PRODUCT CODE & DESCRIPTION COLOURS


65700 12' Lengths (3658) See Matrix On  
Surround Starter Pages 56-57.

Packaging:  
25 pcs. per ctn.  
300 lineal ft. per ctn. (91.4 m)  
Ship. wt: 33 lb (15 kg)



65551 12' Lengths (3658)  
Starter Strip\*

Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 58 lb (26 kg)




\*For Sequoia Select, use Universal starter strip (0109025) located on page 38.

65599 12' Lengths (3658)  
F-Channel

Brushed Texture


Packaging:  
24 pcs. per ctn.  
288 lineal ft. per ctn. (87.8 m)  
Ship. wt: 43 lb (19.6 kg)



68080 12'6" Lengths (3810)  
3/4" F-Channel

Brushed Texture

Packaging:  
32 pcs. per ctn.  
400 lineal ft. per ctn. (122 m)  
Ship. wt: 55 lb (25 kg)




PRODUCT CODE & DESCRIPTION COLOURS

65568 12'6" Lengths (3810) See Matrix On  
3/8" Soffit Cove Matte Texture Pages 56-57.

J-Channel


Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn. (91.5 m)  
Ship. wt: 39.7 lb (18 kg)



65548 12' Lengths (3658)  
Soffit Double Channel

Brushed Texture


Packaging:  
20 pcs. per ctn.  
240 lineal ft. per ctn. (73.2 m)  
Ship. wt: 48 lb (22 kg)




PRODUCT CODE & DESCRIPTION

COLOURS


|                       |                                                                                                            |                        |
|-----------------------|------------------------------------------------------------------------------------------------------------|------------------------|
| 1002<br>8" Horizontal | 1/2" Butt (12.7)<br>8" Exposure per Panel (203.2)<br>12'6" Lengths (3810)<br>Poly Finish<br>Smooth Texture | See Matrix on Page 58. |
|-----------------------|------------------------------------------------------------------------------------------------------------|------------------------|




|                             |                                                                                                                    |  |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------|--|
| 1191<br>Double 4" Clapboard | 1/2" Butt (12.7)<br>2-4" Exposure per Panel (101.6/203.2)<br>12'6" Lengths (3810)<br>Poly Finish<br>Smooth Texture |  |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------|--|



|                                    |                                                                                      |  |
|------------------------------------|--------------------------------------------------------------------------------------|--|
| 1302<br>8" Vertical Board & Batten | 8" Exposure per Panel (203.2)<br>10' Lengths (3048)<br>Poly Finish<br>Smooth Texture |  |
|------------------------------------|--------------------------------------------------------------------------------------|--|




|                                               |                                                                                               |  |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------|--|
| 1438<br>Vertical "V" Standard Gauge (0.40 mm) | 7-1/4" Exposure per Panel (184.2)<br>9'7-3/8" Lengths (2930)<br>Poly Finish<br>Smooth Texture |  |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------|--|



PRODUCT CODE & DESCRIPTION

COLOURS

|                                            |                                                                                               |                        |
|--------------------------------------------|-----------------------------------------------------------------------------------------------|------------------------|
| 1429<br>Vertical "V" Heavy Gauge (0.44 mm) | 7-1/4" Exposure per Panel (184.2)<br>9'7-3/8" Lengths (2930)<br>Poly Finish<br>Smooth Texture | See Matrix on Page 58. |
|--------------------------------------------|-----------------------------------------------------------------------------------------------|------------------------|



Packaging:  
 17 pcs. per ctn.  
 1 sq. per ctn. (9.29 m²)  
 Ship. wt: 30.95 lb (14.04 kg)


## PRODUCT CODE & DESCRIPTION

## COLOURS

**1003**  
**8" Horizontal**

1/2" Butt (12.7)  
8" Exposure per Panel (203.2)  
12'6" Lengths (3810)  
Woodgrain Texture


See Matrix on  
Page 58.



Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.58 m<sup>2</sup>)  
Ship. wt: 75.55 lb (34.27 kg)

**1192**  
**Double 4" Clapboard**


1/2" Butt (12.7)  
2-4" Exposure per Panel (101.6/203.2)  
12'6" Lengths (3810)  
Woodgrain Texture



Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.58 m<sup>2</sup>)  
Ship. wt: 59.32 lb (26.91 kg)

**1188**  
**Double 4" Dutch Lap Standard Gauge (0.40 mm)**


1/2" Butt (12.7)  
2-4" Exposure per Panel (101.6/203.2)  
12'6" Lengths (3810)  
Woodgrain Texture



Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.58 m<sup>2</sup>)  
Ship. wt: 59.32 lb (26.91 kg)

**1185**  
**Double 4" Dutch Lap Heavy Gauge (0.44 mm)**

1/2" Butt (12.7)  
2-4" Exposure per Panel (101.6/203.2)  
12'6" Lengths (3810)  
Woodgrain Texture



Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.58 m<sup>2</sup>)  
Ship. wt: 59.32 lb (26.91 kg)


## PRODUCT CODE & DESCRIPTION

## COLOURS

**1303**  
**8" Vertical Board & Batten**

1/2" Butt (12.7)  
8" Exposure per Panel (203.2)  
10' Lengths (3048)  
Woodgrain Texture


See Matrix on  
Page 58.



Packaging:  
15 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 35.6 lb (16.15 kg)

**1439**  
**Vertical "V" Standard Gauge (0.40 mm)**


7-1/4" Exposure per Panel (184.2)  
9'7-3/8" Lengths (2930)  
Woodgrain Texture



Packaging:  
17 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 30.91 lb (14.02 kg)

**1425**  
**Vertical "V" Heavy Gauge (0.44 mm)**

7-1/4" Exposure per Panel (184.2)  
9'7-3/8" Lengths (2930)  
Woodgrain Texture




Packaging:  
17 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 30.91 lb (14.02 kg)

PRODUCT CODE & DESCRIPTION

COLOURS


1207  
**Double 5" Clapboard**



1 1/2" Butt (12.7)  
2-5" Exposure per Panel (127/254)  
12' Lengths (3658)  
PVDF Finish (Kynar)  
Woodgrain Texture  
Variegated Colours

Packaging:  
20 pcs. per ctn.  
2 sqs. per ctn. (18.58 m<sup>2</sup>)  
Ship. wt: 89 lb (40.5 kg)

1307  
**Vertical "V" Heavy Gauge (0.44 mm)**




7-1/4" Exposure per Panel (184.2)  
9'7-3/8" Lengths (2930)  
PVDF Finish (Kynar)  
Woodgrain Texture  
Variegated Colours

Packaging:  
17 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 30.91 lb (14.02 kg)

PRODUCT CODE & DESCRIPTION

COLOURS


1602  
**16" 2-Panel Soffit Solid Standard Gauge**



16" Exposure per Panel (406.4)  
12'1-15/16" Lengths (3708)  
Smooth Texture

Packaging:  
18 pcs. per ctn.  
3 sqs. per ctn. (27.62 m<sup>2</sup>)  
Ship. wt: 56.13 lb (25.46 kg)


1603  
**16" 2-Panel Soffit Vented Standard Gauge**



16" Exposure per Panel (406.4)  
12'1-15/16" Lengths (3708)  
4.02 sq. in. ventilation per lineal ft.  
Smooth Texture

Packaging:  
18 pcs. per ctn.  
3 sqs. per ctn. (27.62 m<sup>2</sup>)  
Ship. wt: 56.13 lb (25.46 kg)


1620  
**16" 2-Panel Soffit Solid Heavy Gauge**



16" Exposure per Panel (406.4)  
12'1-15/16" Lengths (3708)  
Smooth Texture

Packaging:  
12 pcs. per ctn.  
2 sqs. per ctn. (18.58 m<sup>2</sup>)  
Ship. wt: 51.5 lb (22.07 kg)

1622  
**16" 2-Panel Soffit Vented Heavy Gauge**



16" Exposure per Panel (406.4)  
12'1-15/16" Lengths (3708)  
4.02 sq. in. ventilation per lineal ft.  
Smooth Texture

Packaging:  
12 pcs. per ctn.  
2 sqs. per ctn. (18.58 m<sup>2</sup>)  
Ship. wt: 51.5 lb (22.07 kg)


PRODUCT CODE & DESCRIPTION | COLOURS

1601  
16" 4-Panel Soffit  
Solid

16" Exposure per Panel (406.4)  
12'2-3/8" Lengths (3718)  
Smooth Texture

See Matrix on  
Pages 60-61.


Packaging:  
18 pcs. per ctn.  
4.22 sqs. per ctn. (26.6 m<sup>2</sup>)  
Ship. wt: 56.53 lb (25.74 kg)



1606  
16" 4-Panel Soffit  
Vented

16" Exposure per Panel (406.4)  
12'2-3/8" Lengths (3718)  
4.12 sq. in. ventilation per lineal ft.  
Smooth Texture


Packaging:  
18 pcs. per ctn.  
4.22 sqs. per ctn. (26.6 m<sup>2</sup>)  
Ship. wt: 56.53 lb (25.74 kg)



1615  
16" 4-Panel Soffit  
Vented  
Heavy Gauge

16" Exposure per Panel (406.4)  
12'2-3/8" Lengths (3718)  
4.12 sq. in. ventilation per lineal ft.  
Smooth Texture

Packaging:  
18 pcs. per ctn.  
4.22 sqs. per ctn. (26.6 m<sup>2</sup>)  
Ship. wt: 64 lbs (29.07 kg)




PRODUCT CODE & DESCRIPTION | COLOURS

2330  
18" 3-Panel Soffit  
Solid  
Heavy Gauge

18" Exposure per Panel (457.2)  
10' Lengths (3048)  
Smooth Texture

See Matrix on  
Pages 60-61.


Packaging:  
12 pcs. per ctn.  
1.92 sqs. per ctn. (17.8 m<sup>2</sup>)  
Ship. wt: 39.5 lb (17.9 kg)



2345  
18" 3-Panel Soffit  
Vented  
Heavy Gauge

18" Exposure per Panel (457.2)  
10' Lengths (3048)  
5.46 sq. in. ventilation per lineal ft.  
Smooth Texture

Packaging:  
12 pcs. per ctn.  
1.92 sqs. per ctn. (17.8 m<sup>2</sup>)  
Ship. wt: 39.5 lb (17.9 kg)






PRODUCT CODE & DESCRIPTION | COLOURS

1694

4" Fascia

Standard Gauge



9'10" Lengths (3000)

Ribbed

See Matrix On Pages 60-61.

Packaging:

30 pcs. per ctn.


295 lineal ft. per ctn. (90 m)

Ship. wt: 32.65 lb (14.84 kg)

1693

4" Fascia

Economy Gauge



9'10" Lengths (3000)

Ribbed

Packaging:

30 pcs. per ctn.


295 lineal ft. per ctn. (90 m)

Ship. wt: 32.65 lb (14.84 kg)

1696/1697

6" Fascia

Standard Gauge



9'10" Lengths (3000)

Ribbed

Packaging:

20 pcs. per ctn.


197 lineal ft. per ctn. (60 m)

Ship. wt: 29.32 lb (13.30 kg)

1691

6" Fascia

Economy Gauge



9'10" Lengths (3000)

Ribbed

Packaging:

20 pcs. per ctn.

197 lineal ft. per ctn. (60 m)


Ship. wt: 29.32 lb (13.30 kg)

PRODUCT CODE & DESCRIPTION | COLOURS

2020

6" Fascia

Heavy Gauge



9'10" Lengths (3000)

Ribbed

See Matrix On Pages 60-61.

Packaging:

20 pcs. per ctn.

197 lineal ft. per ctn. (60 m)


Ship. wt: 36.40 lb (16.53 kg)

1697 available in AluCopper.

2024

6" Fascia

Heavy Gauge



9'10" Lengths (3000)

Plain

Packaging:

25 pcs. per ctn.


245.8 lineal ft. per ctn. (75 m)

Ship. wt: 44.80 lb (20.31 kg)

1698

8" Fascia

Standard Gauge



9'10" Lengths (3000)

Ribbed

Packaging:

20 pcs. per ctn.


197 lineal ft. per ctn. (60 m)

Ship. wt: 37.59 lb (17.05 kg)

2030

8" Fascia

Heavy Gauge



9'10" Lengths (3000)

Ribbed


Packaging:


20 pcs. per ctn.

197 lineal ft. per ctn. (60 m)


Ship. wt: 46.80 lb (21.22 kg)


PRODUCT CODE & DESCRIPTION | COLOURS


|                                                                                                    |                               |                               |
|----------------------------------------------------------------------------------------------------|-------------------------------|-------------------------------|
| 2025<br>8" Fascia<br>Heavy Gauge                                                                   | 9'10" Lengths (3000)<br>Plain | See Matrix On<br>Pages 60-61. |
|                    |                               |                               |
| Packaging:<br>25 pcs. per ctn.<br>245.8 lineal ft. per ctn. (75 m)<br>Ship. wt: 57.4 lb (26.07 kg) |                               |                               |


|                                                                                                |                                |  |
|------------------------------------------------------------------------------------------------|--------------------------------|--|
| 1670<br>10" Fascia<br>Standard Gauge                                                           | 9'10" Lengths (3000)<br>Ribbed |  |
|                |                                |  |
| Packaging:<br>20 pcs. per ctn.<br>197 lineal ft. per ctn. (60 m)<br>Ship. wt: 44 lb (19.96 kg) |                                |  |

PRODUCT CODE & DESCRIPTION | COLOURS

|                                                                                    |                                                            |                               |
|------------------------------------------------------------------------------------|------------------------------------------------------------|-------------------------------|
| 2319<br>Outside Corner Post                                                        | 2-1/2" Face (63.5)<br>10' Lengths (3048)<br>Smooth Texture | See Matrix On<br>Pages 62-63. |
|  |                                                            |                               |
| Packaging:<br>10 pcs. per ctn.<br>Ship. wt: 20.83 lb (9.45 kg)                     |                                                            |                               |

|                                                                                    |                                                               |  |
|------------------------------------------------------------------------------------|---------------------------------------------------------------|--|
| 2312<br>Outside Corner Post                                                        | 2-1/2" Face (63.5)<br>10' Lengths (3048)<br>Woodgrain Texture |  |
|  |                                                               |  |
| Packaging:<br>10 pcs. per ctn.<br>Ship. wt: 20.83 lb (9.45 kg)                     |                                                               |  |

|                                                                                      |                                       |  |
|--------------------------------------------------------------------------------------|---------------------------------------|--|
| 2300<br>Individual Corner Cap                                                        | 8" Exposure (203.2)<br>Smooth Texture |  |
|  |                                       |  |
| Packaging:<br>100 pcs. per ctn.<br>Ship. wt: 13 lb (5.9 kg)                          |                                       |  |

|                                                                                      |                                      |  |
|--------------------------------------------------------------------------------------|--------------------------------------|--|
| 2502<br>3/4" J Trim                                                                  | 12' Lengths (3658)<br>Smooth Texture |  |
|  |                                      |  |
| Packaging:<br>40 pcs. per ctn.<br>Ship. wt: 22.9 lb (10.39 kg)                       |                                      |  |


PRODUCT CODE & DESCRIPTION

COLOURS

2503  
Universal J

10' Lengths (3048)  
Smooth Texture


See Matrix On  
Pages 62-63.



Packaging:  
20 pcs. per ctn.  
Ship. wt: 11.73 lb (5.32 kg)

2520/2522  
Soffit J (BSP)\*

12' Lengths (3658)  
Smooth Texture




Packaging:  
25 pcs. per ctn.  
Ship. wt: 16.11 lb (7.31 kg)

2522 – only available in AluCopper

2507  
3/4" Wideface  
Soffit J


12' Lengths (3658)  
Smooth Texture



Packaging:  
24 pcs. per ctn.  
Ship. wt: 18.85 lb (8.55 kg)

1692  
Channel Runner

12' Lengths (3658)  
Smooth Texture



Packaging:  
25 pcs. per ctn.  
Ship. wt: 14.33 lb (6.50 kg)


PRODUCT CODE & DESCRIPTION

COLOURS

2538  
L-Trim Small

12' Lengths (3658)  
Smooth Texture


See Matrix On  
Pages 62-63.



Packaging:  
20 pcs. per ctn.  
Ship. wt: 13.69 lb (6.21 kg)

2543  
Drip Cap


12' Lengths (3658)  
Smooth Texture



Packaging:  
20 pcs. per ctn.  
Ship. wt: 15.23 lb (6.91 kg)

2567  
Roof Edge Drip Cap


10' Lengths (3048)  
Smooth Texture



Packaging:  
20 pcs. per ctn.  
Ship. wt: 12.72 lb (5.77 kg)

2573  
3" 0° Roof Edge

10' Lengths (3048)  
Smooth Texture



Packaging:  
20 pcs. per ctn.  
Ship. wt: 16.07 lb (7.29 kg)


PRODUCT CODE & DESCRIPTION | COLOURS

2575  
4" 0° Roof Edge

10' Lengths (3048)  
Smooth Texture

See Matrix On  
Pages 62-63.


Packaging:  
20 pcs. per ctn.  
Ship. wt: 23.61 lb (10.71 kg)



2577  
6" 0° Roof Edge

10' Lengths (3048)  
Smooth Texture


Packaging:  
20 pcs. per ctn.  
Ship. wt: 30.02 lb (13.62 kg)



2550  
Snap-Lock  
Sill Trim

12' Lengths (3658)  
Smooth Texture


Packaging:  
40 pcs. per ctn.  
Ship. wt: 22.2 lb (10.08 kg)



0109025  
Universal Starter Strip

10' Lengths (3100)  
Smooth Texture

Packaging:  
50 pcs. per ctn.  
Ship. wt: 47.40 lb (21.50 kg)




PRODUCT CODE & DESCRIPTION | COLOURS

2504  
Woodgrain™ 2000  
Undersill Trim

10' Lengths (3048)  
Smooth Texture

See Matrix On  
Pages 62-63.


Packaging:  
25 pcs. per ctn.  
Ship. wt: 12.87 lb (5.84 kg)



2043  
Woodgrain™ 2000  
Fascia Trim

10' Lengths (3048)  
Woodgrain Texture


Packaging:  
20 pcs. per ctn.  
Ship. wt: 16.38 lb (7.43 kg)



2311  
Woodgrain™ 2000  
Individual Corner Cap


8" Exposure (203.2)  
Woodgrain Texture

Packaging:  
100 pcs. per ctn.  
Ship. wt: 13.0 lb (5.90 kg)



2317  
Cedarwood®  
Outside Corner Post

2-1/2" Face (63.5)  
10' Lengths (3048)  
PVDF Finish (Kynar)  
Woodgrain Texture  
Variegated Colours




Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 25.5 lb (11.6 kg)

PRODUCT CODE & DESCRIPTION | COLOURS

2318  
Cedarwood®  
3/4" J-Channel

12' Lengths (3658)  
PVDF Finish (Kynar)  
Smooth Texture  
Variegated Colours


See Matrix On  
Pages 62-63.



Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 29 lb (13.2 kg)

2320  
Cedarwood®  
Snap-Lock Finish Trim

12' Lengths (3658)  
PVDF Finish (Kynar)  
Smooth Texture  
Variegated Colours




Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 28 lb (12.76 kg)

PRODUCT CODE & DESCRIPTION | COLOURS

1750  
Double 4"  
Clapboard

1/2" Butt (12.7)  
2-4" Exposure per Panel  
(101.6/203.2)  
12'6" Lengths (3810)  
PVDF Finish (Kynar)  
Roughsawn Texture


Bright White



Packaging:  
10 pcs. per ctn.  
1 sq. per ctn. (9.29 m²)  
Ship. wt: 91 lb (41 kg)

1755  
Double 5"  
Clapboard


1/2" Butt (12.7)  
2-5" Exposure per Panel  
(127/254)  
10' Lengths (3048)  
PVDF Finish (Kynar)  
Roughsawn Texture



Packaging:  
10 pcs. per ctn.  
1 sq. per ctn. (9.29 m²)  
Ship. wt: 85 lb (39 kg)

1748  
8" Horizontal


1/2" Butt (12.7)  
8" Exposure per Panel (203.2)  
12'6" Lengths (3810)  
PVDF Finish (Kynar)  
Roughsawn Texture



Packaging:  
12 pcs. per ctn.  
1 sq. per ctn. (9.29 m²)  
Ship. wt: 91 lb (41 kg)


1752  
12" Vertical  
Board & Batten

5/8" Batten Height (15.9)  
2" Batten Width (50.8)  
12" Exposure per Panel (304.8)  
10' Lengths (3048)  
PVDF Finish (Kynar)  
Medium Woodgrain Texture




Packaging:  
10 pcs. per ctn.  
1 sq. per ctn. (9.29 m²)  
Ship. wt: 85 lb (39 kg)

| PRODUCT CODE & DESCRIPTION                                                       |                                                                                                                | COLOURS                                                                                                    |
|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| 1754<br>Double 5" Clapboard                                                      | 1/2" Butt (12.7)<br>2-5" Exposure per Panel (127/254)<br>12' Lengths (3658)<br>PVC Finish<br>Woodgrain Texture | Bright White                                                                                               |
|  | Packaging:<br>10 pcs. per ctn.<br>1 sq. per ctn. (9.29 m²)<br>Ship. wt: 91 lb (41 kg)                          | Almond<br>Brownstone<br>Canyon Clay<br>Classic Brown<br>Dover Gray<br>Norwood<br>Sage<br>Thistle<br>Wicker |

|                                                                                  |                                                                                                              |
|----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| 1751<br>8" Horizontal                                                            | 1/2" Butt (12.7)<br>8" Exposure per Panel (203.2)<br>12'6" Lengths (3810)<br>PVC Finish<br>Woodgrain Texture |
|  | Packaging:<br>12 pcs. per ctn.<br>1 sq. per ctn. (9.29 m²)<br>Ship. wt: 91 lb (41 kg)                        |

| PRODUCT CODE & DESCRIPTION                                                         |                                                                                                                | COLOURS                                                                                                    |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| 1790<br>Universal™ Double 5" Dutch Lap                                             | 1/2" Butt (12.7)<br>2-5" Exposure per Panel (127/254)<br>12' Lengths (3658)<br>PVC Finish<br>Woodgrain Texture | Bright White                                                                                               |
|  | Packaging:<br>10 pcs. per ctn.<br>1 sq. per ctn. (9.29 m²)<br>Ship. wt: 91 lb (41 kg)                          | Almond<br>Brownstone<br>Canyon Clay<br>Classic Brown<br>Dover Gray<br>Norwood<br>Sage<br>Thistle<br>Wicker |

|                                                                                    |                                                                                                                                      |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| 1719<br>Universal™ 12" Vertical Board & Batten                                     | 5/8" Batten Height (15.9)<br>2" Batten Width (50.8)<br>12" Exposure per Panel (304.8)<br>10' Lengths (3048)<br>PVC Finish<br>Texture |
|  | Packaging:<br>10 pcs. per ctn.<br>1 sq. per ctn. (9.29 m²)<br>Ship. wt: 85 lb (39 kg)                                                |

PRODUCT CODE & DESCRIPTION


COLOURS

1813  
3/4" Outside  
Corner Post

2-1/2" Face (63.5)  
10' Lengths (3048)  
PVC Striated Finish  
Woodgrain Texture

See Matrix On  
Page 59.


Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 63 lb (28.58 kg)



1814  
3/4" J-Channel

12'6" Lengths (3810)  
PVC Striated Finish  
Smooth Texture


Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn. (91.5 m)  
Ship. wt: 42 lb (19.02 kg)



1829  
2-1/2" Starter Strip

10' Lengths (3048)


Packaging:  
26 pcs. per ctn.  
260 lineal ft. per ctn. (79.3 m)  
Ship. wt: 48 lb (22 kg)



1835  
Universal  
3/4" Outside  
Corner Post  
Kynar

2-1/2" Face (63.5)  
10' Lengths (3048)  
Kynar PVDF Finish  
Woodgrain Texture

Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 62 lb (28 kg)



PRODUCT CODE & DESCRIPTION


COLOURS

1842  
3/4" J-Channel  
Kynar

12'6" Lengths (3810)  
Kynar PVDF Finish  
Woodgrain Texture

See Matrix On  
Page 59.


Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn. (91.5 m)  
Ship. wt: 48 lb (22 kg)



1841  
1-1/8" J-Channel  
Kynar

12'6" Lengths (3810)  
Kynar PVDF Finish  
Woodgrain Texture


Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn. (91.5 m)  
Ship. wt: 48 lb (22 kg)



1850  
Snap-Lock  
Finish Trim  
Kynar

12'6" Lengths (3810)  
Kynar PVDF Finish  
Woodgrain Texture

Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn. (91.5 m)  
Ship. wt: 35 lb (16 kg)




PRODUCT CODE & DESCRIPTION | COLOURS

1877/29-GA  
Flat Stock  
PVC Coated

20-7/8" Width (530.23)  
50' Lengths (15.24 m)

See Matrix On  
Page 59.

Packaging:  
Ship wt. 58 lb (26.31 kg)




PRODUCT CODE & DESCRIPTION | COLOURS

3036  
Flat Stock  
24" x 50' (BSP)\*

50' Lengths (15.24 m)

See Matrix On  
Pages 62-64.

Packaging:  
Ship wt. 28.12 lb (12.75 kg)




NOTE: Colour over Bright White, Light Gauge.  
Reverse side is Bright White.

3037  
Flat Stock  
24" x 98' 1/2" (BSP)\*

98' 1/2" Lengths (30.02 m)

Packaging:  
Ship wt. 55.34 lb (25.10 kg)




NOTE: Colour over Bright White, Light Gauge.  
Reverse side is Bright White.

3307  
Flat Stock  
24" x 98' 1/2" (BSP)\*  
CanExel Colours

98' 1/2" Lengths (30.02 m)

Packaging:  
Ship wt. 55.34 lb (25.10 kg)




NOTE: Colour over Bright White, Light Gauge.  
Reverse side is Bright White.

3039  
Flat Stock  
24" x 98' 1/2" (OSP)\*

98' 1/2" Lengths (30.02 m)


Packaging:  
Ship wt. 55.34 lb (25.10 kg)






PRODUCT CODE & DESCRIPTION | COLOURS


|                                        |                                                                                                                                                              |                               |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| 3304<br>Flat Stock<br>24" x 50' (BSP)* | 50' Lengths (15.24 m)<br><br>Packaging:<br>Ship wt. 23.55 lb (10.68 kg)<br><br>NOTE: Colour over Bright White, Light Gauge.<br>Reverse side is Bright White. | See Matrix On<br>Pages 62-64. |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|



|                                             |                                                                                                                                                                |  |
|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 3531<br>Flat Stock<br>24" x 98' 1/2" (BSP)* | 98' 1/2" Lengths (30.02 m)<br><br>Packaging:<br>Ship wt. 48 lb (21.78 kg)<br><br>NOTE: Colour over Bright White, Light Gauge.<br>Reverse side is Bright White. |  |
|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|




|                                                        |                                                                                                                     |  |
|--------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|--|
| 3311<br>PVC Striated<br>Flat Stock<br>24" x 50' (OSP)* | 50' Lengths (15.24 m)<br><br>Packaging:<br>Ship wt. 22.40 lb (10.16 kg)<br><br>NOTE: One Side Painted, Light Gauge. |  |
|--------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|--|




PRODUCT CODE & DESCRIPTION | COLOURS


|                                       |                                                               |                               |
|---------------------------------------|---------------------------------------------------------------|-------------------------------|
| 3025<br>10-1/2" Gutter Coil<br>(OSP)* | Width per coil 10-1/2" (267)<br><br>Packaging:<br>1 kg = 6'8" | See Matrix On<br>Pages 62-64. |
|---------------------------------------|---------------------------------------------------------------|-------------------------------|




|                                       |                                                                 |  |
|---------------------------------------|-----------------------------------------------------------------|--|
| 3006<br>11-7/8" Gutter Coil<br>(OSP)* | Width per coil 11-7/8" (301.5)<br><br>Packaging:<br>1 kg = 6'8" |  |
|---------------------------------------|-----------------------------------------------------------------|--|



|                                       |                                                                                       |  |
|---------------------------------------|---------------------------------------------------------------------------------------|--|
| 3009<br>11-7/8" Gutter Coil<br>(BSP)* | Width per coil 11-7/8" (301.5)<br><br>Packaging:<br>1 kg = 6'8"<br><br>White Exterior |  |
|---------------------------------------|---------------------------------------------------------------------------------------|--|




|                                                      |                                                                                            |  |
|------------------------------------------------------|--------------------------------------------------------------------------------------------|--|
| 3045<br>11-7/8" Gutter Coil<br>Heavy Gauge<br>(OSP)* | Width per coil 11-7/8" (301.5)<br><br>Packaging:<br>1 kg = 6'8"<br><br>Thickness: 0.027 mm |  |
|------------------------------------------------------|--------------------------------------------------------------------------------------------|--|




PRODUCT CODE & DESCRIPTION

COLOURS

|                                                      |                                                                                                              |                               |
|------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|-------------------------------|
| 3049<br>11-7/8" Gutter Coil<br>Heavy Gauge<br>(BSP)* | Width per coil 11-7/8" (301.5)<br><br>Packaging:<br>1 kg = 6'8"<br><br>White Exterior<br>Thickness: 0.027 mm | See Matrix On<br>Pages 62-64. |
|------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|-------------------------------|




|                                       |                                                               |  |
|---------------------------------------|---------------------------------------------------------------|--|
| 3012<br>13-1/2" Gutter Coil<br>(BSP)* | Width per coil 13-1/2" (343)<br><br>Packaging:<br>1 kg = 6'8" |  |
|---------------------------------------|---------------------------------------------------------------|--|



PRODUCT CODE & DESCRIPTION

COLOURS

|                                  |                                                            |                               |
|----------------------------------|------------------------------------------------------------|-------------------------------|
| 3084<br>6" Gutter Coil<br>(BSP)* | Width per coil 6" (152.4)<br><br>Packaging:<br>1 kg = 6'8" | See Matrix On<br>Pages 62-64. |
|----------------------------------|------------------------------------------------------------|-------------------------------|



SEQUOIA SELECT ENFUSION SIDING AND ACCESSORIES

- Available in this colour.

|                                      | Classic Colours |            |                 |                     |                |            |          |           |            |
|--------------------------------------|-----------------|------------|-----------------|---------------------|----------------|------------|----------|-----------|------------|
|                                      | 001 Snow White  | 632 Almond | 010 Canyon Clay | 872 Chesapeake Gray | 127 Dover Gray | 628 Pebble | 624 Sage | 631 Storm | 638 Wicker |
| EnFusion Siding                      |                 |            |                 |                     |                |            |          |           |            |
| Double 5" Dutch Lap                  | •               | •          | •               | •                   | •              | •          | •        | •         | •          |
| Double 6" Clapboard                  | •               | •          | •               | •                   | •              | •          | •        | •         | •          |
| Accessories                          |                 |            |                 |                     |                |            |          |           |            |
| 65604 4" Outside Corner Post w/ Foam | •               | •          | •               | •                   | •              | •          | •        | •         | •          |
| 65606 1-1/4" J-Channel               | •               | •          | •               | •                   | •              | •          | •        | •         | •          |
| K661945 Easy Start Starter Strip     |                 |            |                 |                     |                |            |          |           |            |

COLOUR MATRIX

| Designer Colours |                  |                 |                   |                  |                   |                     |         |
|------------------|------------------|-----------------|-------------------|------------------|-------------------|---------------------|---------|
| 655 Dark Drift   | 873 Hudson Slate | 874 Meadow Fern | 652 Midnight Surf | 653 Moonlit Moss | 637 Rockwell Blue | 651 Windswept Smoke | Neutral |
|                  |                  |                 |                   |                  |                   |                     |         |
| •                | •                | •               | •                 | •                | •                 | •                   |         |
| •                | •                | •               | •                 | •                | •                 | •                   |         |
|                  |                  |                 |                   |                  |                   |                     |         |
| •                | •                | •               | •                 | •                | •                 | •                   |         |
| •                | •                | •               | •                 | •                | •                 | •                   |         |
|                  |                  |                 |                   |                  |                   |                     | •       |

## VINYL SIDING | COLOUR MATRIX

- Available in this colour.

| • Available in this colour.      | Classic Colours |            |           |                 |                     |                |                   |           |           |                   |           |            |
|----------------------------------|-----------------|------------|-----------|-----------------|---------------------|----------------|-------------------|-----------|-----------|-------------------|-----------|------------|
|                                  | 001 Snow White  | 632 Almond | 616 Amber | 010 Canyon Clay | 872 Chesapeake Gray | 127 Dover Gray | 633 Juniper Grove | 012 Linen | 002 Maize | 673 Monterey Sand | 006 Pearl | 628 Pebble |
| <b>Sequoia Select</b>            |                 |            |           |                 |                     |                |                   |           |           |                   |           |            |
| Double 4" Clapboard              | •               | •          |           | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| Double 4-1/2" Dutch Lap          | •               | •          |           | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| Double 5" Clapboard*             | •               | •          |           | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| Double 5" Dutch Lap*             | •               | •          |           | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| <b>Board &amp; Batten</b>        |                 |            |           |                 |                     |                |                   |           |           |                   |           |            |
| 7" Vertical Board & Batten*      | •               | •          |           | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| <b>Fair Oaks</b>                 |                 |            |           |                 |                     |                |                   |           |           |                   |           |            |
| Double 4" Clapboard              | •               | •          |           | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| Double 4" Dutch Lap              | •               | •          |           | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| Double 5" Clapboard              | •               | •          |           | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| Double 5" Dutch Lap              | •               | •          |           | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| <b>Concord</b>                   |                 |            |           |                 |                     |                |                   |           |           |                   |           |            |
| Double 4" Clapboard              | •               | •          |           | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| Double 4" Dutch Lap              | •               | •          |           | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| Double 5" Clapboard              | •               | •          |           | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| Double 5" Dutch Lap              | •               | •          |           | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| 10" Vertical                     | •               | •          |           | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| <b>Driftwood II</b>              |                 |            |           |                 |                     |                |                   |           |           |                   |           |            |
| Double 4" Clapboard              | •               | •          | •         | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| Double 4-1/2" Dutch Lap          | •               | •          | •         | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| <b>Vinyl Soffit</b>              |                 |            |           |                 |                     |                |                   |           |           |                   |           |            |
| Sequoia Select Ultra-Premium 12" | •               | •          |           | •               |                     | •              | •                 | •         | •         | •                 | •         | •          |
| Oxford Premium 10"               | •               | •          |           | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| Beaded Premium 8"                | •               |            |           | •               |                     |                | •                 | •         |           | •                 |           | •          |
| Fairweather 12"                  | •               | •          |           | •               | •                   | •              | •                 | •         | •         | •                 | •         | •          |
| EZ Lock 10"                      | •               |            |           |                 |                     |                |                   | •         |           |                   |           |            |

Note: Black and Musket Brown are for soffit use only, not as vertical siding. Beaded Premium soffit is not offered as vertical siding. Fairweather centre vented soffit is available in Snow White only.

\*Designer Colours not available in British Columbia and Alberta.

[illegible]

- Available in this colour.

[illegible][illegible]

ALUMINUM SIDING COLOUR MATRIX

• Available in this colour.

|                |                      | Deluxe Aluminum |                     |                            |              | Woodgrain 2000 |                     |                     |                            | Cedarwood           |                     |                     |  |
|----------------|----------------------|-----------------|---------------------|----------------------------|--------------|----------------|---------------------|---------------------|----------------------------|---------------------|---------------------|---------------------|--|
|                |                      | 8" Horizontal   | Double 4" Clapboard | 8" Vertical Board & Batten | Vertical "V" | 8" Horizontal  | Double 4" Clapboard | Double 4" Dutch Lap | 8" Vertical Board & Batten | 7-1/4" Vertical "V" | Double 5" Clapboard | 7-1/4" Vertical "V" |  |
| Colour Palette | 431 Bright White     | •               | •                   | •                          | •            | •              | •                   | •                   | •                          | •                   |                     |                     |  |
|                | 429 Ice White        |                 |                     |                            | •            |                |                     |                     |                            | •                   |                     |                     |  |
|                | 432 Almond           |                 | •                   | •                          | •            |                | •                   | •                   | •                          | •                   |                     |                     |  |
|                | 425 Black            |                 |                     |                            | •            |                |                     |                     |                            | •                   |                     |                     |  |
|                | 467 Burgundy         |                 |                     |                            |              |                |                     |                     |                            | •                   |                     |                     |  |
|                | 410 Canyon Clay      |                 | •                   |                            | •            |                | •                   |                     |                            | •                   |                     |                     |  |
|                | 414 Cashmere         |                 | •                   |                            | •            |                | •                   |                     |                            | •                   |                     |                     |  |
|                | 454 Chestnut Brown   |                 | •                   | •                          | •            |                | •                   | •                   | •                          | •                   |                     |                     |  |
|                | 462 Commercial Brown |                 | •                   | •                          | •            |                | •                   | •                   | •                          | •                   |                     |                     |  |
|                | 457 Dark Drift       |                 |                     |                            |              |                |                     |                     |                            | •                   |                     |                     |  |
|                | 436 Dover Gray       |                 | •                   |                            | •            |                | •                   |                     |                            | •                   |                     |                     |  |
|                | 456 Forest Green     |                 |                     |                            | •            |                |                     |                     |                            | •                   |                     |                     |  |
|                | 402 Maize            |                 | •                   |                            | •            |                | •                   |                     |                            | •                   |                     |                     |  |
|                | 459 Pebble           |                 | •                   | •                          | •            |                | •                   | •                   | •                          | •                   |                     |                     |  |
|                | 447 Sable            |                 |                     |                            | •            |                |                     |                     |                            | •                   |                     |                     |  |
|                | 408 Sandalwood       |                 | •                   |                            | •            |                | •                   |                     |                            | •                   |                     |                     |  |
|                | 440 Sandstone        |                 |                     |                            | •            |                |                     |                     |                            | •                   |                     |                     |  |
|                | 423 Slate            |                 | •                   |                            | •            |                | •                   |                     |                            | •                   |                     |                     |  |
|                | 407 Tan              |                 | •                   |                            | •            |                | •                   |                     |                            | •                   |                     |                     |  |
|                | 438 Wicker           |                 | •                   |                            | •            |                | •                   |                     |                            | •                   |                     |                     |  |
| Variegated     | 990 Aspen Gray       |                 |                     |                            |              |                |                     |                     |                            |                     | •                   | •                   |  |
|                | 992 Chestnut Brown   |                 |                     |                            |              |                |                     |                     |                            |                     | •                   | •                   |  |
|                | 994 Maple Tan        |                 |                     |                            |              |                |                     |                     |                            |                     | •                   | •                   |  |
|                | 996 Tawny Oak        |                 |                     |                            |              |                |                     |                     |                            |                     | •                   | •                   |  |

Gentek offers a wider range of colours in Aluminum but with higher minimum quantities. Please check with your local Gentek distributor for enhanced colour line up and minimum order quantities.

STEEL SIDING COLOUR MATRIX

|                                       | Colour Palette   |                   |                 |                |              |                   |                   |                   |           |           |                |             |                    |   |
|---------------------------------------|------------------|-------------------|-----------------|----------------|--------------|-------------------|-------------------|-------------------|-----------|-----------|----------------|-------------|--------------------|---|
|                                       | 431 Bright White | 796 Chelsea Bluff | 795 Delray Sand | 836 Dover Gray | 4P6 Iron Ore | 633 Juniper Grove | 673 Monterey Sand | 637 Rockwell Blue | 712 Sable | 470 Storm | 793 Taylor Red | 826 Thistle | 714 Watermill Blue |   |
| Sierra Steel with Kynar PVDF          |                  |                   |                 |                |              |                   |                   |                   |           |           |                |             |                    |   |
| Double 4" Clapboard                   | •                | •                 | •               | •              | •            | •                 | •                 | •                 | •         | •         | •              | •           | •                  | • |
| Double 5" Clapboard                   | •                | •                 | •               | •              | •            | •                 | •                 | •                 | •         | •         | •              | •           | •                  | • |
| Horizontal 8"                         | •                | •                 | •               | •              | •            | •                 | •                 | •                 | •         | •         | •              | •           | •                  | • |
| 12" Vertical Board & Batten           | •                | •                 | •               | •              | •            | •                 | •                 | •                 | •         | •         | •              | •           | •                  | • |
| Steel Accessories                     |                  |                   |                 |                |              |                   |                   |                   |           |           |                |             |                    |   |
| 1835 3/4" Outside Corner Post – Kynar | •                | •                 | •               | •              | •            | •                 | •                 | •                 | •         | •         | •              | •           | •                  | • |
| 1842 3/4" J-Channel – Kynar           | •                | •                 | •               | •              | •            | •                 | •                 | •                 | •         | •         | •              | •           | •                  | • |
| 1841 1-1/8" J-Channel – Kynar         | •                | •                 | •               | •              | •            | •                 | •                 | •                 | •         | •         | •              | •           | •                  | • |
| 1850 Snap-Lock Finish – Kynar         | •                | •                 | •               | •              | •            | •                 | •                 | •                 | •         | •         | •              | •           | •                  | • |
| 1715 24" x 50" Alum. Trim Coil – Poly | •                | •                 | •               | •              | •            | •                 | •                 | •                 | •         | •         | •              | •           | •                  | • |

|                               | Colour Palette   |            |                |                 |                   |                |             |          |             |            |
|-------------------------------|------------------|------------|----------------|-----------------|-------------------|----------------|-------------|----------|-------------|------------|
|                               | 831 Bright White | 832 Almond | 871 Brownstone | 810 Canyon Clay | 400 Classic Brown | 836 Dover Gray | 866 Norwood | 817 Sage | 826 Thistle | 838 Wicker |
| SteelSide                     |                  |            |                |                 |                   |                |             |          |             |            |
| Double 5" Clapboard           | •                | •          | •              | •               | •                 | •              | •           | •        | •           | •          |
| Horizontal 8"                 | •                | •          | •              | •               | •                 | •              | •           | •        | •           | •          |
| Universal                     |                  |            |                |                 |                   |                |             |          |             |            |
| Double 5" Dutch Lap           | •                | •          | •              | •               | •                 | •              | •           | •        | •           | •          |
| 12" Vertical Board & Batten   | •                | •          | •              | •               | •                 | •              | •           | •        | •           | •          |
| Steel Accessories             |                  |            |                |                 |                   |                |             |          |             |            |
| 1813 3/4" Outside Corner Post | •                | •          | •              | •               | •                 | •              | •           | •        | •           | •          |
| 1814 3/4" J-Channel           | •                | •          | •              | •               | •                 | •              | •           | •        | •           | •          |
| 1829 2-1/2" Starter Strip     |                  |            |                |                 |                   |                |             |          |             | •          |

|                                |  | 431 Bright White | 826 Thistle |
|--------------------------------|--|------------------|-------------|
| Steel Flat Stock               |  |                  |             |
| 1877/29-GA 20-7/8" x 50' (PVC) |  | •                | •           |

ALUMINUM SOFFIT AND FASCIA COLOUR MATRIX

• Available in this colour.

| Colour Palette       | Aluminum Soffit            |   |   |   |  | Aluminum Fascia         |   |   |   |   |                            |   |   |   |  |
|----------------------|----------------------------|---|---|---|--|-------------------------|---|---|---|---|----------------------------|---|---|---|--|
|                      | 16" 2-Panel Standard Gauge |   |   |   |  | 16" 2-Panel Heavy Gauge |   |   |   |   | 16" 4-Panel Standard Gauge |   |   |   |  |
|                      | 16" 2-Panel Heavy Gauge    |   |   |   |  | 16" 4-Panel Heavy Gauge |   |   |   |   | 18" 3-Panel Heavy Gauge    |   |   |   |  |
|                      | 16" 2-Panel Heavy Gauge    |   |   |   |  | 16" 4-Panel Heavy Gauge |   |   |   |   | 18" 3-Panel Heavy Gauge    |   |   |   |  |
|                      | 16" 2-Panel Heavy Gauge    |   |   |   |  | 16" 4-Panel Heavy Gauge |   |   |   |   | 18" 3-Panel Heavy Gauge    |   |   |   |  |
|                      | 16" 2-Panel Heavy Gauge    |   |   |   |  | 16" 4-Panel Heavy Gauge |   |   |   |   | 18" 3-Panel Heavy Gauge    |   |   |   |  |
|                      | 16" 2-Panel Heavy Gauge    |   |   |   |  | 16" 4-Panel Heavy Gauge |   |   |   |   | 18" 3-Panel Heavy Gauge    |   |   |   |  |
|                      | 16" 2-Panel Heavy Gauge    |   |   |   |  | 16" 4-Panel Heavy Gauge |   |   |   |   | 18" 3-Panel Heavy Gauge    |   |   |   |  |
|                      | 16" 2-Panel Heavy Gauge    |   |   |   |  | 16" 4-Panel Heavy Gauge |   |   |   |   | 18" 3-Panel Heavy Gauge    |   |   |   |  |
|                      | 16" 2-Panel Heavy Gauge    |   |   |   |  | 16" 4-Panel Heavy Gauge |   |   |   |   | 18" 3-Panel Heavy Gauge    |   |   |   |  |
| 431 Bright White     | •                          | • |   |   |  | •                       | • |   |   |   | •                          | • |   |   |  |
| 429 Ice White        | •                          |   |   |   |  |                         |   |   |   |   |                            |   |   |   |  |
| 430 Rainware White   |                            | • | • |   |  |                         |   |   |   |   |                            |   |   |   |  |
| 432 Almond           | •                          | • | • |   |  | •                       |   | • | • | • | •                          |   |   |   |  |
| 475 AluCopper        |                            | • |   |   |  |                         |   |   |   |   |                            |   |   |   |  |
| 165 Antique Brown    | •                          |   | • |   |  |                         |   | • | • |   |                            |   | • |   |  |
| 425 Black            | •                          |   | • | • |  | •                       |   | • | • |   |                            |   | • | • |  |
| 322 Bright Red       |                            |   | • |   |  |                         |   |   |   |   |                            |   |   |   |  |
| 471 Brownstone       | •                          |   | • |   |  |                         |   | • | • |   |                            |   | • |   |  |
| 467 Burgundy         | •                          |   | • |   |  |                         |   | • | • |   |                            |   | • |   |  |
| 410 Canyon Clay      | •                          | • | • |   |  |                         |   | • | • | • | •                          |   | • | • |  |
| 414 Cashmere         | •                          | • | • |   |  |                         |   | • | • | • | •                          |   | • | • |  |
| 5C1 Chesapeake Gray  | •                          |   | • |   |  |                         |   | • | • |   |                            |   | • |   |  |
| 454 Chestnut Brown   | •                          | • | • |   |  | •                       |   | • | • | • | •                          |   | • | • |  |
| 462 Commercial Brown | •                          | • | • |   |  |                         |   | • | • | • | •                          |   | • | • |  |
| 436 Dover Gray       | •                          | • | • |   |  |                         |   | • | • | • | •                          |   | • | • |  |
| 456 Forest Green     | •                          | • | • |   |  |                         |   | • | • | • | •                          |   | • | • |  |
| 5P5 Graphite         | •                          |   | • |   |  |                         |   | • | • |   |                            |   | • |   |  |
| 422 Ivy Green        | •                          |   | • |   |  |                         |   | • | • |   |                            |   | • |   |  |
| 402 Maize            | •                          | • | • |   |  |                         |   | • | • | • | •                          |   | • | • |  |
| 5P4 Metallic Gray    | •                          |   | • |   |  |                         |   | • | • |   |                            |   | • |   |  |
| 5P8 Monterey Sand    | •                          |   | • |   |  |                         |   | • | • |   |                            |   | • |   |  |
| 468 Nutmeg           | •                          | • | • |   |  | •                       |   | • | • |   |                            |   | • |   |  |
| 442 Old World Blue   | •                          |   | • |   |  |                         |   | • | • |   |                            |   | • |   |  |
| 459 Pebble           | •                          | • | • | • |  |                         |   | • | • | • | •                          |   | • | • |  |
| 447 Sable            | •                          | • | • |   |  |                         |   | • | • |   |                            |   | • |   |  |
| 417 Sage             | •                          |   | • |   |  |                         |   | • | • |   |                            |   | • |   |  |
| 408 Sandalwood       | •                          | • | • |   |  | •                       |   | • | • | • | •                          |   | • | • |  |
| 440 Sandstone        | •                          |   | • |   |  |                         |   | • | • | • | •                          |   | • | • |  |
| 423 Slate            | •                          | • | • |   |  |                         |   | • | • |   |                            |   | • |   |  |
| 470 Storm            | •                          |   | • |   |  |                         |   | • | • |   |                            |   | • |   |  |
| 407 Tan              | •                          |   | • |   |  |                         |   | • | • |   |                            |   | • |   |  |
| 435 Wedgewood Blue   | •                          | • | • |   |  |                         |   | • | • |   |                            |   | • |   |  |
| 438 Wicker           | •                          | • | • |   |  |                         |   | • | • | • | •                          |   | • | • |  |

Continued on next page.

| Designer Colours    | Aluminum Soffit            |   |   |  |  | Aluminum Fascia            |   |  |  |  |                            |   |  |  |  |
|---------------------|----------------------------|---|---|--|--|----------------------------|---|--|--|--|----------------------------|---|--|--|--|
|                     | 16" 2-Panel Standard Gauge |   |   |  |  | 16" 2-Panel Heavy Gauge    |   |  |  |  | 16" 4-Panel Standard Gauge |   |  |  |  |
|                     | 16" 2-Panel Heavy Gauge    |   |   |  |  | 16" 4-Panel Standard Gauge |   |  |  |  | 16" 4-Panel Heavy Gauge    |   |  |  |  |
|                     | 16" 2-Panel Heavy Gauge    |   |   |  |  | 16" 4-Panel Standard Gauge |   |  |  |  | 16" 4-Panel Heavy Gauge    |   |  |  |  |
|                     | 16" 2-Panel Heavy Gauge    |   |   |  |  | 16" 4-Panel Standard Gauge |   |  |  |  | 16" 4-Panel Heavy Gauge    |   |  |  |  |
|                     | 16" 2-Panel Heavy Gauge    |   |   |  |  | 16" 4-Panel Standard Gauge |   |  |  |  | 16" 4-Panel Heavy Gauge    |   |  |  |  |
|                     | 16" 2-Panel Heavy Gauge    |   |   |  |  | 16" 4-Panel Standard Gauge |   |  |  |  | 16" 4-Panel Heavy Gauge    |   |  |  |  |
|                     | 16" 2-Panel Heavy Gauge    |   |   |  |  | 16" 4-Panel Standard Gauge |   |  |  |  | 16" 4-Panel Heavy Gauge    |   |  |  |  |
|                     | 16" 2-Panel Heavy Gauge    |   |   |  |  | 16" 4-Panel Standard Gauge |   |  |  |  | 16" 4-Panel Heavy Gauge    |   |  |  |  |
|                     | 16" 2-Panel Heavy Gauge    |   |   |  |  | 16" 4-Panel Standard Gauge |   |  |  |  | 16" 4-Panel Heavy Gauge    |   |  |  |  |
| 5P9 Coastal Blue    | •                          |   |   |  |  | •                          |   |  |  |  | •                          |   |  |  |  |
| 457 Dark Drift      |                            | • |   |  |  |                            | • |  |  |  |                            | • |  |  |  |
| 5P3 Espresso        | •                          |   | • |  |  |                            |   |  |  |  |                            |   |  |  |  |
| 5C2 Hudson Slate    | •                          |   | • |  |  |                            |   |  |  |  |                            |   |  |  |  |
| 4P6 Iron Ore        | •                          |   | • |  |  |                            |   |  |  |  |                            |   |  |  |  |
| 5C5 Majestic Brick  | •                          |   | • |  |  |                            |   |  |  |  |                            |   |  |  |  |
| 5C6 Marine Dusk     | •                          |   | • |  |  |                            |   |  |  |  |                            |   |  |  |  |
| 5C3 Meadow Fern     | •                          |   | • |  |  |                            |   |  |  |  |                            |   |  |  |  |
| 409 Midnight Surf   | •                          |   | • |  |  |                            |   |  |  |  |                            |   |  |  |  |
| 413 Moonlit Moss    | •                          |   | • |  |  |                            |   |  |  |  |                            |   |  |  |  |
| 5C4 Rockport Brown  | •                          |   | • |  |  |                            |   |  |  |  |                            |   |  |  |  |
| 5P2 Rockwell Blue   | •                          |   | • |  |  |                            |   |  |  |  |                            |   |  |  |  |
| 406 Windswept Smoke | •                          |   | • |  |  |                            |   |  |  |  |                            |   |  |  |  |





ALUMINUM ACCESSORIES COLOUR MATRIX

• Available in this colour.

|                                            | Designer Colours |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
|--------------------------------------------|------------------|----------------|--------------|------------------|--------------|--------------------|-----------------|-----------------|-------------------|------------------|--------------------|-------------------|
|                                            | 5P9 Coastal Blue | 557 Dark Drift | 5P3 Espresso | 5C2 Hudson Slate | 4P6 Iron Ore | 5C5 Majestic Brick | 5C6 Marine Dusk | 5C3 Meadow Fern | 509 Midnight Surf | 513 Moonlit Moss | 5C4 Rockport Brown | 5P2 Rockwell Blue |
| 2550 Snap-Lock Sill Trim                   |                  |                |              |                  |              |                    |                 |                 |                   |                  |                    | •                 |
| 0109025 Universal Starter Strip            |                  |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
| 2502 3/4" J-Trim                           | •                | •              | •            | •                | •            | •                  | •               | •               | •                 | •                | •                  | •                 |
| 2312 3/4" Outside Corner Post (Woodgrain)  | •                | •              | •            | •                | •            | •                  | •               | •               | •                 | •                | •                  | •                 |
| 2319 3/4" Outside Corner Post (Smooth)     | •                | •              | •            | •                | •            | •                  | •               | •               | •                 | •                | •                  | •                 |
| 2503 Universal J                           | •                | •              | •            | •                | •            | •                  | •               | •               | •                 | •                | •                  | •                 |
| 2538 L-Trim Small                          | •                | •              | •            | •                | •            | •                  | •               | •               | •                 | •                | •                  | •                 |
| 2543 Drip Cap                              | •                | •              | •            | •                | •            | •                  | •               | •               | •                 | •                | •                  | •                 |
| 2504 Undersill Trim                        | •                | •              | •            | •                | •            | •                  | •               | •               | •                 | •                | •                  | •                 |
| 2567 Roof Edge Drip Cap                    | •                | •              | •            | •                | •            | •                  | •               | •               | •                 | •                | •                  | •                 |
| 2573 Roof Edge 3" 0 Degree 9'10"           |                  |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
| 2575 Roof Edge 4" 0 Degree 9'10"           |                  |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
| 2577 Roof Edge 6" 0 Degree 9'10"           |                  |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
| 2043 Woodgrain Fascia Trim (BSP)           | •                | •              | •            | •                | •            | •                  | •               | •               | •                 | •                | •                  | •                 |
| 2300 Individual Corner Cap                 |                  |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
| 2311 Individual Corner Cap Woodgrain       |                  |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
| 2520 Soffit J (BSP)                        | •                | •              | •            | •                | •            | •                  | •               | •               | •                 | •                | •                  | •                 |
| 2507 3/4" Wideface Soffit J                |                  |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
| 2522 Soffit (OSP)                          |                  |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
| 1692 Channel Runner                        | •                | •              | •            | •                | •            | •                  | •               | •               | •                 | •                | •                  | •                 |
| 1690 Channel Runner                        |                  |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
| Aluminum Flat Stock                        |                  |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
| 3036 24" x 50' (BSP) Heavy Gauge           | •                | •              | •            | •                | •            | •                  | •               | •               | •                 | •                | •                  | •                 |
| 3037 24" x 98' 1/2" (BSP)                  | •                | •              | •            | •                | •            | •                  | •               | •               | •                 | •                | •                  | •                 |
| 3039 24" x 98' 1/2" (OSP)                  |                  |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
| 3304 24" x 50' (BSP)                       | •                |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
| 3531 24" x 98' 1/2" (BSP)                  | •                |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
| 3311 PVC Striated 24" x 50' (OSP)          | •                |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
| Aluminum Gutter Coil                       |                  |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
| 3025 Downpipe Coil 10-1/2" (OSP)           |                  | •              |              |                  |              | •                  | •               | •               | •                 | •                | •                  |                   |
| 3006 Gutter Coil 11-7/8" (OSP)             |                  |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
| 3009 Gutter Coil 11-7/8" (BSP)             | •                | •              | •            | •                | •            | •                  | •               | •               | •                 | •                | •                  | •                 |
| 3045 Gutter Coil 11-7/8" (OSP) Heavy Gauge |                  |                |              |                  |              |                    |                 |                 |                   |                  |                    |                   |
| 3049 Gutter Coil 11-7/8" (BSP) Heavy Gauge |                  |                |              | •                |              | •                  | •               | •               |                   |                  |                    |                   |
| 3012 Gutter Coil 13-1/2" (BSP)             |                  | •              | •            | •                | •            | •                  | •               |                 |                   | •                | •                  |                   |
| 3084 Gutter Coil 6" (BSP)                  |                  |                |              |                  |              | •                  | •               | •               |                   |                  |                    |                   |

CEDARWOOD COLOURS

|                                      | Colour Palette |                    |               |               |
|--------------------------------------|----------------|--------------------|---------------|---------------|
|                                      | 990 Aspen Gray | 992 Chestnut Brown | 994 Maple Tan | 996 Tawny Oak |
| 2317 Cedarwood Outside Corner Post   | •              | •                  | •             | •             |
| 2318 Cedarwood 3/4" J-Channel        | •              | •                  | •             | •             |
| 2320 Cedarwood Snap-Lock Finish Trim | •              | •                  | •             | •             |

JAMES HARDIE COLOUR MATCH

| Gentek Colour<br>[James Hardie Colour] | Colour Palette            |                          |                              |                                 |                                  |                               |                             |
|----------------------------------------|---------------------------|--------------------------|------------------------------|---------------------------------|----------------------------------|-------------------------------|-----------------------------|
|                                        | 431 Almond [Navajo Beige] | 447 Ash Gray [Iron Gray] | 441 Barn Brown [Timber Bark] | 442 Bright White [Arctic White] | 445 Desert Sand [Monterey Taupe] | 446 Fieldstone [Cobble Stone] | 444 Stone Gray [Pearl Gray] |
|                                        |                           |                          |                              |                                 |                                  |                               |                             |
|                                        |                           |                          |                              |                                 |                                  |                               |                             |
|                                        |                           |                          |                              |                                 |                                  |                               |                             |
|                                        |                           |                          |                              |                                 |                                  |                               |                             |
|                                        |                           |                          |                              |                                 |                                  |                               |                             |
|                                        |                           |                          |                              |                                 |                                  |                               |                             |
| 1601 Solid Quad 4 Soffit               | ●                         | ●                        | ●                            | ●                               | ●                                | ●                             | ●                           |
| 1606 Vented Quad 4 Soffit              | ●                         | ●                        | ●                            | ●                               | ●                                | ●                             | ●                           |
| 2520 Soffit J-Channel                  | ●                         | ●                        | ●                            | ●                               | ●                                | ●                             | ●                           |
| 3037 Flat Stock (trim coil)            | ●                         | ●                        | ●                            | ●                               | ●                                | ●                             | ●                           |
| 3009 Gutter Coil (90 kg)               | ●                         | ●                        | ●                            | ●                               | ●                                | ●                             | ●                           |

CANEXEL COLOURS

|                                    | Colour Palette |                    |           |           |              |
|------------------------------------|----------------|--------------------|-----------|-----------|--------------|
|                                    | 527 Cedar XL   | 551 Country Red XL | 598 Green | 541 Khaki | 549 White XL |
| Aluminum Flat Stock                |                |                    |           |           |              |
| 3307 CanExcel 24" x 98' 1/2" (BSP) | •              | •                  | •         | •         | •            |

GENTEK VINYL SIDING AND SOFFIT

Produced to precise tolerances using formulated compounds specifically designed for the plastic building products industry according to ASTM D4216, meeting or exceeding the following:

| Property                                       | ASTM Test | Results                                                                |
|------------------------------------------------|-----------|------------------------------------------------------------------------|
| Tensile Strength (psi)                         | D-638     | 6,700                                                                  |
| Modulus of Elasticity (psi)                    | D-638     | 410,000                                                                |
| Izod Impact (70°F)                             | D-256     | 3.6 (ft-lb/in of notch)                                                |
| Izod Impact (32°F)                             | D-256     | 2.0 (ft-lb/in of notch)                                                |
| Flexural Strength (psi)                        | D-790     | 14,000                                                                 |
| Coefficient of Linear Expansion                | D-696     | 5.3 x 10 <sup>-5</sup> (mm/mm °C)<br>2.9 x 10 <sup>-5</sup> (in/in °F) |
| Deflection Temperature Under Load 264 psi (°C) | D-648     | 73                                                                     |

PRODUCT PHYSICALS:

All siding products, soffit panels and accessories are made with solid colour throughout. The siding products and accessories meet or exceed the ASTM Specification for Rigid Poly Vinyl Chloride (PVC) Siding D3679. All soffit products and associated accessories meet or exceed the ASTM Specification for Rigid (Unplasticized) Poly Vinyl Chloride (PVC) Soffit D4477.

The siding and soffit compound meets Class 2 requirements and conforms to weathering performances as described in ASTM 3679.

Colour: Spectrophotometer controlled  
Gloss: Gardner gloss meter controlled  
Lock: Dimensionally controlled

All products meet or exceed ASTM 3679 thickness (nominal) requirements:

|                                     |        |
|-------------------------------------|--------|
| Sequoia Select EnFusion             | 0.046" |
| Sequoia Select                      | 0.046" |
| Board & Batten                      | 0.048" |
| Fair Oaks                           | 0.044" |
| Concord                             | 0.042" |
| Driftwood II                        | 0.040" |
| Sequoia Select Ultra-Premium Soffit | 0.044" |
| Oxford Premium Soffit               | 0.042" |
| Beaded Premium Soffit               | 0.042" |
| Fairweather Soffit                  | 0.040" |

WARRANTY:

All Gentek vinyl siding brands carry a Lifetime Limited Warranty including fade and hail protection. Warranty is transferable if the home is sold. See printed warranty for complete details.

SOFFIT VENTILATION AREA:

Gentek soffit panels are designed to allow air circulation into the attic areas to aid in the reduction of excessive heat buildup and water vapor condensation. The net free open area (NFOA) per lineal foot of soffit is as follows:

|                                         |           |
|-----------------------------------------|-----------|
| 12" Sequoia Select Ultra-Premium Vented | 10 sq in  |
| 10" Oxford Fully Vented                 | 5.3 sq in |
| 8" Beaded Vented                        | 2.4 sq in |
| 12" Fairweather Centre Vented           | 2.3 sq in |
| 12" Fairweather Fully Vented            | 7.1 sq in |

FIRE RESISTANCE RATINGS:

Gentek vinyl siding products meet or exceed all building code requirements throughout the United States and Canada. In addition to meeting these code requirements, Gentek vinyl sidings have been fire rated by Underwriters Laboratories (UL) to be used in one-hour rated designed walls U026 and U032 and a two-hour rated wall, U301. UL inspects the manufacture of the vinyl products quarterly to certify that Gentek vinyl products are manufactured consistently. The vinyl products have been tested as follows:

| Property                   | ASTM Test | Results                        |
|----------------------------|-----------|--------------------------------|
| Average Burn Distance      | D-635     | 20mm                           |
| Average Burn Time          | D-635     | <5 seconds                     |
| Flash Ignition Temperature | D-1929    | 752°F                          |
| Self Ignition Temperature  | D-1929    | 860°F                          |
| Flame Spread Index         | E-84      | 15                             |
| Smoke Developed Index      | E-84      | <400                           |
| Fire Resistance            | E-119     | 1-hour rated*<br>2-hour rated* |

\*See UL Fire Resistance Directory Control No. 1N60. E-119 is equivalent to UL-263 and E-84 is equivalent to UL-723.

Important fire safety information for the building trades, specifiers, professionals and do-it-yourself installers:

When rigid vinyl siding is exposed to significant heat or flame, the vinyl will soften, sag, melt, or burn and may thereby expose the material underneath. Care must be exercised when selecting underlay materials because many underlays are made from organics that are combustible. You should ascertain the fire properties of any underlay prior to installation. All building materials should be installed in accordance with local, state and federal building codes and fire regulations.

WINDLOAD PROPERTIES:

All Gentek siding products are designed to withstand a minimum of 100 mph windloads and are suitable for most areas. The products can be used in areas with higher windloads, but installation procedures, choice of product and building code jurisdiction are important factors to be considered. The windspeed rating (in mph) is calculated using VSI's windspeed calculation guidelines. Additional information is available if required.

BUILDING CODES:

Gentek vinyl products meet or exceed the following building code specifications:  
ICC-ESR – 1133  
CCMC – 06541-L  
New York City MEA 132-94-M  
FHA/HUD Minimum Property Standards

For architectural specifications of designer siding and other products, please see your local Gentek dealer.

GENTEK ALUMINUM SIDING AND SOFFIT

ALUMINUM METAL PROPERTIES:

|                                   |           |
|-----------------------------------|-----------|
| Alloy or equivalent.....          | AA3000    |
| Specific Gravity.....             | 2.72      |
| Modulus of Elasticity (ksi) ..... | 10,000    |
| Melting Range (°F).....           | 1175-1210 |

**COATING PROPERTIES:** Gentek aluminum products are manufactured with AA3000 series alloy (or equivalent). Both sides of the aluminum are cleaned with a specially formulated cleaner. The cleaned aluminum is then treated with an acid solution containing chrome to enhance corrosion resistance and coating adhesion.

**Plastisol (Poly) Topcoat:** The topside of the pretreated aluminum is coated with a thermoset polyester polymer which is dried and cured at about 450 °F., forming a hard but flexible and weatherable coating. Total coating thickness is approximately 18 micrometers.

**Plastisol (PVC) Topcoat:** This highly weatherable, flexible, chemical-resistant thermoplastic polymer is melted and fused on the aluminum metal at temperatures of 390°F. The coating is applied either with a striated pattern or smooth finish having an average film thickness of 3.0 mils.

**Fluoropolymer (PVDF):** This thermoplastic polymer has excellent chemical and fade resistance. The coating is applied at 0.9 mil. The system is cured at a minimum temperature of 475°F. This polymer system conforms to the high industry standards of Kynar 500® and Hylar 5000®. The main criteria for these standards is that the paint formulation must contain a minimum of 70% PVDF2. Many fluoropolymer coatings on the market do not meet the high quality and performance standards required by Kynar 500 and Hylar 5000 specifications.

**WEATHERING AND TESTING:** Gentek products are tested for superior adhesion and forming properties. Gentek’s stringent colour specifications allow batch to batch mixing of product. Product testing includes colour, film thickness, gloss, hot water/ impact test, freezer/impact test, salt spray, humidity testing (1000 hours) and outdoor exposure (2 years).

**COMPLIANCE:** All Gentek soffits comply with CAN/CGSB-93.2-M91. In addition, the aluminum alloys used meet the ULC Standard CAN4-S114-M80, defining the noncombustibility of aluminum alloys.

**WARRANTY:** 40 Year Limited Warranty. Warranty is transferable.

CONTACT WITH DISSIMILAR MATERIALS AND CORROSIVE ENVIRONMENTS:

Direct contact of aluminum products with certain dissimilar materials, or contact with water runoff from dissimilar materials, is likely to result in corrosion. Accordingly, care should be taken during installation to avoid such contact of aluminum with dissimilar materials, including: dissimilar metals (copper, zinc, steel, etc.), concrete, stucco, asbestos siding, pressure treated/pretreated lumber, masonry, corrosive non-metallic materials, and roofing materials or roofing systems containing metallic granules or strips. Seacoast or other corrosive environments may result in corrosion of the product.

NOMINAL GAUGES (mm):

| Product                         | Gauge             |
|---------------------------------|-------------------|
| 8" Horizontal.....              | 0.53              |
| D4 Dutch Lap.....               | 0.40              |
| D4 Clapboard.....               | 0.40 & 0.44       |
| 8" Vertical Board & Batten..... | 0.50              |
| Vertical "V".....               | 0.40              |
| 16" Soffit – 2 Panel .....      | 0.29 & 0.38       |
| 16" Soffit – 4 Panel .....      | 0.29 & 0.38       |
| 18" Soffit – 3 Panel .....      | 0.33              |
| 4" Fascia – rib .....           | 0.44              |
| 6" Fascia – rib & non-rib ..... | 0.44 & 0.50       |
| 8" Fascia – rib & non-rib ..... | 0.44 & 0.50       |
| Gutter Coil .....               | 0.57, 0.66 & 0.79 |

SOFFIT VENTILATION AREA:

Gentek soffit is available in a variety of profiles. Vented panels are designed to allow air circulation into the attic areas to aid in the reduction of excessive heat build-up and water vapour condensation. Gentek soffit conforms to CCMC 12860-L.

| PROFILE       | PER LINEAR FOOT       | PER PANEL              |
|---------------|-----------------------|------------------------|
| 16" – 2 panel | 4.02 sq in (26.0 cm²) | 48.8 sq in (314 cm²)   |
| 16" – 4 panel | 4.12 sq in (26.6 cm²) | 66.6 sq in (429.7 cm²) |
| 18" – 3 panel | 5.46 sq in (32.2 cm²) | 78.5 sq in (506.5 cm²) |

**VENTILATION:** Fully vented

GENTEK STEEL SIDING

METAL PROPERTIES:

|                                                 |          |
|-------------------------------------------------|----------|
| Steel or Equivalent                             | AZ-50    |
| Specific Gravity                                | 7.8      |
| Minimum Ultimate Strength (KSI)                 | 45-55    |
| Minimum Yield (KSI)                             | 40-50    |
| Minimum Elongation (%)                          | 25-35    |
| Modulus of Elasticity (KSI)                     | 29,500   |
| Coefficient of Thermal Expansion (in/in °F)     | 0.000006 |
| Melting Range (°F) Steel                        | >2700    |
| Melting Range (°F) Zinc                         | 786      |
| Thermal Conductivity at 77°F (btu-in/ft²-hr-°F) | 555      |

COATING PROPERTIES:

Gentek steel siding products are manufactured with AZ-50. Both sides of the steel sheet are cleaned with a specially formulated cleaner, water rinsed and then coated with an environmentally safe chemical pretreatment to enhance corrosion protection and coating adhesion.

The pretreated surface is coated with a thermoset corrosion-resistant polymer. This corrosion-resistant polymer is topcoated with the following polymeric systems:

**Plastisol (PVC) Topcoat:** This highly weatherable, flexible, chemical-resistant thermoplastic polymer is melted and fused at temperatures of >390°F. The coating is applied with a striated pattern or smooth finish having an average film thickness of 3.0 mils.

**Fluoropolymer (PVDF):** This thermoplastic polymer has excellent chemical and fade resistance. The coating thickness is 0.9 mil. The system is cured at a minimum temperature of 475°F. This polymer system conforms to the high industry standards of Kynar 500® and Hylar 5000®. The main criteria for these standards is that the paint formulation must contain a minimum of 70% PVDF. Many fluoropolymer coatings on the market do not meet the high quality and performance standards required by Kynar 500 and Hylar 5000 specifications.

WARRANTY:

All Gentek steel siding brands carry a Lifetime Limited Warranty. *Warranty is transferable if home is sold. See printed warranty for complete details.*

CONTACT WITH DISSIMILAR MATERIALS:

Direct contact of steel products with certain dissimilar materials, or contact with water runoff from dissimilar materials, is likely to result in corrosion. Accordingly, care should be taken during installation to avoid such contact of steel with dissimilar materials, including: dissimilar metals (copper, zinc, steel, etc.), concrete, stucco, asbestos siding, pressure treated/pretreated lumber, masonry, corrosive non-metallic materials, and roofing materials or roofing systems containing metallic granules or strips.

PRODUCT PHYSICALS:

| Product      | Coating Type      | Thickness* |
|--------------|-------------------|------------|
| Sierra Steel | PVDF <sub>2</sub> | 0.017      |
| SteelSide    | PVC               | 0.017      |
| Universal    | PVC               | 0.017      |

\*29 Gauge

BUILDING CODES:

Gentek steel products meet or exceed the following building code specifications:

ICC-ES Legacy – Report #97-64  
AAMA 1406-86  
FHA/HUD Minimum Property Standards

Classic Colours

|            |               |                 |
|------------|---------------|-----------------|
| Snow White | Canyon Clay   | Dover Gray      |
| Sandstone  | Pebble        | Storm           |
| Linen      | Monterey Sand | Chesapeake Gray |
| Almond     | Amber         | Sage            |
| Maize      | Pearl         | Juniper Grove   |
| Wicker     |               |                 |

Designer Colours

|                            |               |                     |
|----------------------------|---------------|---------------------|
| Majestic Brick             | Meadow Fern   | Marine Dusk         |
| Dark Drift                 | Moonlit Moss  | Hudson Slate        |
| Rockport Brown             | Rockwell Blue | Windswept Smoke     |
| Espresso                   | Coastal Blue  | Iron Ore            |
| Musket Brown (soffit only) | Midnight Surf | Black (soffit only) |
| Smoked Timber              |               |                     |

ALUMINUM COLOUR PALETTE

|                |                 |                  |
|----------------|-----------------|------------------|
| Bright White   | Rockport Brown  | Midnight Surf    |
| Rainware White | Smoked Timber   | Coastal Blue     |
| Ice White      | Metallic Gray   | Old World Blue   |
| Sandstone      | Dover Gray      | Marine Dusk      |
| Cashmere       | Storm           | AluCopper        |
| Almond         | Slate           | Bright Red       |
| Maize          | Chesapeake Gray | Burgundy         |
| Wicker         | Hudson Slate    | Majestic Brick   |
| Canyon Clay    | Windswept Smoke | Nutmeg           |
| Pebble         | Sage            | Chestnut Brown   |
| Sandalwood     | Meadow Fern     | Commercial Brown |
| Monterey Sand  | Moonlit Moss    | Antique Brown    |
| Lambeth Beige  | Ivy Green       | Espresso         |
| Tan            | Forest Green    | Graphite         |
| Brownstone     | Rockwell Blue   | Iron Ore         |
| Dark Drift     | Wedgewood Blue  | Black            |
| Sable          |                 |                  |

Cedarwood Aluminum Colours

|                |            |           |
|----------------|------------|-----------|
| Tawny Oak      | Aspen Gray | Maple Tan |
| Chestnut Brown |            |           |

James Hardie Colour Match Gentek Colour [James Hardie Colour]

|                                |                             |                                 |
|--------------------------------|-----------------------------|---------------------------------|
| Bright White<br>[Arctic White] | Ash Gray<br>[Iron Gray]     | Desert Sand<br>[Monterey Taupe] |
| Stone Gray<br>[Pearl Gray]     | Almond<br>[Navajo Beige]    | Barn Brown<br>[Timber Bark]     |
| Pewter<br>[Aged Pewter]        | Fieldstone<br>[Cobblestone] |                                 |

CanExcel Colours

|          |                |          |
|----------|----------------|----------|
| White XL | Khaki          | Cedar XL |
| Green    | Country Red XL |          |

STEEL

COLOUR PALETTE

Sierra Steel Colours

|               |               |                |
|---------------|---------------|----------------|
| Bright White  | Sable         | Iron Ore       |
| Chelsea Bluff | Juniper Grove | Rockwell Blue  |
| Monterey Sand | Dover Gray    | Watermill Blue |
| Delray Sand   | Storm         | Taylor Red     |
| Thistle       |               |                |

SteelSide and Universal Steel Colours

|              |             |               |
|--------------|-------------|---------------|
| Bright White | Canyon Clay | Brownstone    |
| Dover Gray   | Wicker      | Thistle       |
| Almond       | Norwood     | Classic Brown |
| Sage         |             |               |

gentek.ca



1001 Corporate Drive  
Burlington, ON L7L 5V5  
gentek.ca

*Make us a part of your home.*

Not all products and colours are available all locations. Please check with your local Gentek branch for product availability. Product improvement policy: Gentek Building Products is constantly improving product designs and manufacturing processes. We therefore must reserve the right to change specifications without notice. Colours may not be exactly as shown due to lithographic process. Please consult Gentek Building Products for current details. Trademarks mentioned in this document are the property of Gentek Building Products, its affiliates, or their respective owners. Accessible formats and communication supports available upon request.

Effective Date: March 2021

