

SIDING PRODUCT DIRECTORY

April 2025



Siding • Soffit and Fascia • Trim Accessories



GENTEK®

GENTEK PRODUCT DIRECTORY

COMPOSITE CLADDING

4 ALIGN

VINYL SIDING

5 SEQUOIA SELECT
6 BOARD & BATTEN
7 FAIR OAKS
8 CONCORD
10 DRIFTWOOD II
11 SELECTION

VINYL SOFFIT AND ACCESSORIES

12 SEQUOIA SELECT Ultra-Premium Soffit
13 OXFORD Premium Soffit
14 EZ LOCK Soffit
15 BEADED PREMIUM Soffit
16 FAIRWEATHER Soffit
17 ALIGN Composite Accessories
18 Vinyl Accessories

ALUMINUM SIDING

24 DELUXE
26 WOODGRAIN 2000
28 CEDARWOOD

ALUMINUM SOFFIT, FASCIA AND ACCESSORIES

29 Aluminum Soffit
32 Aluminum Fascia
35 Aluminum Accessories

STEEL SIDING

41 SIERRA STEEL
42 STEELSIDE

STEEL ACCESSORIES

43 Steel Accessories

FLATSTOCK

45 Steel Flatstock
46 Aluminum Flatstock

GUTTER COIL

48 Aluminum Gutter Coil

COLOUR MATRIX

50 ALIGN Cladding
52 Vinyl Siding and Soffit
54 Vinyl Accessories
56 Aluminum Siding
57 Steel Siding, Accessories, Flatstock
58 Aluminum Soffit and Fascia
60 Aluminum Accessories, Flatstock, Gutter Coil
63 Cedarwood Accessories, James Hardie Colour Match Trim, CanExel


ARCHITECTURAL SPECIFICATIONS

64 Vinyl Architectural Specifications
66 Aluminum Architectural Specifications
67 Steel Architectural Specifications
68 Composite Cladding Architectural Specifications
69 Colour Palettes

Not all products are available in all markets.

PRODUCT CODE & DESCRIPTION


CP700
7" Plank



3/8" Butt (9.5 mm)
Panel Projection 3/4" (19 mm)
7" Exposure per Panel (177.8 mm)
12'3" Length (3733.8 mm)
Cedar Mill Grain Texture

Packaging:
14 pcs. per ctn.
1 sq. per ctn. (9.2 m²)

CP701 (Cedar Mill Grain)
CP702 (Matte)
12" Board & Batten



2" Batten Width (50.8 mm)
Panel Projection 3/4" (19 mm)
12" Exposure per Panel (304.8 mm)
12' Length (3658 mm)
Cedar Mill Grain Texture
Matte Texture

Packaging:
8 pcs. per ctn.
0.96 sq. per ctn. (8.9 m²)


For ALIGN accessories,
see page 17.

COLOURS

Snow White
Almond
Chesapeake Gray
Coastal Blue
Dark Drift
Dover Gray
Hudson Slate
Iron Ore
Majestic Brick
Marine Dusk
Meadow Fern
Midnight Surf
Monterey Sand
Moonlit Moss
Pebble
Rockport Brown
Rockwell Blue
Smoked Timber
Storm
Windswept Smoke

PRODUCT CODE & DESCRIPTION


64496
Double 4"
Clapboard



3/4" Butt (19 mm)
2-4" Exposure per Panel
(101.6/203.2 mm)
12'6" Length (3810 mm)
.046" Nominal Thickness
Cedargrain Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)


64495
Double 4-1/2"
Dutch Lap



3/4" Butt (19 mm)
2-4-1/2" Exposure per Panel
(114.5/229 mm)
12'1" Length (3683 mm)
.046" Nominal Thickness
Cedargrain Texture

Packaging:
22 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)


64497
Double 5"
Clapboard



3/4" Butt (19 mm)
2-5" Exposure per Panel
(127/254 mm)
12' Length (3658 mm)
.046" Nominal Thickness
Cedargrain Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

64507
Double 5"
Dutch Lap



3/4" Butt (19 mm)
2-5" Exposure per Panel
(127/254 mm)
12' Length (3658 mm)
.046" Nominal Thickness
Cedargrain Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

COLOURS

Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone
Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker


DESIGNER COLOURS

Coastal Blue†
Dark Drift†
Espresso†
Hudson Slate†
Iron Ore†
Majestic Brick†
Marine Dusk†
Meadow Fern†
Midnight Surf†
Moonlit Moss†
Rockport Brown†
Rockwell Blue†
Smoked Timber†
Windswept Smoke†

†Designer Colour; Double 5"
Clapboard and Double 5"
Dutch Lap not available in
Designer Colours in British
Columbia and Alberta.

PRODUCT CODE & DESCRIPTION

64397
7" Board & Batten



1/2" Batten Height (12.7 mm)
1-5/8" Batten Width (41.3 mm)
7" Exposure per Panel (178.5 mm)
10' Length +/-1/4"
(3048 +/-25.4 mm)
.048" Nominal Thickness
Light Roughsawn Texture

Packaging:
17 pcs. per ctn.
1 sq. per ctn. (9.2 m²)

COLOURS

Snow White

Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker

DESIGNER COLOURS


Coastal Blue*
Dark Drift*
Espresso*
Hudson Slate*
Iron Ore*
Majestic Brick*
Marine Dusk*
Meadow Fern*
Midnight Surf*
Moonlit Moss*
Rockport Brown*
Rockwell Blue*
Smoked Timber*
Windswept Smoke*

*Designer Colour; not available in British Columbia and Alberta.



PRODUCT CODE & DESCRIPTION

64695
Double 4" Clapboard



5/8" Butt (15.9 mm)
2-4" Exposure per Panel
(101.6/203.2 mm)
12'6" Length (3810 mm)
.044" Nominal Thickness
Hardwood Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

COLOURS

Snow White

Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone


Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker

DESIGNER COLOURS

Dark Drift*
Hudson Slate*
Majestic Brick*
Meadow Fern*
Midnight Surf*
Moonlit Moss*
Rockport Brown*
Rockwell Blue*
Windswept Smoke*

*Designer Colour; Double 5" Clapboard and Double 5" Dutch Lap not available in Designer Colours in British Columbia and Alberta.


64696
Double 4" Dutch Lap



5/8" Butt (15.9 mm)
2-4" Exposure per Panel
(101.6/203.2 mm)
12'6" Length (3810 mm)
.044" Nominal Thickness
Hardwood Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

64697
Double 5" Clapboard




5/8" Butt (15.9 mm)
2-5" Exposure per Panel
(127/254 mm)
12' Length (3658 mm)
.044" Nominal Thickness
Hardwood Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

*Designer Colour; Double 5" Clapboard and Double 5" Dutch Lap not available in Designer Colours in British Columbia and Alberta.

64698
Double 5" Dutch Lap



5/8" Butt (15.9 mm)
2-5" Exposure per Panel
(127/254 mm)
12' Length (3658 mm)
.044" Nominal Thickness
Hardwood Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)




PRODUCT CODE & DESCRIPTION

64686
**Double 4"
Clapboard**

1/2" Butt (12.7 mm)
2-4" Exposure per Panel
(101.6/203.2 mm)
12'6" Length (3810 mm)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)




COLOURS

Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

64621
**Double 4"
Dutch Lap**

1/2" Butt (12.7 mm)
2-4" Exposure per Panel
(101.6/203.2 mm)
12'6" Length (3810 mm)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)




Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker

62317
**Double 5"
Clapboard**

5/8" Butt (15.9 mm)
2-5" Exposure per Panel
(127/254 mm)
12' Length (3658 mm)
.042" Nominal Thickness
Light Roughsawn Texture


Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)



62215
**Double 5"
Dutch Lap**

7/16" Butt (11.1 mm)
2-5" Exposure per Panel
(127/254 mm)
12' Length (3658 mm)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)




PRODUCT CODE & DESCRIPTION

64755
10" Vertical

10" Exposure per Panel (254 mm)
12' Length (3658 mm)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)



COLOURS


Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone
Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker



DRIFTWOOD® II VINYL SIDING

PRODUCT CODE & DESCRIPTION

62450
Double 4" Clapboard




7/16" Butt (11.1 mm)
2-4" Exposure per Panel
(101.6/203.2 mm)
12'6" Length (3810 mm)
.040" Nominal Thickness
Natural Cedargrain Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

COLOURS

Snow White
Almond
Amber
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

62452
Double 4-1/2" Dutch Lap



1/2" Butt (12.7 mm)
2-4-1/2" Exposure per Panel
(114.5/229 mm)
12'1" Length (3683 mm)
.040" Nominal Thickness
Natural Cedargrain Texture

Packaging:
22 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)


Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker



SELECTION VINYL SIDING

PRODUCT CODE & DESCRIPTION

64266
Double 4" Dutch Lap



7/16" (11.1 mm)
2-4" Exposure per Panel
(101.6/203.2 mm)
12'6" Length (3810 mm)
.040" Nominal Thickness
Driftwood Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

COLOURS



Snow White



64268
Double 5" Dutch Lap



7/16" (11.1 mm)
2-5" Exposure per Panel
(127/254 mm)
12' Length (3658 mm)
.040" Nominal Thickness
Driftwood Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)


PRODUCT CODE & DESCRIPTION	COLOURS
64550 12" T-4 Solid Soffit/ Vertical Siding	Snow White
	Almond
12" Exposure per Panel (304.8 mm)	Dover Gray
12' Length (3658 mm)	Linen
.044" Nominal Thickness	Maize
3/4" Nominal Panel Projection	Monterey Sand
Matte Texture	Pearl
Packaging:	Sandstone
16 pcs. per ctn.	
1.92 sqs. per ctn. (17.8 m²)	
	Canyon Clay
	Juniper Grove
	Pebble
	Sage
	Wicker
	Musket Brown*
64552 12" T-4 Soffit/Hidden Vent	
	
12" Exposure per Panel (304.8 mm)	
12' Length (3658 mm)	
.044" Nominal Thickness	
3/4" Nominal Panel Projection	
Matte Texture	
10 sq. in. ventilation per lineal ft.	
Packaging:	
16 pcs. per ctn.	
1.92 sqs. per ctn. (17.8 m²)	

PRODUCT CODE & DESCRIPTION	COLOURS
64751 10" D-5 Solid Soffit/ Vertical Siding	Snow White
	Almond
10" Exposure per Panel (254 mm)	Dover Gray
10' Length (3048 mm)	Linen
.042" Nominal Thickness	Maize
Light Roughsawn Texture	Monterey Sand
Packaging:	Pearl
24 pcs. per ctn.	Sandstone
2 sqs. per ctn. (18.6 m²)	
	Canyon Clay
	Chesapeake Gray
	Juniper Grove
	Pebble
	Sage
	Storm
	Wicker
	Black*
	Musket Brown*
64754 10" D-5 Fully Vented Soffit	
	
10" Exposure per Panel (254 mm)	
12' Length (3658 mm)	
.042" Nominal Thickness	
Light Roughsawn Texture	
5.3 sq. in. ventilation per lineal ft.	
Packaging:	
20 pcs. per ctn.	
2 sqs. per ctn. (18.6 m²)	

*Designer Colour;
soffit use only.

PRODUCT CODE & DESCRIPTION

64885
EZ Lock
8" Solid Soffit



8" Exposure per Panel (203.2 mm)
12'6" Length (3810 mm)
.041" Nominal Thickness
Light Roughsawn Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

COLOURS

Snow White


Linen

Wicker

Black*

*Designer Colour;
soffit use only.

64880
EZ Lock
8" Vented Soffit




8" Exposure per Panel (203.2 mm)
12'6" Length (3810 mm)
.041" Nominal Thickness
Light Roughsawn Texture
5.3 sq. in. ventilation per lineal ft.

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

PRODUCT CODE & DESCRIPTION

64370
8" Solid Soffit*



8" Exposure per Panel (203.2 mm)
12'6" Length (3810 mm)
.042" Nominal Thickness
Matte Texture

Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)

*Soffit use only.

COLOURS

Snow White

Linen


Monterey Sand

Canyon Clay

Pebble

Wicker

64375
8" Vented Soffit



8" Exposure per Panel (203.2 mm)
12'6" Length (3810 mm)
.042" Nominal Thickness
Matte Texture
2.4 sq. in. ventilation per lineal ft.


Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)

PRODUCT CODE & DESCRIPTION

COLOURS

64456
**12" T-4
Solid Soffit/
Vertical Siding**


12" Exposure per Panel (304.8 mm)
12' Length (3658 mm)
.040" Nominal Thickness
1/2" Nominal Panel Projection
Brushed Texture



Packaging:
16 pcs. per ctn.
1.92 sqs. per ctn. (17.8 m²)

Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

64460
**12" T-4
Centre Vented Soffit***



12" Exposure per Panel (304.8 mm)
12' Length (3658 mm)
.040" Nominal Thickness
1/2" Nominal Panel Projection
Brushed Texture
2.3 sq. in. ventilation per lineal ft.

Packaging:
16 pcs. per ctn.
1.92 sqs. per ctn. (17.8 m²)


Canyon Clay
Chesapeake Gray
Juniper Grove
Pebble
Sage
Storm
Wicker

Musket Brown*

*Designer Colour;
soffit use only.

*Available in Snow White only.

64458
**12" T-4
Fully Vented Soffit**



12" Exposure per Panel (304.8 mm)
12' Length (3658 mm)
.040" Nominal Thickness
1/2" Nominal Panel Projection
Brushed Texture
7.1 sq. in. ventilation per lineal ft.


Packaging:
16 pcs. per ctn.
1.92 sqs. per ctn. (17.8 m²)

PRODUCT CODE & DESCRIPTION

COLOURS


CP011
**ALIGN
Finish Trim**

12'6" Length (3810 mm)
Universal
Packaging:
20 pcs. per ctn.



CP001
**2-1/2" ALIGN Steel
Starter Strip**

10' Length (3048 mm)
Packaging:
24 pcs. per ctn.



ALIGN Composite Cladding is compatible with a range of trim options including vinyl accessories 65504/65524, 65520/65521, 65533, 65538 on pages 20-22 and aluminum trim coil 3037 on page 46.

PRODUCT CODE & DESCRIPTION


COLOURS

65504/65524 (Dark Colours)
3-1/2"
Outside Corner Post

3-1/2" Face (88.9 mm)
 10' Length (3048 mm)
 Brushed Texture

See Matrix On
 Pages 54-55.


Packaging:
 10 pcs. per ctn.
 100 lineal ft. per ctn. (30.5 m)



65501
3"
Outside Corner Post

3" Face (76.2 mm)
 10' Length (3048 mm)
 Brushed Texture


Packaging:
 10 pcs. per ctn.
 100 lineal ft. per ctn. (30.5 m)



65507
6" Designer
Outside Corner Post

6" Face (152.4 mm)
 20' Length (6096 mm)
 Brushed Texture


Packaging:
 5 pcs. per ctn.
 100 lineal ft. per ctn. (30.5 m)



68030
Bay and Bow
Outside Corner Post

2" Face (50.8 mm)
 12'6" Length (3810 mm)
 Matte Texture

Packaging:
 10 pcs. per ctn.
 125 lineal ft. per ctn. (38 m)



PRODUCT CODE & DESCRIPTION


COLOURS

68020
Beaded Corner Post
with Foam Insert

20' Length (6096 mm)
 Matte Texture

See Matrix On
 Pages 54-55.


Packaging:
 5 pcs. per ctn.
 100 lineal ft. per ctn. (30.5 m)



65520/65521 (Dark Colours)
3-1/2"
3/4" Inside Corner Post

10' Length (3048 mm)
 Brushed Texture


Packaging:
 10 pcs. per ctn.
 100 lineal ft. per ctn. (30.5 m)



65560
1/2" J-Channel

12' Length (3658 mm)
 Brushed Texture


Packaging:
 40 pcs. per ctn.
 480 lineal ft. per ctn. (146.3 m)



65536
5/8" Premium
J-Channel

12' Length (3658 mm)
 Brushed Texture


Packaging:
 40 pcs. per ctn.
 480 lineal ft. per ctn. (146.3 m)



PRODUCT CODE & DESCRIPTION COLOURS


65533 12' Length (3658 mm)
3/4" Premium Brushed Texture
J-Channel See Matrix On
Pages 54-55.

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)



65606 (Special Order) 12' Length (3658 mm)
1-1/4" J-Channel* Brushed Texture
with 1" Face


Packaging:
30 pcs. per ctn.
432 lineal ft. per ctn. (131.7 m)



*Can be used with Sequoia Select EnFusion insulated siding.


65538 12' Length (3658 mm)
2-1/2" Wide Face Brushed Texture
J-Channel

Packaging:
18 pcs. per ctn.
216 lineal ft. per ctn. (65.8 m)



65570/65571 12' Length (3658 mm)
Undersill Trim* Brushed Texture

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)




*Also used as a starter strip for 5" lineal.

PRODUCT CODE & DESCRIPTION COLOURS


67750 12' Length (3658 mm)
Double Undersill Trim Smooth Texture See Matrix On
Pages 54-55.

Packaging:
25 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)




65581 12' Length (3658 mm)
Drip Cap Brushed Texture

Packaging:
45 pcs. per ctn.
540 lineal ft. per ctn. (164.6 m)




65583 3-1/2" Face (88.9 mm)
3-1/2" Window/Door 20' Length (6096 mm)
Surround Matte Texture

Packaging:
5 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



65750 5" Face (127 mm)
5" Window/Door 20' Length (6096 mm)
Surround Matte Texture

Packaging:
10 pcs. per ctn.
200 lineal ft. per ctn. (61 m)




PRODUCT CODE & DESCRIPTION

COLOURS

65700
Surround Starter

12' Length (3658 mm)


Packaging:
25 pcs. per ctn.
300 lineal ft. per ctn. (91.4 m)



65551
Starter Strip*

12' Length (3658 mm)

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)




*For Sequoia Select, use Universal starter strip (0109025) located on page 38.

65599
F-Channel

12' Length (3658 mm)
Brushed Texture


Packaging:
24 pcs. per ctn.
288 lineal ft. per ctn. (87.8 m)



68080
3/4\" F-Channel

12'6\" Length (3810 mm)
Brushed Texture

Packaging:
32 pcs. per ctn.
400 lineal ft. per ctn. (122 m)




PRODUCT CODE & DESCRIPTION

COLOURS

65568
3/8\" Soffit Cove J-Channel

12'6\" Length (3810 mm)
Matte Texture


Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



65548
Soffit Double Channel

12' Length (3658 mm)
Brushed Texture


Packaging:
20 pcs. per ctn.
240 lineal ft. per ctn. (73.2 m)



65590
Beltline Trim

12' Length (3658 mm)
Brushed Texture

Packaging:
30 pcs. per ctn.
360 lineal ft. per ctn. (109.7 m)
Ship. wt: 39 lb (18 kg)





DELUXE™

ALUMINUM SIDING

ALUMINUM SIDING


PRODUCT CODE & DESCRIPTION

COLOURS

1002
8" Horizontal

1/2" Butt (12.7 mm)
8" Exposure per Panel (203.2 mm)
12'6" Length (3810 mm)
Poly Finish
Smooth Texture

See Matrix On
Page 56.




Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)

1191
Double 4" Clapboard

1/2" Butt (12.7 mm)
2-4" Exposure per Panel (101.6/203.2 mm)
12'6" Length (3810 mm)
Poly Finish
Smooth Texture


Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)



1302
8" Vertical Board & Batten

8" Exposure per Panel (203.2 mm)
10' Length (3048 mm)
Poly Finish
Smooth Texture


Packaging:
15 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



1438
Vertical "V" Standard Gauge (0.40 mm)

7-1/4" Exposure per Panel (184.2 mm)
9'7-3/8" Length (2930 mm)
Poly Finish
Smooth Texture

Packaging:
17 pcs. per ctn.
1 sq. per ctn. (9.29 m²)




PRODUCT CODE & DESCRIPTION

COLOURS

1429
Vertical "V" Heavy Gauge (0.44 mm)

7-1/4" Exposure per Panel (184.2 mm)
12' Length (3658 mm)
Poly Finish
Smooth Texture

See Matrix On
Page 56.



Packaging:
17 pcs. per ctn.
1 sq. per ctn. (9.29 m²)

PRODUCT CODE & DESCRIPTION


COLOURS

1003

8" Horizontal

1/2" Butt (12.7 mm)
8" Exposure per Panel (203.2 mm)
12'6" Length (3810 mm)
Woodgrain Texture

See Matrix on Page 56.




Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)

1192

Double 4" Clapboard Standard Gauge (0.40 mm)

1/2" Butt (12.7 mm)
2-4" Exposure per Panel (101.6/203.2 mm)
12'6" Length (3810 mm)
Woodgrain Texture




Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)

1186

Double 4" Clapboard Heavy Gauge (0.44 mm)

1/2" Butt (12.7 mm)
2-4" Exposure per Panel (101.6/203.2 mm)
12'6" Length (3810 mm)
Woodgrain Texture




Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)

1188

Double 4" Dutch Lap Standard Gauge (0.40 mm)

1/2" Butt (12.7 mm)
2-4" Exposure per Panel (101.6/203.2 mm)
12'6" Length (3810 mm)
Woodgrain Texture



Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)

PRODUCT CODE & DESCRIPTION


COLOURS

1185

Double 4" Dutch Lap Heavy Gauge (0.44 mm)

1/2" Butt (12.7 mm)
2-4" Exposure per Panel (101.6/203.2 mm)
12'6" Length (3810 mm)
Woodgrain Texture

See Matrix on Page 56.




Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)

1303

8" Vertical Board & Batten

1/2" Butt (12.7 mm)
8" Exposure per Panel (203.2 mm)
10' Length (3048 mm)
Woodgrain Texture




Packaging:
15 pcs. per ctn.
1 sq. per ctn. (9.29 m²)

1439

Vertical "V" Standard Gauge (0.40 mm)

7-1/4" Exposure per Panel (184.2 mm)
9'7-3/8" Length (2930 mm)
Woodgrain Texture




Packaging:
17 pcs. per ctn.
1 sq. per ctn. (9.29 m²)


1425




Vertical "V" Heavy Gauge (0.44 mm)

7-1/4" Exposure per Panel (184.2 mm)
9'7-3/8" Length (2930 mm)
Woodgrain Texture



Packaging:
17 pcs. per ctn.
1 sq. per ctn. (9.29 m²)

PRODUCT CODE & DESCRIPTION	COLOURS
1207 Double 5" Clapboard	See Matrix On Page 56.
	1/2" Butt (12.7 mm) 2-5" Exposure per Panel (127/254 mm) 12' Length (3658 mm) PVDF Finish (Kynar) Woodgrain Texture Variegated Colours Packaging: 20 pcs. per ctn. 2 sqs. per ctn. (18.58 m²)

PRODUCT CODE & DESCRIPTION	COLOURS
1603 16" 2-Panel Soffit Vented Standard Gauge	See Matrix On Pages 58-59.
	16" Exposure per Panel (406.4 mm) 12'1-5/16" Length (3691 mm) 4.02 sq. in. ventilation per lineal ft. Smooth Texture Packaging: 18 pcs. per ctn. 3 sqs. per ctn. (27.62 m²)
1620 16" 2-Panel Soffit Solid Heavy Gauge	
	16" Exposure per Panel (406.4 mm) 12'1-5/16" Length (3691 mm) Smooth Texture Packaging: 12 pcs. per ctn. 2 sqs. per ctn. (18.58 m²)
1622 16" 2-Panel Soffit Vented Heavy Gauge	
	16" Exposure per Panel (406.4 mm) 12'1-15/16" Length (3708 mm) 4.02 sq. in. ventilation per lineal ft. Smooth Texture Packaging: 12 pcs. per ctn. 2 sqs. per ctn. (18.58 m²)

PRODUCT CODE & DESCRIPTION

COLOURS

1601

16" 4-Panel Soffit Solid

16" Exposure per Panel (406.4 mm)

12'2-3/8" Length (3718 mm)


Smooth Texture

See Matrix On Pages 58-59.

Packaging:

18 pcs. per ctn.

3 sqs. per ctn. (27.62 m²)



1606

16" 4-Panel Soffit Vented

16" Exposure per Panel (406.4 mm)

12'2-3/8" Length (3718 mm)


4.12 sq. in. ventilation per lineal ft.

Smooth Texture

Packaging:

18 pcs. per ctn.

3 sqs. per ctn. (27.62 m²)



1615

16" 4-Panel Soffit Vented Heavy Gauge

16" Exposure per Panel (406.4 mm)

12'2-3/8" Length (3718 mm)


4.12 sq. in. ventilation per lineal ft.

Smooth Texture

Packaging:

18 pcs. per ctn.

3 sqs. per ctn. (27.62 m²)



PRODUCT CODE & DESCRIPTION

COLOURS

2330

18" 3-Panel Soffit Solid Heavy Gauge

18" Exposure per Panel (457.2 mm)

10' Length (3048 mm)


Smooth Texture

See Matrix On Pages 58-59.

Packaging:

12 pcs. per ctn.

1.92 sqs. per ctn. (17.8 m²)



2345

18" 3-Panel Soffit Vented Heavy Gauge

18" Exposure per Panel (457.2 mm)

10' Length (3048 mm)


5.46 sq. in. ventilation per lineal ft.

Smooth Texture

Packaging:

12 pcs. per ctn.

1.92 sqs. per ctn. (17.8 m²)



PRODUCT CODE & DESCRIPTION

COLOURS

1694

4" Fascia

Standard Gauge


9'10" Length (3000 mm)

Ribbed

Packaging:

30 pcs. per ctn.

295 lineal ft. per ctn. (90 m)



1693

4" Fascia

Economy Gauge


9'10" Length (3000 mm)

Ribbed

Packaging:

30 pcs. per ctn.

295 lineal ft. per ctn. (90 m)



1696/1697

6" Fascia

Standard Gauge


9'10" Length (3000 mm)

Ribbed

Packaging:

20 pcs. per ctn.

197 lineal ft. per ctn. (60 m)



1691

6" Fascia

Economy Gauge


9'10" Length (3000 mm)

Ribbed

Packaging:

20 pcs. per ctn.

197 lineal ft. per ctn. (60 m)



PRODUCT CODE & DESCRIPTION

COLOURS

2020

6" Fascia

Heavy Gauge


9'10" Length (3000 mm)

Ribbed

Packaging:

20 pcs. per ctn.

197 lineal ft. per ctn. (60 m)



1697 available in AluCopper.

2024

6" Fascia

Heavy Gauge


9'10" Length (3000 mm)

Plain

Packaging:

25 pcs. per ctn.

245.8 lineal ft. per ctn. (75 m)



1698

8" Fascia

Standard Gauge


9'10" Length (3000 mm)

Ribbed

Packaging:

20 pcs. per ctn.

197 lineal ft. per ctn. (60 m)



2030

8" Fascia

Heavy Gauge


9'10" Length (3000 mm)

Ribbed

Packaging:

20 pcs. per ctn.

197 lineal ft. per ctn. (60 m)



PRODUCT CODE & DESCRIPTION


COLOURS

2025
**8" Fascia
Heavy Gauge**

9'10" Length (3000 mm)
Plain

See Matrix On
Pages 58-59.


Packaging:
25 pcs. per ctn.
245.8 lineal ft. per ctn. (75 m)



1670
**10" Fascia
Standard Gauge**

9'10" Length (3000 mm)
Ribbed

Packaging:
20 pcs. per ctn.
197 lineal ft. per ctn. (60 m)



PRODUCT CODE & DESCRIPTION


COLOURS

2319
Outside Corner Post

2-1/2" Face (63.5 mm)
10' Length (3048 mm)
Smooth Texture

See Matrix On
Pages 60-63.


Packaging:
10 pcs. per ctn.



2312
Outside Corner Post

2-1/2" Face (63.5 mm)
10' Length (3048 mm)
Woodgrain Texture


Packaging:
10 pcs. per ctn.



2300
Individual Corner Cap

8" Exposure (203.2 mm)
Smooth Texture


Packaging:
100 pcs. per ctn.



2502
3/4" J Trim

12' Length (3658 mm)
Smooth Texture

Packaging:
40 pcs. per ctn.



PRODUCT CODE & DESCRIPTION


COLOURS

2503
Universal J

10' Length (3048 mm)
Smooth Texture

See Matrix On
Pages 60-63.

Packaging:
20 pcs. per ctn.




2520/2522
Soffit J (BSP)*

12' Length (3658 mm)
Smooth Texture

Packaging:
25 pcs. per ctn.


2522 – only available in AluCopper



2507
3/4" Wideface
Soffit J

12' Length (3658 mm)
Smooth Texture


Packaging:
24 pcs. per ctn.



1692
1/2" Soffit J

12' Length (3658 mm)
Smooth Texture

Packaging:
25 pcs. per ctn.



PRODUCT CODE & DESCRIPTION


COLOURS

2538
L-Trim Small

12' Length (3658 mm)
Smooth Texture

See Matrix On
Pages 60-63.


Packaging:
25 pcs. per ctn.



2543
Drip Cap

12' Length (3658 mm)
Smooth Texture


Packaging:
20 pcs. per ctn.



2567
Roof Edge Drip Cap

10' Length (3048 mm)
Smooth Texture


Packaging:
20 pcs. per ctn.



2573
3" 0° Roof Edge

9'10" Length (3000 mm)
Smooth Texture

Packaging:
20 pcs. per ctn.



PRODUCT CODE & DESCRIPTION


COLOURS

2575
4" 0° Roof Edge

9'10" Length (3000 mm)
Smooth Texture

See Matrix On
Pages 60-63.


Packaging:
20 pcs. per ctn.



2577
6" 0° Roof Edge

9'10" Length (3000 mm)
Smooth Texture


Packaging:
20 pcs. per ctn.



2550
**Snap-Lock
Sill Trim**

12' Length (3658 mm)
Smooth Texture


Packaging:
40 pcs. per ctn.



0109025
Universal Starter Strip

10' Length (3100 mm)
Smooth Texture

Packaging:
50 pcs. per ctn.



PRODUCT CODE & DESCRIPTION


COLOURS

2504
Undersill Trim

10' Length (3048 mm)
Smooth Texture

See Matrix On
Pages 60-63.


Packaging:
25 pcs. per ctn.



2043
Fascia Trim

10' Length (3048 mm)
Smooth Texture


Packaging:
20 pcs. per ctn.



2311
**Woodgrain™ 2000
Individual Corner Cap**

8" Exposure (203.2 mm)
Woodgrain Texture


Packaging:
100 pcs. per ctn.



2317
**Cedarwood®
Outside Corner Post**

2-1/2" Face (63.5 mm)
10' Length (3048 mm)
PVDF Finish (Kynar)
Woodgrain Texture
Variegated Colours

Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



PRODUCT CODE & DESCRIPTION


COLOURS

2318
**Cedarwood®
3/4" J-Channel**

12' Length (3658 mm)
PVDF Finish (Kynar)
Smooth Texture
Variegated Colours

See Matrix On
Pages 60-63.


Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)



2320
**Cedarwood®
Snap-Lock Finish Trim**

12' Length (3658 mm)
PVDF Finish (Kynar)
Smooth Texture
Variegated Colours

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)



PRODUCT CODE & DESCRIPTION

COLOURS


1750
**Double 4"
Clapboard**

1/2" Butt (12.7 mm)
2-4" Exposure per Panel
(101.6/203.2 mm)
12'6" Length (3810 mm)
Kynar Finish
Roughsawn Texture

Bright White

Chelsea Bluff
Delray Sand
Dover Gray
Iron Ore
Juniper Grove
Monterey Sand
Rockwell Blue
Sable
Storm

Packaging:
10 pcs. per ctn.
1 sq. per ctn. (9.29 m²)




1755
**Double 5"
Clapboard**

1/2" Butt (12.7 mm)
2-5" Exposure per Panel
(127/254 mm)
12'6" Length (3810 mm)
Kynar Finish
Roughsawn Texture

Taylor Red
Thistle
Watermill Blue


Packaging:
10 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



1748
8" Horizontal

1/2" Butt (12.7 mm)
8" Exposure per Panel (203.2 mm)
12'6" Length (3810 mm)
Kynar Finish
Roughsawn Texture


Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



1752
**12" Vertical
Board & Batten**

5/8" Batten Height (15.9 mm)
2" Batten Width (50.8 mm)
12" Exposure per Panel (304.8 mm)
10' Length (3048 mm)
Kynar Finish
Medium Woodgrain Texture

Packaging:
10 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



PRODUCT CODE & DESCRIPTION

1754

Double 5" Clapboard

1/2" Butt (12.7 mm)

2-5" Exposure per Panel (127/254 mm)

12" Length (3658 mm)

PVC Finish

Woodgrain Texture



1751

8" Horizontal


1/2" Butt (12.7 mm)

8" Exposure per Panel (203.2 mm)

12'6" Length (3810 mm)

PVC Finish

Woodgrain Texture



Packaging:

10 pcs. per ctn.

1 sq. per ctn. (9.29 m²)

COLOURS

Bright White

Almond

Brownstone

Canyon Clay

Dover Gray

Norwood

Pacific Blue

Sable

Sage

Thistle

Wicker

ACCESSORIES

STEEL

PRODUCT CODE & DESCRIPTION

1813


3/4" Outside Corner Post

2-1/2" Face (63.5 mm)

10' Length (3048 mm)

PVC Striated Finish

Woodgrain Texture



Packaging:

10 pcs. per ctn.

100 lineal ft. per ctn. (30.5 m)


1814

3/4" J-Channel

12'6" Length (3810 mm)

PVC Striated Finish

Smooth Texture



Packaging:

24 pcs. per ctn.

300 lineal ft. per ctn. (91.5 m)

1829


2-1/2" Starter Strip

10' Length (3048 mm)

Packaging:

26 pcs. per ctn.

260 lineal ft. per ctn. (79.3 m)



1835


Universal 3/4" Outside Corner Post Kynar

2-1/2" Face (63.5 mm)

10' Length (3048 mm)

Kynar PVDF Finish

Woodgrain Texture



Packaging:

10 pcs. per ctn.

100 lineal ft. per ctn. (30.5 m)

PRODUCT CODE & DESCRIPTION


COLOURS

1842
3/4" J-Channel
Kynar

12'6" Length (3810 mm)
Kynar PVDF Finish
Woodgrain Texture

See Matrix On
Page 57.

Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)




1841
1-1/8" J-Channel
Kynar

12'6" Length (3810 mm)
Kynar PVDF Finish
Woodgrain Texture

See Matrix On
Page 57.

Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)




1850
Snap-Lock
Finish Trim
Kynar

12'6" Length (3810 mm)
Kynar PVDF Finish
Woodgrain Texture

See Matrix On
Page 57.

Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)




PRODUCT CODE & DESCRIPTION

COLOURS

1877/29-GA
Flatstock
PVC Coated

20-7/8" Width (530.23 mm)
50' Length (15.24 m)

See Matrix On
Page 57.




PRODUCT CODE & DESCRIPTION

COLOURS

3041
Performance G8
Flatstock
24" x 98.5' (OSP)*

98.5' Length (30 m)


See Matrix On
Pages 60-61.



3036
Flatstock
24" x 50' (BSP)*

50' Length (15.24 m)


NOTE: Colour over Bright White, Light Gauge.
Reverse side is Bright White.



3037
Flatstock
24" x 98.5' (BSP)*

98.5' Length (30 m)


NOTE: Colour over Bright White, Light Gauge.
Reverse side is Bright White.



3307
Flatstock
24" x 98.5' (BSP)*
CanExel Colours

98.5' Length (30 m)

NOTE: Colour over Bright White, Light Gauge.
Reverse side is Bright White.




PRODUCT CODE & DESCRIPTION

COLOURS

3039
Flatstock
24" x 98.5' (OSP)*

98.5' Length (30 m)


See Matrix On
Pages 60-61.



3304
Flatstock
24" x 50' (BSP)*

50' Length (15.24 m)


NOTE: Colour over Bright White, Light Gauge.
Reverse side is Bright White.



3531
Flatstock
24" x 98.5' (BSP)*


98.5' Length (30 m)

NOTE: Colour over Bright White, Light Gauge.
Reverse side is Bright White.




PRODUCT CODE & DESCRIPTION | COLOURS


3025 Width per coil 10-1/2" (267 mm) See Matrix On
10-1/2" Gutter Coil Pages 60-61.
(OSP)*




3006 Width per coil 11-7/8" (301.5 mm)
11-7/8" Gutter Coil
(OSP)*



3009 Width per coil 11-7/8" (301.5 mm)
11-7/8" Gutter Coil White Exterior
(BSP)*




3045 Width per coil 11-7/8" (301.5 mm)
11-7/8" Gutter Coil Thickness: 0.66 mm
Heavy Gauge
(OSP)*




PRODUCT CODE & DESCRIPTION | COLOURS


3049 Width per coil 11-7/8" (301.5 mm) See Matrix On
11-7/8" Gutter Coil Pages 60-61.
Heavy Gauge White Exterior
(BSP)* Thickness: 0.027 mm



3012 Width per coil 13-1/2" (343 mm)
13-1/2" Gutter Coil
(BSP)*



3084 Width per coil 6" (152.4 mm)
6" Gutter Coil
(BSP)*



ALIGN CLADDING AND ACCESSORIES COLOUR MATRIX

• Available in this colour.

Available in this colour.	Colour Palette																					
	01	Snow White	632	Almond	872	Chesapeake Gray	625	Coastal Blue	655	Dark Drift	127	Dover Gray	873	Hudson Slate	642	Iron Ore	876	Majestic Brick	877	Marine Dusk	874	Meadow Fern
	ALIGN Cladding																					
	7" Plank		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	12" Board & Batten		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	ALIGN Accessories																					
	CP011 Finish Trim																					
	CP001 2-1/2" Steel Starter Strip																					

652	Midnight Surf	673	Monterey Sand	653	Moonlit Moss	628	Pebble	875	Rockport Brown	637	Rockwell Blue
878	Smoked Timber	631	Storm	651	Windswept Smoke						
											Universal
•	•	•	•	•	•	•	•	•	•	•	
•	•	•	•	•	•	•	•	•	•	•	
											•
											•

VINYL SIDING AND SOFFIT COLOUR MATRIX

- Available in this colour.

• Available in this colour.	Classic Colours											
	001 Snow White	632 Almond	616 Amber	010 Canyon Clay	872 Chesapeake Gray	127 Dover Gray	633 Juniper Grove	012 Linen	002 Maize	673 Monterey Sand	006 Pearl	628 Pebble
Sequoia Select												
Double 4" Clapboard	•	•		•	•	•	•	•	•	•	•	•
Double 4-1/2" Dutch Lap	•	•		•	•	•	•	•	•	•	•	•
Double 5" Clapboard*	•	•		•	•	•	•	•	•	•	•	•
Double 5" Dutch Lap*	•	•		•	•	•	•	•	•	•	•	•
Board & Batten												
7" Vertical Board & Batten*	•	•		•	•	•	•	•	•	•	•	•
Fair Oaks												
Double 4" Clapboard	•	•		•	•	•	•	•	•	•	•	•
Double 4" Dutch Lap	•	•		•	•	•	•	•	•	•	•	•
Double 5" Clapboard*	•	•		•	•	•	•	•	•	•	•	•
Double 5" Dutch Lap*	•	•		•	•	•	•	•	•	•	•	•
Concord												
Double 4" Clapboard	•	•		•	•	•	•	•	•	•	•	•
Double 4" Dutch Lap	•	•		•	•	•	•	•	•	•	•	•
Double 5" Clapboard	•	•		•	•	•	•	•	•	•	•	•
Double 5" Dutch Lap	•	•		•	•	•	•	•	•	•	•	•
10" Vertical	•	•		•	•	•	•	•	•	•	•	•
Driftwood II												
Double 4" Clapboard	•	•	•	•	•	•	•	•	•	•	•	•
Double 4-1/2" Dutch Lap	•	•	•	•	•	•	•	•	•	•	•	•
Vinyl Soffit												
Sequoia Select Ultra-Premium 12"	•	•		•		•	•	•	•	•	•	•
Oxford Premium 10"	•	•		•	•	•	•	•	•	•	•	•
Beaded Premium 8"	•			•				•		•		•
Fairweather 12"	•	•		•	•	•	•	•	•	•	•	•
EZ Lock 8"	•							•				

Note: Black and Musket Brown are for soffit use only, not as vertical siding. Beaded Premium soffit is not offered as vertical siding. Fairweather centre vented soffit is available in Snow White only.

*Designer Colours not available in British Columbia and Alberta.

[illegible]

VINYL ACCESSORIES COLOUR MATRIX

- Available in this colour.

[illegible][illegible]

ALUMINUM SIDING COLOUR MATRIX

• Available in this colour.

		Deluxe Aluminum				Woodgrain 2000				Cedarwood			
		8" Horizontal	Double 4" Clapboard	8" Vertical Board & Batten	Vertical "V"	8" Horizontal	Double 4" Clapboard	Double 4" Dutch Lap	8" Vertical Board & Batten	7-1/4" Vertical "V"	Double 5" Clapboard		
Colour Palette	431 Bright White	•	•	•	•	•	•	•	•	•			
	429 Ice White				•					•			
	432 Almond		•	•	•		•	•	•	•			
	425 Black				•					•			
	471 Brownstone	•	•							•			
	410 Canyon Clay	•	•				•			•			
	4C1 Chesapeake Gray		•	•				•		•			
	454 Chestnut Brown		•	•	•		•	•	•	•			
	462 Commercial Brown		•	•	•		•	•	•	•			
	457 Dark Drift									•			
	436 Dover Gray	•	•	•			•			•			
	4C2 Hudson Slate		•	•				•		•			
	4P6 Iron Ore	•		•				•		•			
	402 Maize	•	•	•			•	•	•	•			
	459 Pebble	•	•	•			•	•	•	•			
	447 Sable									•			
	440 Sandstone				•					•			
	423 Slate	•	•	•			•			•			
	470 Storm	•	•	•			•	•		•			
	407 Tan	•	•	•			•			•			
	438 Wicker	•	•	•			•			•			
	406 Windswept Smoke	•	•					•		•			
Variegated	990 Aspen Gray										•		
	992 Chestnut Brown										•		
	994 Maple Tan										•		
	996 Tawny Oak										•		

Additional colours available. Not all colours available in all profiles; see your Gentek representative for details.

Note: Colours for standard gauge and heavy gauge panels may vary. Confirm colour availability with your Gentek representative by specific product code.

STEEL SIDING COLOUR MATRIX

	Colour Palette													
	431 Bright White	796 Chelsea Bluff	795 Delray Sand	836 Dover Gray	4P6 Iron Ore	633 Juniper Grove	673 Monterey Sand	637 Rockwell Blue	712 Sable	470 Storm	793 Taylor Red	826 Thistle	714 Watermill Blue	
Sierra Steel with Kynar														
Double 4" Clapboard	•	•	•	•	•	•	•	•	•	•	•	•	•	
Double 5" Clapboard	•	•	•	•	•	•	•	•	•	•	•	•	•	
Horizontal 8"	•	•	•	•	•	•	•	•	•	•	•	•	•	
12" Vertical Board & Batten	•	•	•	•	•	•	•	•	•	•	•	•	•	
Steel Accessories														
1835 3/4" Outside Corner Post – Kynar	•	•	•	•	•	•	•	•	•	•	•	•	•	
1842 3/4" J-Channel – Kynar	•	•	•	•	•	•	•	•	•	•	•	•	•	
1841 1-1/8" J-Channel – Kynar	•	•	•	•	•	•	•	•	•	•	•	•	•	
1850 Snap-Lock Finish – Kynar	•	•	•	•	•	•	•	•	•	•	•	•	•	
1715 24" x 50" Alum. Trim Coil – Poly	•	•	•	•	•	•	•	•	•	•	•	•	•	

	Colour Palette												Neutral
	831 Bright White	832 Almond	871 Brownstone	810 Canyon Clay	836 Dover Gray	866 Norwood	201 Pacific Blue	712 Sable	817 Sage	826 Thistle	838 Wicker		
	SteelSide												
	Double 5" Clapboard	•	•	•	•	•	•	•	•	•	•		
	Horizontal 8"	•	•	•	•	•	•	•	•	•	•		
	Steel Accessories												
	1813 3/4" Outside Corner Post	•	•	•	•	•	•	•	•	•	•		
	1814 3/4" J-Channel	•	•	•	•	•	•	•	•	•	•		
	1829 2-1/2" Starter Strip											•	

	Colour Palette	
	431 Bright White	826 Thistle
Steel Flatstock		
1877/29-GA 20-7/8" x 50' (PVC)	•	•

ALUMINUM SOFFIT AND FASCIA COLOUR MATRIX

• Available in this colour.

Colour Palette	Aluminum Soffit						Aluminum Fascia					
	16" 2-Panel Standard Gauge	16" 2-Panel Heavy Gauge	16" 4-Panel Standard Gauge	16" 4-Panel Heavy Gauge	18" 3-Panel Heavy Gauge		4" Standard Gauge, Ribbed	4" Economy Gauge, Ribbed	6" Standard Gauge, Ribbed	6" Economy Gauge, Ribbed	6" Heavy Gauge, Ribbed	6" Heavy Gauge, Plain
	431 Bright White	•		•	•		•	•	•	•	•	•
	429 Ice White	•		•					•			
	430 Rainware White										•	•
	86 White 701			•	•							
	432 Almond	•		•		•			•	•	•	•
	475 AluCopper		•						•			
	165 Antique Brown	•		•					•			•
	425 Black	•		•	•				•			•
	471 Brownstone	•		•					•			•
	467 Burgundy	•		•					•			•
	410 Canyon Clay	•		•					•		•	•
	414 Cashmere	•		•					•	•	•	•
	4C1 Chesapeake Gray	•		•					•			•
	454 Chestnut Brown	•		•		•	•	•	•	•	•	•
	462 Commercial Brown	•		•	•				•	•	•	•
	436 Dover Gray	•		•					•	•	•	•
	4P5 Graphite	•		•					•			•
	422 Ivy Green	•		•					•			•
	402 Maize	•		•					•	•	•	•
	4P4 Metallic Gray	•		•					•			•
	4P8 Monterey Sand	•		•					•			•
	468 Nutmeg	•		•		•	•	•	•			•
	442 Old World Blue	•		•					•			•
	434 Pearl			•								
	459 Pebble	•		•					•	•	•	•
	447 Sable	•		•					•			•
	417 Sage	•		•					•			•
	440 Sandstone	•		•					•	•	•	•
	423 Slate	•		•	•				•			•
	470 Storm	•		•					•			•
	407 Tan	•		•					•			•
	435 Wedgewood Blue	•		•					•			•
	438 Wicker	•		•					•	•	•	•

Designer Colours	Aluminum Soffit						Aluminum Fascia					
	16" 2-Panel Standard Gauge	16" 2-Panel Heavy Gauge	16" 4-Panel Standard Gauge	16" 4-Panel Heavy Gauge	18" 3-Panel Heavy Gauge		4" Standard Gauge, Ribbed	4" Economy Gauge, Ribbed	6" Standard Gauge, Ribbed	6" Economy Gauge, Ribbed	6" Heavy Gauge, Ribbed	6" Heavy Gauge, Plain
	4P9 Coastal Blue	•		•					•			•
	457 Dark Drift	•		•					•			•
	4P3 Espresso	•		•					•			•
	4C2 Hudson Slate	•		•					•			•
	4P6 Iron Ore	•		•	•				•			•
	4C5 Majestic Brick	•		•					•			•
	4C6 Marine Dusk	•		•					•			•
	4C3 Meadow Fern	•		•					•			•
	409 Midnight Surf	•		•					•			•
	413 Moonlit Moss	•		•					•			•
	4C4 Rockport Brown	•		•					•			•
	4P2 Rockwell Blue	•		•					•			•
	4C7 Smoked Timber	•		•					•			•
	406 Windswept Smoke	•		•					•			•

Some colours are special order; see your Gentek representative for details.

ALUMINUM ACCESSORIES COLOUR MATRIX

- Available in this colour.

	● Available in this colour.				Colour Palette							
	431 Bright White	429 Ice White	430 Rainware White	B01 White	432 Almond	475 AluCopper	165 Antique Brown	425 Black	B25 Black	322 Bright Red	471 Brownstone	467 Burgundy
2550 Snap-Lock Sill Trim	●				●							
0109025 Universal Starter Strip												
2502 3/4" J-Trim	●	●			●		●	●			●	●
2312 Outside Corner Post (Woodgrain)	●	●			●		●	●			●	●
2319 Outside Corner Post (Smooth)	●	●			●		●	●			●	●
2503 Universal J	●	●			●		●	●			●	●
2538 L-Trim Small	●	●			●		●	●			●	●
2543 Drip Cap	●	●			●		●	●			●	●
2504 Undersill Trim	●	●			●		●	●			●	●
2567 Roof Edge Drip Cap	●	●			●		●	●			●	●
2573 Roof Edge 3" 0 Degree 9'10"	●							●				
2575 Roof Edge 4" 0 Degree 9'10"	●							●				
2577 Roof Edge 6" 0 Degree 9'10"	●							●				
2043 Fascia Trim (BSP)	●	●			●		●	●			●	●
2300 Individual Corner Cap	●											
2311 Individual Corner Cap Woodgrain	●											
2520 Soffit J (BSP)	●	●			●		●	●			●	●
2507 3/4" Wideface Soffit J	●											
2522 Soffit J (OSP)						●						
1692 1/2" Soffit J	●	●			●		●	●			●	●
1690 Channel Runner						●						
Aluminum Flatstock												
3041 24" x 98.5' (OSP) Performance G8				●					●			
3036 24" x 50' (BSP) Heavy Gauge	●				●		●	●			●	●
3037 24" x 98.5' (BSP)	●				●		●	●			●	●
3039 24" x 98.5' (OSP)	●	●	●									
3304 24" x 50' (BSP)	●				●			●				
3531 24" x 98.5' (BSP)	●				●		●	●				
Aluminum Gutter Coil												
3025 Downpipe Coil 10-1/2" (OSP)		●	●		●		●	●		●	●	●
3006 Gutter Coil 11-7/8" (OSP)			●									
3009 Gutter Coil 11-7/8" (BSP)					●		●	●		●	●	●
3045 Gutter Coil 11-7/8" (OSP) Heavy Gauge			●				●					
3049 Gutter Coil 11-7/8" (BSP) Heavy Gauge					●		●	●		●	●	
3012 Gutter Coil 13-1/2" (BSP)					●			●				
3084 Gutter Coil 6" (BSP)					●			●				

[illegible]

Continued on next page.

ALUMINUM ACCESSORIES COLOUR MATRIX

- Available in this colour.

● Available in this colour.	Designer Colours											
	4P9 Coastal Blue	457 Dark Drift	4P3 Espresso	4C2 Hudson Slate	4P6 Iron Ore	4C5 Majestic Brick	4C6 Marine Dusk	4C3 Meadow Fern	409 Midnight Surf	413 Moonlit Moss	4C4 Rockport Brown	4P2 Rockwell Blue
2550 Snap-Lock Sill Trim												
0109025 Universal Starter Strip												
2502 3/4" J-Trim	●	●	●	●	●	●	●	●	●	●	●	●
2312 3/4" Outside Corner Post (Woodgrain)	●	●	●	●	●	●	●	●	●	●	●	●
2319 3/4" Outside Corner Post (Smooth)	●	●	●	●	●	●	●	●	●	●	●	●
2503 Universal J	●	●	●	●	●	●	●	●	●	●	●	●
2538 L-Trim Small	●	●	●	●	●	●	●	●	●	●	●	●
2543 Drip Cap	●	●	●	●	●	●	●	●	●	●	●	●
2504 Undersill Trim	●	●	●	●	●	●	●	●	●	●	●	●
2567 Roof Edge Drip Cap	●	●	●	●	●	●	●	●	●	●	●	●
2573 Roof Edge 3" 0 Degree 9'10"												
2575 Roof Edge 4" 0 Degree 9'10"												
2577 Roof Edge 6" 0 Degree 9'10"												
2043 Fascia Trim (BSP)	●	●	●	●	●	●	●	●	●	●	●	●
2300 Individual Corner Cap												
2311 Individual Corner Cap Woodgrain												
2520 Soffit J (BSP)	●	●	●	●	●	●	●	●	●	●	●	●
2507 3/4" Wideface Soffit J												
2522 Soffit (OSP)												
1692 1/2" Soffit J	●	●	●	●	●	●	●	●	●	●	●	●
1690 Channel Runner												
Aluminum Flatstock												
3036 24" x 50' (BSP) Heavy Gauge	●	●	●	●	●	●	●	●	●	●	●	●
3037 24" x 98' 1/2" (BSP)	●	●	●	●	●	●	●	●	●	●	●	●
3039 24" x 98' 1/2" (OSP)												
3304 24" x 50' (BSP)												
3531 24" x 98' 1/2" (BSP)				●		●	●	●			●	
Aluminum Gutter Coil												
3025 Downpipe Coil 10-1/2" (OSP)	●	●	●	●	●	●	●	●	●	●	●	●
3006 Gutter Coil 11-7/8" (OSP)												
3009 Gutter Coil 11-7/8" (BSP)	●	●	●	●	●	●	●	●	●	●	●	●
3045 Gutter Coil 11-7/8" (OSP) Heavy Gauge												
3049 Gutter Coil 11-7/8" (BSP) Heavy Gauge	●	●	●	●	●	●	●	●	●	●	●	●
3012 Gutter Coil 13-1/2" (BSP)		●	●	●	●	●	●	●		●	●	
3084 Gutter Coil 6" (BSP)				●	●	●	●		●	●		

[illegible]

CEDARWOOD COLOURS

	Colour Palette			
	990 Aspen Gray	992 Chestnut Brown	994 Maple Tan	996 Tawny Oak
2317 Cedarwood Outside Corner Post	●	●	●	●
2318 Cedarwood 3/4" J-Channel	●	●	●	●
2320 Cedarwood Snap-Lock Finish Trim	●	●	●	●

JAMES HARDIE COLOUR MATCH

		Colour Palette					
Gentek Colour [James Hardie Colour]		431 Almond [Navajo Beige]	447 Ash Gray [Iron Gray]	4H1 Barn Brown [Timber Bark]	4H2 Bright White [Arctic White]	4H5 Desert Sand [Monterey Taupe]	4H4 Stone Gray [Pearl Gray]
1601 Solid Quad 4 Soffit		●	●	●	●	●	●
1606 Vented Quad 4 Soffit		●	●	●	●	●	●
2520 Soffit J-Channel		●	●	●	●	●	●
3037 Flatstock (trim coil)		●	●	●	●	●	●
3009 Gutter Coil (90 ka)		●	●	●	●	●	●

CANEXEL COLOURS

	Colour Palette
527 Cedar XL	
551 Country Red XL	
598 Green	
541 Khaki	
549 White XL	

Aluminum Flatstock	
3307 CanExcel 24" x 98.5' (BSP)	• • • • •

GENTEK VINYL SIDING AND SOFFIT

Produced to precise tolerances using formulated compounds specifically designed for the plastic building products industry according to ASTM D4216, meeting or exceeding the following:

Property	Test Method	Results
Tensile Strength (psi)	ASTM D-638	6,700
Modulus of Elasticity (psi)	ASTM D-638	410,000
Izod Impact (70°F)	ASTM D-256	3.6 (ft-lb/in of notch)
Izod Impact (32°F)	ASTM D-256	2.0 (ft-lb/in of notch)
Flexural Strength (psi)	ASTM D-790	14,000
Coefficient of Linear Expansion	ASTM D-696	5.3 x 10 ⁻⁵ (mm/mm °C) 2.9 x 10 ⁻⁵ (in/in °F)
Deflection Temperature Under Load 264 psi (°C)	ASTM D-648	73

PRODUCT PHYSICALS:

All siding products, soffit panels and accessories are made with solid colour throughout. The siding products and accessories meet or exceed the ASTM Specification for Rigid Poly Vinyl Chloride (PVC) Siding D3679. All soffit products and associated accessories meet or exceed the ASTM Specification for Rigid (Unplasticized) Poly Vinyl Chloride (PVC) Soffit D4477.

The siding and soffit compound meets Class 2 requirements and conforms to weathering performances as described in ASTM 3679.

Colour: Spectrophotometer controlled
Gloss: Gardner gloss meter controlled
Lock: Dimensionally controlled

All products meet or exceed ASTM 3679 thickness (nominal) requirements:

Sequoia Select EnFusion	0.046"
Sequoia Select	0.046"
Board & Batten	0.050"
Easy Lock	0.041"
Fair Oaks	0.044"
Concord	0.042"
Driftwood II	0.040"
Sequoia Select Ultra-Premium Soffit	0.044"
Oxford Premium Soffit	0.042"
Beaded Premium Soffit	0.042"
Fairweather Soffit	0.040"

WARRANTY:

All Gentek vinyl siding brands carry a Lifetime Limited Warranty including fade and hail protection. *Warranty is transferable if the home is sold. See printed warranty for complete details.*

SOFFIT VENTILATION AREA:

Gentek soffit panels are designed to allow air circulation into the attic areas to aid in the reduction of excessive heat buildup and water vapor condensation. The net free open area (NFOA) per lineal foot of soffit is as follows:

12" Sequoia Select Ultra-Premium Vented	10 sq in
10" Oxford Fully Vented	5.3 sq in
8" Easy Lock	2.8 sq in
8" Beaded Vented	2.4 sq in
12" Fairweather Centre Vented	2.3 sq in
12" Fairweather Fully Vented	7.1 sq in

FIRE RESISTANCE RATINGS:

Gentek vinyl siding products meet or exceed all building code requirements throughout the United States and Canada. In addition to meeting these code requirements, Gentek vinyl sidings have been fire rated by Underwriters Laboratories (UL) to be used in one-hour rated designed walls U026 and U032 and a two-hour rated wall, U301. UL inspects the manufacture of the vinyl products quarterly to certify that Gentek vinyl products are manufactured consistently. The vinyl products have been tested as follows:

Property	Test Method	Results
Average Burn Distance	ASTM D-635	20mm
Average Burn Time	ASTM D-635	<5 seconds
Flash Ignition Temperature	ASTM D-1929	752°F
Self Ignition Temperature	ASTM D-1929	860°F
Flame Spread Index	ASTM E-84	15
Flame Spread Index	CAN/ULC S102.2	25
Smoke Developed Index	ASTM E-84	<400
Fire Resistance	ASTM E-119	1-hour rated* 2-hour rated*

**See UL Fire Resistance Directory Control No. 1N60. E-119 is equivalent to UL-263 and E-84 is equivalent to UL-723.*

Important fire safety information for the building trades, specifiers, professionals and do-it-yourself installers:

When rigid vinyl siding is exposed to significant heat or flame, the vinyl will soften, sag, melt, or burn and may thereby expose the material underneath. Care must be exercised when selecting underlay materials because many underlays are made from organics that are combustible. You should ascertain the fire properties of any underlay prior to installation. All building materials should be installed in accordance with local, state and federal building codes and fire regulations.

WINDLOAD PROPERTIES:

All Gentek siding products are designed to withstand a minimum of 100 mph windloads and are suitable for most areas. The products can be used in areas with higher windloads, but installation procedures, choice of product and building code jurisdiction are important factors to be considered. The windspeed rating (in mph) is calculated using VSI's windspeed calculation guidelines. Additional information is available if required.

BUILDING CODES:

Gentek vinyl products meet or exceed the following building code specifications:

ICC-ESR – 1133
CCMC – 06541-L
New York City MEA 132-94-M
FHA/HUD Minimum Property Standards

For architectural specifications of designer siding and other products, please see your local Gentek dealer.

GENTEK ALUMINUM SIDING AND SOFFIT

ALUMINUM METAL PROPERTIES:

Alloy or equivalent.....	AA3000
Specific Gravity	2.72
Modulus of Elasticity (ksi)	10,000
Melting Range (°F).....	1175-1210

COATING PROPERTIES: Gentek aluminum products are manufactured with AA3000 series alloy (or equivalent). Both sides of the aluminum are cleaned with a specially formulated cleaner. The cleaned aluminum is then treated with an acid solution containing chrome to enhance corrosion resistance and coating adhesion.

Polyester (Poly) Topcoat: The topside of the pretreated aluminum is coated with a thermoset polyester polymer which is dried and cured at about 450 °F, forming a hard but flexible and weatherable coating. Total coating thickness is approximately 18 micrometers.

WEATHERING AND TESTING: Gentek products are tested for superior adhesion and forming properties. Gentek's stringent colour specifications allow batch to batch mixing of product. Product testing includes colour, film thickness, gloss, hot water/impact test, freezer/impact test, salt spray, humidity testing (1000 hours) and outdoor exposure (2 years).

COMPLIANCE: The aluminum alloys used meet the ULC Standard CAN4-S114-M80, defining the noncombustibility of aluminum alloys.

WARRANTY: 40 Year Limited Warranty. Warranty is transferable.

CONTACT WITH DISSIMILAR MATERIALS AND CORROSIVE ENVIRONMENTS: Direct contact of aluminum products with certain dissimilar materials, or contact with water runoff from dissimilar materials, is likely to result in corrosion. Accordingly, care should be taken during installation to avoid such contact of aluminum with dissimilar materials, including: dissimilar metals (copper, zinc, steel, etc.), concrete, stucco, asbestos siding, pressure treated/pretreated lumber, masonry, corrosive non-metallic materials, and roofing materials or roofing systems containing metallic granules or strips. Seacoast or other corrosive environments may result in corrosion of the product.

NOMINAL GAUGES (mm):

Product	Gauge
8" Horizontal	0.53
D4 Dutch Lap	0.40
D4 Clapboard	0.40 and 0.44
8" Vertical Board & Batten.....	0.50
Vertical "V"	0.40
16" Soffit – 2 Panel	0.29 and 0.38
16" Soffit – 4 Panel	0.29 and 0.38
18" Soffit – 3 Panel	0.33
4" Fascia – rib	0.44
6" Fascia – rib and non-rib	0.44 and 0.50
8" Fascia – rib and non-rib	0.44 and 0.50
Gutter Coil.....	0.57, 0.66 and 0.79

SOFFIT VENTILATION AREA:

Gentek soffit is available in a variety of profiles. Vented panels are designed to allow air circulation into the attic areas to aid in the reduction of excessive heat build-up and water vapour condensation.

PROFILE	PER LINEAR FOOT	PER PANEL
16" – 2 panel	4.02 sq in (26.0 cm²)	48.7 sq in (314.00 cm²)
16" – 4 panel	4.12 sq in (26.6 cm²)	51.25 sq in (330.64 cm²)
18" – 3 panel	5.46 sq in (35.2 cm²)	54.6 sq in (352.26 cm²)

VENTILATION: Fully vented

GENTEK STEEL SIDING

METAL PROPERTIES:

Steel or Equivalent	AZ-50
Specific Gravity	7.8
Minimum Ultimate Strength (KSI)	45-55
Minimum Yield (KSI)	40-50
Minimum Elongation (%)	25-35
Modulus of Elasticity (KSI)	29,500
Coefficient of Thermal Expansion (in/in °F)	0.000006
Melting Range (°F) Steel	>2700
Melting Range (°F) Zinc	786
Thermal Conductivity at 77°F (btu-in/ft²-hr-°F)	555

COATING PROPERTIES:

Gentek steel siding products are manufactured with AZ-50. Both sides of the steel sheet are cleaned with a specially formulated cleaner, water rinsed and then coated with an environmentally safe chemical pretreatment to enhance corrosion protection and coating adhesion.

The pretreated surface is coated with a thermoset corrosion-resistant polymer. This corrosion-resistant polymer is topcoated with the following polymeric systems:

Plastisol (PVC) Topcoat: This highly weatherable, flexible, chemical-resistant thermoplastic polymer is melted and fused at temperatures of >390°F. The coating is applied with a striated pattern or smooth finish having an average film thickness of 3.0 mils.

Fluoropolymer (PVDF): This thermoplastic polymer has excellent chemical and fade resistance. The coating thickness is 0.9 mil. The system is cured at a minimum temperature of 475°F. This polymer system conforms to the high industry standards of Kynar 500® and Hylar 5000®. The main criteria for these standards is that the paint formulation must contain a minimum of 70% PVDF. Many fluoropolymer coatings on the market do not meet the high quality and performance standards required by Kynar 500 and Hylar 5000 specifications.

WARRANTY:

All Gentek steel siding brands carry a Lifetime Limited Warranty. *Warranty is transferable if home is sold. See printed warranty for complete details.*

CONTACT WITH DISSIMILAR MATERIALS:

Direct contact of steel products with certain dissimilar materials, or contact with water runoff from dissimilar materials, is likely to result in corrosion. Accordingly, care should be taken during installation to avoid such contact of steel with dissimilar materials, including: dissimilar metals (copper, zinc, steel, etc.), concrete, stucco, asbestos siding, pressure treated/pretreated lumber, masonry, corrosive non-metallic materials, and roofing materials or roofing systems containing metallic granules or strips.

PRODUCT PHYSICALS:

Product	Coating Type	Thickness*
Sierra Steel	PVDF ₂	0.017
Steel/Side	PVC	0.017

*29 Gauge

BUILDING CODES:

Gentek steel products meet or exceed the following building code specifications:
ICC-ES Legacy – Report #97-64
AAMA 1406-86
FHA/HUD Minimum Property Standards

GENTEK ALIGN COMPOSITE CLADDING

PHYSICAL DATA:

Colour Uniformity is spectrophotometrically controlled
Emboss Cedar mill grain (7" Plank and 12" Board & Batten);
Matte (12" Board & Batten)
Gloss Uniform low gloss maintained with a 75° gloss meter

PRODUCT TEST DATA:

Impact Resistance >35 inch lbs
Coefficient of Linear Expansion (in/in/°F) 2.3 x 10⁻⁵
Thermal Resistance R-value 2.0 (7" Plank)
Thermal Resistance R-value 1.6 (12" Board & Batten)
ASTM D5206-13, Windload Resistance 7" Plank – 53 psf
(24" OC nails, 1-1/4" penetration)
12" Board & Batten – 52 psf
(12" OC nails; 65.33 psf
(8" OC nails)

FIRE RESISTANCE:

CAN/ULC S102.2-18
ASTM E2707-22, Rated Assemblies
ASTM E119, Rated Assemblies
ASTM D635, Rate of Burn
ASTM D1929, Self-Ignition/Flash-Ignition Temperature
NFPA 268, Section 1406 of IBC
Flame spread rating > 70
Smoke developed classification > 470
Approved for use
Approved for use
No self-sustained burn
770°F (410°C)/734°F (390°C)
Approved for use

CODES AND REGULATORY COMPLIANCE:

Intertek Code Compliance Research Report #0316
ICC-ES Evaluation Report – ESR 4449
Florida Product Approval #31747 (7" Plank); #46921(12" Board & Batten)

WARRANTY:

ALIGN offers a lifetime limited warranty to the original homeowner; the warranty is transferable if the home is sold.

THREE-PART FORMAT SPECIFICATION:

Long-form specification in three-part format is available at www.gentek.ca/align

Snow White	Dover Gray	Rockwell Blue
Almond	Chesapeake Gray	Midnight Surf
Monterey Sand	Storm	Marine Dusk
Pebble	Hudson Slate	Meadow Fern
Dark Drift	Windswept Smoke	Moonlit Moss
Rockport Brown	Iron Ore	Majestic Brick
Smoked Timber	Coastal Blue	

VINYL COLOUR PALETTE

Classic Colours

Snow White	Canyon Clay	Dover Gray
Sandstone	Pebble	Storm
Linen	Monterey Sand	Chesapeake Gray
Almond	Amber	Sage
Maize	Pearl	Juniper Grove
Wicker		

Designer Colours

Majestic Brick	Meadow Fern	Marine Dusk
Dark Drift	Moonlit Moss	Hudson Slate
Rockport Brown	Rockwell Blue	Windswept Smoke
Espresso	Coastal Blue	Iron Ore
Musket Brown (soffit only)	Midnight Surf	Black (soffit only)
Smoked Timber		

ALUMINUM COLOUR PALETTE

Bright White	Rockport Brown	Wedgewood Blue
Rainware White	Smoked Timber	Midnight Surf
Ice White	Metallic Gray	Coastal Blue
White 701	Pearl	Old World Blue
Sandstone	Dover Gray	Marine Dusk
Cashmere	Storm	AluCopper
Almond	Chesapeake Gray	Burgundy
Maize	Slate	Majestic Brick
Wicker	Hudson Slate	Nutmeg
Canyon Clay	Windswept Smoke	Chestnut Brown
Pebble	Sage	Commercial Brown
Monterey Sand	Meadow Fern	Antique Brown
Lambeth Beige	Moonlit Moss	Espresso
Tan	Ivy Green	Graphite
Brownstone	Forest Green	Iron Ore
Dark Drift	Rockwell Blue	Black
Sable		

ALUMINUM | VARIEGATED COLOUR PALETTE

Cedarwood Aluminum Colours

Tawny Oak	Aspen Gray	Maple Tan
Chestnut Brown		

ALUMINUM | COLOUR MATCH

James Hardie Colour Match Gentek Colour [James Hardie Colour]

Bright White [Arctic White]	Ash Gray [Iron Gray]	Desert Sand [Monterey Taupe]
Stone Gray [Pearl Gray]	Almond [Navajo Beige]	Barn Brown [Timber Bark]
Pewter [Aged Pewter]	Fieldstone [Cobblestone]	

CanExcel Colours

White XL	Khaki	Cedar XL
Green	Country Red XL	

STEEL | COLOUR PALETTE

Sierra Steel Colours

Bright White	Sable	Iron Ore
Chelsea Bluff	Juniper Grove	Rockwell Blue
Monterey Sand	Dover Gray	Watermill Blue
Delray Sand	Storm	Taylor Red
Thistle		

SteelSide Colours

Bright White	Brownstone	Sage
Almond	Norwood	Pacific Blue
Wicker	Thistle	Dover Gray
Canyon Clay	Sable	

gentek.ca



1001 Corporate Drive
Burlington, ON L7L 5V5

Make us a part of your home.

Not all products and colours are available all locations. Please check with your local Gentek branch for product availability. Colours may be slightly different from their appearance in this brochure. Make final colour selections using actual product samples. Product Improvement Policy: Gentek Building Products is constantly improving product designs and manufacturing processes. We therefore must reserve the right to change specifications without notice. Please consult Gentek Building Products for current details. Trademarks mentioned in this document are the property of Gentek Building Products, its affiliates or their respective owners. Accessible formats and communication supports available upon request.

Effective Date: April 2025

