

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



# LISTING SERVICE

**LISTING No.** 8140-2361:0500 Page 1 of 1

**CATEGORY:** 8140 -- EXTERIOR WALL SIDING AND SHEATHING FOR WILDLAND URBAN INTERFACE (W.U.I)

**LISTEE:** FastPlank Inc.4441 76 Ave SE, Suite 101, Calgary, AB T2C 2G5 Canada  
Contact: Maika Boila (403) 370-4822  
Email: maika@easytrimreveals.com

**DESIGN:** FastPlank V-Notched Aluminum Siding Planks, Models P44V and P46V in 4" and 6" widths. Product is an extruded 3/64" thick aluminum profile siding plank. Installed on nominal 2" x 4" studs, 16" O.C., 5/8" exterior grade plywood, and Tyvek HomeWrap stapled onto the plywood sheathing. The aluminum siding planks are installed using listee's corresponding trim hardware and starter strip and screwed directly through sheathing with 1-1/2" screws spaced at the designated screw locations. 3M Fire Barrier 1000NS is applied along the vertical joints and edges.

Refer to the manufacturer's installation instructions and product data sheets.

**RATING:** SFM 12-7A-1

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances, and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model number, rating, and ETL label.

**APPROVAL:** Listed as exterior aluminum siding for use in the Wildland Urban Interface areas. Refer to listee's Installation Instruction Manual for details. Model complies with the applicable requirements in SFM 12-7A-1.

**NOTE:** Listed as 8140-2361:0001 in GOVmotus

11-8-22 VWW



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other

Date Issued: **November 17, 2022**

Listing Expires **June 30, 2023**

Authorized By: **VICTOR WONG, Program Coordinator**  
*Fire Engineering Division*