

## LINK & LOCK™ PROFILES

### TABLE OF CONTENTS

(Click on the drawing name below to be directed to the right section.)

[2" LINK & LOCK](#)

[4" LINK & LOCK](#)

[6" LINK & LOCK](#)

[8" LINK & LOCK](#)

[LINK & LOCK END CAP : 1<sup>5</sup>/<sub>8</sub>"](#)

[6" LINK & LOCK HD](#)

[8" LINK & LOCK HD](#)

[LINK & LOCK END CAP : 2"](#)

[4" X 4" LINK & LOCK](#)

[4" X 6" LINK & LOCK](#)

[LINK & LOCK END CAP : 4"](#)

[LINK & LOCK - 2" END MOUNT](#)

[LINK & LOCK - 4" END MOUNT](#)

[LINK & LOCK - 6" END MOUNT](#)

[LINK & LOCK - 8" END MOUNT](#)

[LINK & LOCK - END MOUNT \(FRONT VIEW\)](#)

[LINK & LOCK HD - 6" END MOUNT](#)

[LINK & LOCK HD - 8" END MOUNT](#)

[LINK & LOCK HD - END MOUNT \(FRONT VIEW\)](#)

[LINK & LOCK - MOUNTING CLIP](#)

[LINK & LOCK - INTERNAL STIFFENER](#)

[LINK & LOCK BRACKET - 45° RIGHT SLIDING](#)


[LINK & LOCK BRACKET - 45° RIGHT FIXED](#)

[LINK & LOCK BRACKET - 45° LEFT SLIDING](#)

[LINK & LOCK BRACKET - 45° LEFT FIXED](#)

[LINK & LOCK BRACKET - 90° CENTER SLIDING](#)


[LINK & LOCK BRACKET - 90° CENTER FIXED](#)



These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**2" LINK & LOCK™**  
**ALUMINUM ALLOY: 6063-T5**  
**WEIGHT: 0.89 LBS/ LF**  
**SCALE: 1:1**






These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**4" LINK & LOCK™**  
**ALUMINUM ALLOY: 6063-T5**  
**WEIGHT: 1.194 LBS/ LF**  
**SCALE: 1:1**






These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**6" LINK & LOCK™**  
**ALUMINUM ALLOY: 6063-T5**  
**WEIGHT: 1.499 LBS/ LF**  
**SCALE: 1:1**






These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**8" LINK & LOCK™**  
**ALUMINUM ALLOY: 6063-T5**  
**WEIGHT: 1.803 LBS/ LF**  
**SCALE: 1:2**






These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**LINK & LOCK™ END CAP: 1-5/8"**  
**ALUMINUM ALLOY: 6063-T5**  
**WEIGHT: 0.196 LBS/ LF**  
**SCALE: 1:1**






These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**6" LINK & LOCK™ HD**  
**ALUMINUM ALLOY: 6063-T5**  
**WEIGHT: 1.14 LBS/ LF**  
**SCALE: 1:1**






These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**8" LINK & LOCK™ HD**  
**ALUMINUM ALLOY: 6063-T5**  
**WEIGHT: 1.42 LBS/ LF**  
**SCALE: 1:2**






These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**LINK & LOCK™ HD END CAP: 2"**  
ALUMINUM ALLOY: 6063-T5  
WEIGHT: 0.196 LBS/ LF  
SCALE: 1:1






These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**4" X 4" LINK & LOCK™**  
**ALUMINUM ALLOY: 6063-T5**  
**WEIGHT: 0.83 LBS/ LF**  
**SCALE: 1:1**






These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**4" X 6" LINK & LOCK™**  
**ALUMINUM ALLOY: 6063-T5**  
**WEIGHT: 2.85 LBS/ LF**  
**SCALE: 1:1**







These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**LINK & LOCK™ END CAP: 4"**  
**ALUMINUM ALLOY: 6063-T5**  
**WEIGHT: 0.337 LBS/ LF**  
**SCALE: 1:1**







TOP VIEW



ISOMETRIC VIEW



SIDE VIEW




FRONT VIEW


These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**LINK & LOCK™ - 2" END MOUNT**  
**ALUMINUM ALLOY: 6063-T5**  
**WEIGHT: 0.063 LBS**  
**SCALE: 1:1**






ISOMETRIC VIEW



TOP VIEW




SIDE VIEW


These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

LINK & LOCK™ - 4" END MOUNT  
ALUMINUM ALLOY: 6063-T5  
WEIGHT: 0.224 LBS  
SCALE: 1:1






ISOMETRIC VIEW



TOP VIEW



SIDE VIEW

These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)


LINK & LOCK™ - 6" END MOUNT

ALUMINUM ALLOY: 6063-T5


WEIGHT: 0.405 LBS

SCALE: 1:1






ISOMETRIC VIEW



TOP VIEW



SIDE VIEW

These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)


## LINK & LOCK™ - 8" END MOUNT

ALUMINUM ALLOY: 6063-T5

WEIGHT: 0.586 LBS

SCALE: 1:2







These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

LINK & LOCK™ - END MOUNT  
(FRONT VIEW)  
ALUMINUM ALLOY: 6063-T5  
SCALE: 1:1






ISOMETRIC VIEW



TOP VIEW



SIDE VIEW

These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)


## LINK & LOCK™ HD - 6" END MOUNT

ALUMINUM ALLOY: 6063-T5


WEIGHT: 0.405 LBS

SCALE: 1:1






ISOMETRIC VIEW



TOP VIEW




SIDE VIEW

These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

LINK & LOCK™ HD - 8" END MOUNT  
ALUMINUM ALLOY: 6063-T5  
WEIGHT: 0.586 LBS  
SCALE: 1:2







These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

LINK & LOCK™ HD - END MOUNT  
(FRONT VIEW)  
ALUMINUM ALLOY: 6063-T5  
SCALE: 1:1







ISOMETRIC VIEW




FRONT VIEW



SIDE VIEW



BOTTOM VIEW




TOP VIEW

These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project.  
 Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings.  
 For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**LINK & LOCK™ - MOUNTING CLIP**  
 MATERIAL: NYLON 6 WITH 30% GLASS FILL  
 WEIGHT: 0.015 LBS  
 SCALE: 1:1







These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**LINK & LOCK™ - INTERNAL STIFFENER**  
**ALUMINUM ALLOY: 6063-T5**  
**WEIGHT: 0.808 LBS/ LF**  
**SCALE: 1:1**







TOP VIEW



ISOMETRIC VIEW



FRONT VIEW




SIDE VIEW


These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**LINK & LOCK™ BRACKET**  
**- 45° RIGHT SLIDING**  
 ALUMINUM ALLOY: 6061-T6  
 WEIGHT: 0.3718 LBS  
 SCALE: 1:2







TOP VIEW



ISOMETRIC VIEW



FRONT VIEW




SIDE VIEW


These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**LINK & LOCK™ BRACKET**  
 - 45° RIGHT FIXED  
 ALUMINUM ALLOY: 6061-T6  
 WEIGHT: 0.3718 LBS  
 SCALE: 1:2







TOP VIEW



ISOMETRIC VIEW



FRONT VIEW




SIDE VIEW


These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**LINK & LOCK™ BRACKET**  
**- 45° LEFT SLIDING**  
**ALUMINUM ALLOY: 6061-T6**  
**WEIGHT: 0.3718 LBS**  
**SCALE: 1:2**







TOP VIEW



ISOMETRIC VIEW



FRONT VIEW




SIDE VIEW


These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**LINK & LOCK™ BRACKET**  
**- 45° LEFT FIXED**  
 ALUMINUM ALLOY: 6061-T6  
 WEIGHT: 0.3718 LBS  
 SCALE: 1:2







TOP VIEW



ISOMETRIC VIEW



FRONT VIEW




SIDE VIEW


These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**LINK & LOCK™ BRACKET**  
 - 90° CENTER SLIDING  
 ALUMINUM ALLOY: 6061-T6  
 WEIGHT: 0.3718 LBS  
 SCALE: 1:2







TOP VIEW



ISOMETRIC VIEW



FRONT VIEW



SIDE VIEW

These drawings are published as an information guide only. These CAD drawings are intended as templates to assist the designer, they do not contain the full detail required for construction and must be read in conjunction with the installation instructions on [www.longboardproducts.com](http://www.longboardproducts.com). You should obtain architectural, engineering or other technical advice to assess the suitability of these drawings to the requirements of your particular project. Mayne Coatings Corp. and Longboard products accepts no liability in respect to the use of these drawings. For complete installation instructions refer to the appropriate documentation here [www.longboardproducts.com/resources/technical-documentation/installation-guides](http://www.longboardproducts.com/resources/technical-documentation/installation-guides)

**LINK & LOCK™ BRACKET**  
 - 90° CENTER FIXED  
 ALUMINUM ALLOY: 6061-T6  
 WEIGHT: 0.3718 LBS  
 SCALE: 1:2

