



Standard Color Options




SOLIDS



Pure White (RVW) 



Bone White



Alabaster 



Beige 



Castle Gray




Cadet Gray 




Nissan Gray 




Dusty Charcoal II



Greyhound 



Basalt Gray



Statuary Bronze 



Focus Black II



Tri-Corn Black 



Azure Blue 



Patriot Red 


All finishes are available in 4mm
ALUCOBOND® PLUS Aluminum
Composite Material.



Up to
20-year
warranty



Custom
colors with
ColorMatch®

 ALUCOBOND offers Cool Coating formulas in standard, non-standard, and custom colors. Cool Coatings offer higher solar reflectivity than many competing building materials, resulting in lower energy consumption within the building. The IR-Reflectivity can help reduce energy consumption associated with air-conditioning systems allowing for cooler interior spaces and improved comfort levels for building occupants.

ALUCOBOND coatings are applied in a continuous, automated coil coating line where the aluminum is painted in a closed loop process, thereby capturing VOC's, making it a more environmentally friendly process that can help contribute to LEED.

All finishes shown are reproductions and may differ slightly from actual products. Product samples are available for color verification and approval.


For more information or to request samples, email us at info@engagebp.com or visit our website at engagebp.com/quickpanel

MICAS

Micas and metallics are directional finishes requiring panels to be installed in the same orientation to minimize the chance of visual color differences. Panels should always be installed with the arrows on the protective film facing the same direction.




Anodic Clear Mica 




MZG Gray Mica II 




West Pewter Mica II 




Graphite Mica




Platinum Mica 

METALLICS

Micas and metallics are directional finishes requiring panels to be installed in the same orientation to minimize the chance of visual color differences. Panels should always be installed with the arrows on the protective film facing the same direction.




Silver Metallic 




Sunrise Silver Metallic II 



Champagne Metallic 



JLR Gray Metallic 



Epernay Champagne Metallic 



ENGAGE
BUILDING PRODUCTS™

Smart Minds.
Smart Materials.

+1 877 973 8746
info@engagebp.com
engagebp.com/quickpanel